

ADULT HANDBAGS

TEST DESCRIPTION	REGULATION/TEST METHOD	REQUIREMENTS
MANDATORY		
Label Verification	F.P. & L. Act (16 CFR 500) OR NIST Uniform Laws and Regulations Handbook 130	Manufacturer, packer, or distributor's name & address (city, state & zip)
		Product Identification
		Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units).
		Fiber content
Fiber Content (textile)	AATCC 20/20A	Single fiber \pm 0.0% Blends \pm 3.0%
Labeling of genuine leather and imitation leather (If applicable)	16 CFR 24	1- imitation or simulated leather should be disclosed 2- Embossed or processed leather 3- Backing material 4- Ground, pulverized, shredded, reconstituted, or bonded leather
Real Fur / Faux Fur	Visual/ Massachusetts General Laws Part I Chapter 94 Section 277a/ New York State General Business Law Section 399-AAA/ Delaware Title 6 Chapter 25/ New Jersey Title 56. Chapter 14. (New) Fur Products §§1-3 -C.56:14-1 to 56:14-3/ 16 CFR 301	Massachusetts-All natural, dyed or imitation furs, and all articles made wholly or partly therefrom, sold at retail within the commonwealth, shall be plainly marked or labelled with an accurate statement of the material which they contain, together with the name and address of the seller. For Clothing sold in New York via stores, catalog and internet containing faux fur: Faux fur should be listed on a permanent label, or a temporary tag or a sticker. 16 CFR 301, other states law in real fur: refer to regulation for details
Country of Origin Marking	19 CFR 134.11	Shall indicate country of origin legibly, permanently, and incomparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.
Pentachlorothiophenol (PCTP)	Environmental Protection Agency, 86 FR 894, Final Rule, 40 CFR Part 751, Subpart E	\leq 1 % (10000 mg/kg)
Hexachlorobutadiene (HCBD)	Environmental Protection Agency, 86 FR 894, Final Rule, 40 CFR Part 751, Subpart E	Prohibited
California Prop 65	Warning label or applicable testing	In lieu of warning label, product should meet all applicable Prop 65 requirements.
Flame Retardants	Various state laws	Products claimed with flame retardant treatment shall meet all applicable requirements.

Total heavy metals in packaging	Toxics in Packaging Clearinghouse (TPCH)	Packaging shall not contain the sum of mercury, cadmium, lead and chromium (VI) in concentration above 0.01% by weight. Sum of Phthalates: ≤ 100 mg/kg, PFAS: Not detected
Plastic Bag Warnings	Various state laws	Plastic bags with a thickness of less than 1 mil (0.001 inch) having an opened end larger than 5 inches in diameter shall contain the following warning statement or equivalent: WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy.
NON-MANDATORY (QUALITY & PERFORMANCE)		
Formaldehyde (Spot Test)	AATCC 94	No Trace If trace is found - proceed with full testing
Formaldehyde	JIS 1041 LAW 112 ISO 14184-1 (textile) ISO 17226-1 (leather)	< 75 ppm -Direct skin contact: 75 mg/kg -Without direct skin contact: 300 mg/kg
pH of Water Extract	AATCC TM81 (textile) ASTM D2810 (leather)	Textile: 4.0-8.0 Leather: 3.5-7.5
Colorfastness to Crocking	AATCC 8/116	Dry: Grade 4 minimum Wet: Grade 3 minimum
Attachment Strength	ASTM 1683	Shoulder Strap: ≥75 lbs. Handle Strap: ≥40 lbs. Pockets: ≥11 lbs.
Hardware Operability (Claps, Closure Fasteners, Zipper, Buckles, D-Rings, Mics Hardware)	Actual Use	Open/Close Or Attach/Re-Attach 100 times Operability and appearance should not change
Tensile Strength (Wovens)	ASTM D5034	40 x 25 lbs. (warp x weft)
Tear Strength (Wovens)	ASTM D1424	3.0 x 2.5 lbs. (warp x weft)
Seam Strength(Wovens)	ASTM D 1683	Across Each Seam: 45 lbs. Minimum Bartacks and reinforcements: 20 lbs. Min