

**BED SHEETS, PILLOW COVERS, DUVET COVERS,
SHAMS AND BED SKIRTS**

(Adult and Children's Over 3 Years of Age)

Number: BURL-001
Creation Date: 12/19/2017
Revision Date: 9/16/2022
Created by: Legal Dept.

| TEST DESCRIPTION | REGULATION/TEST METHOD | REQUIREMENTS |
|--|--|---|
| MANDATORY | | |
| Sew-in Label Verification - Fiber Content - Country of Origin - Registration Number (RN) or Wool products Registration Number (WPL) | All Federal & State Requirements 16 CFR 303 16 CFR 300 19 CFR 134 | Must Comply |
| Imitation Leather | 16 CFR 24 | Non-leather material that appear as leather must be disclosed in label (e.g., Not Leather, Simulated Leather, Vinyl, Vinyl Coated Fabric, Plastic, etc.). Form of disclosures: on a tag, label, or card attached to the product, and should be affixed so as to remain on or attached to the product until received by the consumer purchaser. |
| Real Fur / Faux Fur | Visual/ Massachusetts General Laws Part I Chapter 94 Section 277a/ New York State General Business Law Section 399-AAA/ Delaware Title 6 Chapter 25/ New Jersey Title 56. Chapter 14. (New) Fur Products §§1-3 -C.56:14-1 to 56:14-3/ 16 CFR 301 | Massachusetts-All natural, dyed or imitation furs, and all articles made wholly or partly therefrom, sold at retail within the commonwealth, shall be plainly marked or labelled with an accurate statement of the material which they contain, together with the name and address of the seller. For Clothing sold in New York via stores, catalog and internet containing faux fur: Faux fur should be listed on a permanent label, or a temporary tag or a sticker. 16 CFR 301, other states law in real fur: refer to regulation for details |
| Fiber Content | AATCC 20/20A | Single fiber \pm 0.0% Blends \pm 3.0% |
| Package Label Verification | F.P. & L. Act (16 CFR 500) OR NIST Uniform Laws and Regulations Handbook 130 | Manufacturer, packer, or distributor's name & address (city, state & zip) |
| | | Product Identification |
| | | Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units). |
| California Prop 65 | Warning label or applicable testing | In lieu of warning label, product should meet all applicable Prop 65 requirements. |
| Thread Count (if claimed) | ASTM D3775 / ASTM D3887 | <200: +/- 5% maximum >200: +/- 3% |
| Pentachlorothiophenol (PCTP) | Environmental Protection Agency, 86 FR 894, Final Rule, 40 CFR Part 751, Subpart E | \leq 1 % (10000 mg/kg) |
| Hexachlorobutadiene (HCBD) | Environmental Protection Agency, 86 FR 894, Final Rule, 40 CFR Part 751, Subpart E | Prohibited |
| ADDITIONAL MANDATORY TESTS FOR CHILDREN'S PRODUCT | | |

| | | |
|--|--|--|
| Total Lead Content in Substrate Material | CPSIA, Section 101 CPSC-CH-E1001-08.3 (metallic substrates) CPSC-CH-E1002-08.3 (nonmetallic substrate) | ≤100 ppm - Exclude mill-dyed and mill printed fabrics and threads. - Exclude Natural material in natural state, treated without added lead or substrate with coating removed e.g. leather or fur |
| Total Lead in Paint or Surface Coating | 16 CFR 1303 | ≤ 90ppm All accessible coating |
| Sharp Points/Sharp Edges (under 8 years of age) | 16 CFR 1500.48/49 | Not allowed |
| Tracking labels for children's products | Consumer Product Safety Improvement Act of 2008 | A permanent and distinguishing mark on the product and its packaging, to the extent practicable, enabling the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product. |
| Lead, Cadmium and Phthalates in children's product | Washington Children's Safe Products Act (CSPA) | ≤40 ppm Cadmium; ≤90 ppm Lead; ≤1000 ppm Phthalates (combined). |
| New York Toxic chemicals in children's products | The Toxic Free Toys Act (Albany, Suffolk County) | Compound |
| | | Antimony |
| | | Arsenic |
| | | Cadmium |
| | | Lead in surface coating |
| | | Lead in substrates |
| | | Max. levels in ppm |
| | | 60 (soluble) |
| | | 25 (soluble) |
| | | 75 (soluble) |
| | | 90 (soluble) |
| | | 100 (total) |
| | | 60 (Soluble) |

STATE'S MANDATORY REGULATIONS

| | | |
|---|--|--|
| Total heavy metals in packaging | Toxics in Packaging Clearinghouse (TPCH) | Packaging shall not contain the sum of mercury, cadmium, lead and chromium (VI) in concentration above 0.01% by weight. Sum of Phthalates: ≤ 100 mg/kg PFAS: Not detected |
| Flame Retardants | Various state laws | Products claimed with flame retardant treatment shall meet all applicable requirements. |
| Plastic Bag Warnings | Various state laws | Plastic bags with a thickness of less than 1 mil (0.001 inch) having an opened end larger than 5 inches in diameter shall contain the following warning statement or equivalent: WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy. |
| Chemicals of High Concern for Children / Priority Chemicals | Various US States Law | Record the concentration of Chemicals of High Concern for Children / Priority Chemicals. No pass / fail verdict. |

OPTION (QUALITY & PERFORMANCE)

| | | |
|---|---|---|
| Care Labeling | FTC regulation | Must Comply |
| Formaldehyde (Spot Test) | AATCC 94 | No Trace If trace is found - proceed with full testing |
| Formaldehyde | JIS 1041 LAW 112 ISO 14184-1 (textile) ISO 17226-1(leather) | -Direct skin contact: 75 mg/kg -Without direct skin contact: 300 mg/kg |
| pH of Water Extract | AATCC TM81 (textile) ASTM D2810 (leather) | Textile: 4.0-8.0 Leather: 3.5-7.5 |
| General Appearance After Laundering 3 Home Launderings | Visual Evaluation | - No open raveling, open seams, or tufting damage. - No obvious defects/observations affecting the end product performance/appearance. - Color Change: Grade 4 - Self staining: Grade 4 List all observations |

| | | |
|--|---|--|
| Dimensional Stability | AATCC 135 / 150 | 3 Home Laundering: Flannel & Knits: -5% x -5% Max. All other: -3% x -3% Max. Growth: +1% x +1% Max. |
| Torque (Knits only) | AATCC 179 Method 2, Option 3 | 5.0% Max |
| Colorfastness to Laundering | AATCC 61 | Shade Change: Grade 4 minimum Staining: Grade 3 minimum Self –Staining: Grade 5/ No Self Staining |
| Colorfastness to Crocking | AATCC 8/116 | Dry: Grade 4 minimum Wet: Grade 3 minimum |
| Colorfastness to Non-Chlorine Bleach | AATCC TS 001 | Grade 4 minimum |
| Tensile Strength (Wovens) | ASTM D5034 | 40 x 30 lbs. (warp x weft) |
| Tear Strength (Wovens) | ASTM D1424 | 3.0 x 2.5 lbs. (warp x weft) |
| Bursting Strength (Knits) | ASTM D 3786 | 50 PSI |
| Pilling Resistance Martindale Pilling Method 100 Movements | ASTM D4970 | Grade 3.5 minimum |
| Seam Strength | ASTM D 1683 | All Seams: 30 lbs. Minimum Bartacks and reinforcements: 20 lbs. Min |
| Bursting Strength (Knits) | ASTM D 3786 | 50 PSI |
| Attachment Strength Snaps Buttons, Shanks, Rivets, etc. Hand-Sewn Beads, Sequins, etc. | ASTM D7142 Opt. 2 16 CFR 1500.50-53 16 CFR 1500.50-53 | 15 lb. / 10 sec. 15 lb. / 10 sec. 5 lb. / 10 sec |