
...BIBLIOGRAPHY...

- Agertoft L, Pedersen S. Effects of long-term treatment with an inhaled corticosteroid on growth and pulmonary function in asthmatic children. *Respir Med* 1994;88:373-381.
- Allen DB, Bronsky EA, LaForce CF, et al. Growth in asthmatic children treated with fluticasone propionate. Fluticasone Propionate Asthma Study Group. *J Pediatr* 1998;132:472-477.
- Baraniuk J, Murray JJ, Nathan RA, et al. Fluticasone alone or in combination with salmeterol vs triamcinolone in asthma. *Chest* 1999;116:625-632.
- Bateman ED, Holgate ST, Binks SM, Tams IP. A multicentre study to assess the steroid-sparing potential of Accolate™ (zafirlukast; 20 mg BD) [abstract]. *Allergy* 1995;50(suppl 26):320. Abstract P-0709.
- Bisgaard H. Use of inhaled corticosteroids in pediatric asthma. *Pediatr Pulmonary Supplement* 1997;15:27-33.
- Blair H. Natural history of childhood asthma. A 20-year follow-up. *Arch Dis Child* 1977;52:613-619.
- Braddock CH 3rd, Edwards KA, Hasenberg NM, Laidley TL, Levinson W. Informed decision making in outpatient practice: Time to get back to basics. *JAMA* 1999;282:2313-2320.
- Braman SS, Barrows AA, DeCotis BA, Settipane GA, Corrao WM. Airway hyperresponsiveness in allergic rhinitis; a risk factor for asthma. *Chest* 1987;91:671-674.
- Burrows B, Martinez FD, Halonen M, Barbee RA, Cline MG. Association of asthma with serum IgE levels and skin-test reactivity to allergens. *N Engl J Med* 1989;320:271-277.
- Busse W, Nelson H, Wolfe J, Kalberg C, Yancey SW, Rickard KA. Comparison of inhaled salmeterol and oral zafirlukast in patients with asthma. *J Allergy Clin Immunol* 1999;103:1075-1080.
- Centers for Disease Control and Prevention. Forecasted state-specific estimates of self-reported asthma prevalence—United States, 1998. *MMWR Morb Mortal Wkly Rep* 1998;47:1022-1025.
- Centers for Disease Control and Prevention. Surveillance for Asthma—United States, 1960-1995. *MMWR Morb Mortal Wkly Rep* 1998;47(No. SS-1)1-27.
- Clark NM, Gong M, Schork MA, et al. Impact of education for physicians on patient outcomes. *Pediatrics* 1998;101:831-836.
- Condemi JJ, Chervinsky P, Goldstein MF, et al. Fluticasone propionate powder administered through Diskhaler versus triamcinolone acetonide aerosol administered through metered-dose inhaler in patients with persistent asthma. *J Allergy Clin Immunol* 1997;100:467-474.
- Condemi JJ, Goldstein S, Kalberg C, Yancey S, Emmett A, Rickard K, for the Salmeterol Study Group. The addition of salmeterol to fluticasone propionate versus increasing the dose of fluticasone propionate in patients with persistent asthma. *Ann Allergy Asthma Immunol* 1999;82:383-389.
- Davies B, Brooks G, Devoy M. The efficacy and safety of salmeterol compared to theophylline: Meta-analysis of nine controlled studies. *Respir Med* 1998;92:256-263.
- Diemer F, Sanico A, Toggias A. Association of asthma with the degree of atopy and with specific allergens within an atopic population. *J Allergy Clin Immunol* 2000;105:S2.
- Donahue JG, Weiss ST, Livingston JM, Goetsch MA, Greineder DK, Platt R. Inhaled steroids and the risk of hospitalization for asthma. *JAMA* 1997;277:887-891.
- Edmond SD, Woodruff PG, Lee EY, Singh AK, Camargo CA Jr. Effect of an emergency department asthma program on acute asthma care. *Ann Emerg Med* 1999;34:321-325.
- ETAC (Group). Allergic factors associated with the development of asthma and the influence of cetirizine in double-blind, randomised, placebo-controlled trial: First results of ETAC. Early treatment of the atopic child. *Pediatr Allergy Immunol* 1998;9:116-124.
- Evans D, Mellins R, Lobach K, et al. Improving care for minority children with asthma: Professional education in public health clinics. *Pediatrics* 1997;99:157-164.
- Evans DJ, Taylor DA, Zetterstrom O, Chung KF, O'Connor BJ, Barnes PJ. A comparison of low-dose inhaled budesonide plus theophylline and high-dose inhaled budesonide for moderate asthma. *N Engl J Med* 1997;337:1412-1418.
- Fish JE, Peters SP. Airway remodeling and persistent airway obstruction in asthma. *J Allergy Clin Immunol* 1999;104:509-516.
- Gaga M, Lambrou D, Orphanidou H, et al. Cellular infiltration in the nasal mucosa in asthma. *Am J Respir Crit Care Med* 1998;157:A616.

...BIBLIOGRAPHY...

- Gavin LA, Wamboldt MZ, Sorokin N, Levy SY, Wamboldt FS. Treatment alliance and its association with family functioning, adherence, and medical outcome in adolescents with severe, chronic asthma. *J Pediatr Psychol* 1999;24:355-365.
- Glaxo Wellcome Study RM 1998/001/31/00. Data on file.
- Greco PJ, Eisenberg JM. Changing physicians' practices. *N Engl J Med* 1993;329:1271-1273.
- Greening AP, Ind PW, Northfield M, Shaw G, for the Allen & Hanburys Limited UK Study Group. Added salmeterol versus higher-dose corticosteroid in asthma patients with symptoms on existing inhaled corticosteroid. *Lancet* 1994;344:219-224.
- Greineder DK, Loane KC, Parks P. A randomized controlled trial of a pediatric asthma outreach program. *J Allergy Clin Immunol* 1999;103:436-440.
- Grunfeld AF, Ho K. Emergency management of acute adult asthma. *Can Fam Physician* 1995;41:1909-1916.
- Haahtela T, Jarvinen M, Kava T, et al. Effects of reducing or discontinuing inhaled budesonide in patients with mild asthma. *New Engl J Med* 1994;331:700-705.
- Hartert TV, Windom HH, Peebles RS Jr, Freidhoff LR, Togias A. Inadequate outpatient medical therapy and overutilization of inhaled beta-agonists in asthmatics admitted to two urban hospitals. *Am J Med* 1996;100:386-394.
- Hui KP, Barnes NC. Lung function improvement in asthma with a cysteinyl-leukotriene receptor antagonist. *Lancet* 1991;337:1062-1063.
- Iikura Y, Naspitz CK, Mikawa H, et al. Prevention of asthma by ketotifen in infants with atopic dermatitis. *Ann Allergy* 1992;68:233-236.
- Jeffery PK. Morphology of the airway wall in asthma and in chronic obstructive pulmonary disease. *Am Rev Respir Dis* 1991;143:1152-1157.
- Juniper EF, Svensson K, O'Byrne PM, et al. Asthma quality of life during 1 year of treatment with budesonide with or without formoterol. *Eur Respir J* 1999;14:1038-1043.
- Kapsali T, Horowitz E, Togias A. Rhinitis is ubiquitous in allergic asthmatics. *J Allergy Clin Immunol* 1997;99:S128.
- Kavuru M, Melamed J, Gross G, et al. Salmeterol and fluticasone propionate combined in a new powder inhalation device for the treatment of asthma: A randomized, double-blind, placebo-controlled trial. *J Allergy Clin Immunol*. In press.
- Kendrick AH, Higgs CM, Whitfield MJ, Laszlo G. Accuracy of perception of severity of asthma: Patients treated in general practice. *BMJ* 1993;307:422-424.
- Kosecoff J, Kanouse DE, Rogers WH, McCloskey L, Winslow CM, Brook RH. Effects of the National Institutes of Health Consensus Development Program on physician practice. *JAMA* 1987;258:2708-2713.
- Laitinen LA, Laitinen A, Haahtela T. Airway mucosal inflammation even in patients with newly diagnosed asthma. *Am Rev Respir Dis* 1993;147:697-704.
- Lange P, Parner J, Vestbo J, Schnohr P, Jensen G. A 15-year follow-up study of ventilatory function in adults with asthma. *N Engl J Med* 1998;339:1194-1200.
- Laprise C, Laviolette M, Boutet M, Boulet LP. Asymptomatic airway hyperresponsiveness: Relationships with airway inflammation and remodeling. *Eur Respir J* 1999;14:63-73.
- Leynaert B, Bousquet J, Neukirch C, Liard R, Neukirch F. Perennial rhinitis: An independent risk factor for asthma in nonatopic subjects (Results from the European Community Respiratory Health Survey). *J Allergy Clin Immunol* 1999;104:301-304.
- Li JT, Ford LB, Chervinsky P, et al. Fluticasone propionate powder and lack of clinically significant effects on hypothalamic-pituitary-adrenal axis and bone mineral density over 2 years in adults with mild asthma. *J Allergy Clin Immunol* 1999;103:1062-1068.
- Li X, Ward C, Thien F, et al. An antiinflammatory effect of salmeterol, a long-acting beta₂-agonist, assessed in airway biopsies and bronchoalveolar lavage in asthma. *Am J Respir Crit Care Med* 1999;160:1493-1499.
- Lofdahl CG, Reiss TF, Leff JA, et al. Randomised, placebo controlled trial of effect of a leukotriene receptor antagonist, montelukast, on tapering inhaled corticosteroids in asthmatic patients. *BMJ* 1999;319:87-90.
- Lomas J, Anderson GM, Domnick-Pierre K, Vayda E, Enkin MW, Hannah WJ. Do practice guidelines guide practice? The effect of a consensus statement on the practice of physicians. *N Engl J Med* 1989;321:1306-1311.
- Malmstrom K, Rodriguez-Gomez G, Guerra J, et al, for the Montelukast/Beclomethasone Study Group. Oral montelukast, inhaled beclomethasone, and placebo for chronic asthma. A randomized controlled trial. *Ann Intern Med* 1999;130:487-495.
- Manning PJ, Watson RM, Margolskee DJ, Williams VC, Schwartz JL, O'Byrne PM. Inhibition of exercise-induced

...BIBLIOGRAPHY...

- bronchoconstriction by MK-571, a potent leukotriene D4-receptor antagonist. *N Engl J Med* 1990;323:1736-1739.
- Martinez FD, Wright AL, Taussig LM, Holberg CJ, Halonen M, Morgan WJ. Asthma and wheezing in the first six years of life. *N Engl J Med* 1995;332:133-138.
 - Miyamoto T. Effects of zafirlukast on symptoms and pulmonary function of asthmatic patients with and without corticosteroids [abstract]. *Eur Respir J* 1999;14(suppl 30):120S. Abstract P835.
 - Murray JJ, Church NL, Anderson WH, et al. Concurrent use of salmeterol with inhaled corticosteroids is more effective than inhaled corticosteroid dose increases. *Allergy Asthma Proc* 1999;20:173-180.
 - Nathan R, LaForce C, Mitchell D, et al. The salmeterol/fluticasone propionate combination (50/100 mcg) via Diskus® has a rapid onset of effect in asthma patients on salmeterol or inhaled corticosteroids [abstract]. *Am J Resp Crit Care Med* 1999;159:A637.
 - Nathan R, Woodring A, Baitinger L, et al. The salmeterol/fluticasone propionate Diskus combination decreases the incidence of exacerbations compared to treatment with salmeterol or fluticasone propionate alone [abstract]. *Eur Resp J* 1999;14(suppl 30):123S. Abstract P848.
 - National Institutes of Health, National Heart, Lung, and Blood Institute. *Guidelines for the Diagnosis and Management of Asthma*. Bethesda, MD: National Institutes of Health; 1997. Publication 97-4051A.
 - National Institutes of Health, National Heart, Lung, and Blood Institute. *Expert Panel Report 2: Guidelines for the Diagnosis and Management of Asthma*. Bethesda, MD: National Institutes of Health; 1997. Publication 97-4051.
 - National Institutes of Health, National Heart, Lung, and Blood Institute, World Health Organization. *Global Strategy—Global Initiative for Asthma. National Heart, Lung, and Blood Institute/World Health Organization Workshop Report*. Bethesda, MD: National Institutes of Health; 1995. Publication 96-3659A.
 - Nayak AS, Anderson P, Charous BL, Williams K, Simonson S. Equivalence of adding zafirlukast versus double-dose inhaled corticosteroids in asthmatic patients symptomatic on low-dose inhaled corticosteroids [abstract]. *J Allergy Clin Immunol* 1998;101:S233.
 - Nguyen BP, Wilson SR, German DF. Patients' perceptions compared with objective ratings of asthma severity. *Ann Allergy Asthma Immunol* 1996;77:209-215.
 - Panhuysen CI, Vonk JM, Koeter GH, et al. Adult patients may outgrow their asthma: A 25-year follow-up study. *Am J Respir Crit Care Med* 1997;155:1267-1272.
 - Parameswaran K, Hildreth AJ, Chadha D, Keaney NP, Taylor IK, Bansal SK. Asthma in the elderly: Underperceived, underdiagnosed and undertreated: A community survey. *Respir Med* 1998;92:573-577.
 - Pauwels RA, Lofdahl CG, Postma DS, et al, for the Formoterol and Corticosteroids Establishing Therapy (FACET) International Group Study. Effect of inhaled formoterol and budesonide on exacerbations of asthma. *N Engl J Med* 1997;337:1405-1411.
 - Pearlman DS, Stricker W, Weinstein S, et al. Inhaled salmeterol and fluticasone: A study comparing monotherapy and combination therapy in asthma. *Ann Allergy Asthma Immunol* 1999;82:257-265.
 - Peat JK, Woolcock AJ, Cullen K. Rate of decline of lung function in subjects with asthma. *Eur J Respir Dis* 1987;70:171-179.
 - Pedersen S, O'Byrne P. A comparison of the efficacy and safety of inhaled corticosteroids in asthma. *Allergy* 1997;52(suppl 39):1-34.
 - Raphael GD, Lanier RQ, Baker J, Edwards L, Rickard K, Lincourt WR. A comparison of multiple doses of fluticasone propionate and beclomethasone dipropionate in subjects with persistent asthma. *J Allergy Clin Immunol* 1999;103:796-803.
 - Rickard KA, Stempel DA. Asthma survey demonstrates that the goals of the NHLBI have not been accomplished [abstract]. *J Allergy Clin Immunol* 1999;103: S171. Abstract 655.
 - Robuschi M, Riva E, Fuccella M, et al. Prevention of exercise-induced bronchoconstriction by a new leukotriene antagonist (SK&F 104353). A double-blind study versus disodium cromoglycate and placebo. *Am Rev Respir Dis* 1992;145:1285-1288.
 - Russell NJ, Crichton NJ, Emerson PA, Morgan AD. Quantitative assessment of the value of spirometry. *Thorax* 1986;41:360-363.
 - Sears MR, Burrows B, Flannery EM, Herbison GP, Hewitt CJ, Holdaway MD. Relation between airway responsiveness and serum IgE in children with asthma and in apparently normal children. *N Engl J Med* 1991;325:1067-1071.
 - Selroos O, Pietinalho A, Lofroos AB, Riska H. Effect of early vs late intervention with inhaled corticosteroids in asthma. *Chest* 1995;108:1228-1234.

... BIBLIOGRAPHY ...

- Settipane RJ, Hagy GW, Settipane GA. Long-term risk factors for developing asthma and allergic rhinitis: A 23-year follow-up study of college students. *Allergy Proc* 1994;15:21-25.
- Shapiro G, Lumry W, Wolfe J, et al. Combined salmeterol 50 µg and fluticasone propionate 250 µg in the Diskus device for the treatment of asthma. *Am J Crit Care Resp Med*. In press.
- Simons FE. Allergic rhinobronchitis: The asthma-allergic rhinitis link. *J Allergy Clin Immunol* 1999;104:534-540.
- Smith L, McFadden ER Jr. Bronchial hyperreactivity revisited. *Ann Allergy Asthma Immunol* 1995;74:454-470.
- Spector SL, Smith LJ, Glass M. Effects of 6 weeks of therapy with oral doses of ICI 204,219, a leukotriene D4 receptor antagonist, in subjects with bronchial asthma. ACCOLATE Asthma Trialists Group. *Am J Respir Crit Care Med* 1994;150:618-623.
- Sue-Chu M, Watlin A, Wilson S, et al. Bronchial biopsy study in asthmatics treated with low- and high-dose fluticasone propionate (FP) compared to low-dose FP combined with salmeterol. *Eur Respir J* 1999;14:1242S.
- Szeffler SJ, Boushey HA, Pearlman DS, et al. Time to onset of effect of fluticasone propionate in patients with asthma. *J Allergy Clin Immunol* 1999;103(suppl 5, pt 1):780-788.
- Tabachnik E, Levison H. Infantile bronchial asthma. *J Allergy Clin Immunol* 1981;67:339-347.
- Tamaoki J, Kondo M, Sakai N, et al. Leukotriene antagonist prevents exacerbation of asthma during reduction of high-dose inhaled corticosteroid. *Am J Respir Crit Care Med* 1997;155:1235-1240.
- Taniguchi Y, Tamura G, Honma M, et al. The effect of an oral leukotriene antagonist, ONO-1708, on allergen-induced immediate bronchoconstriction in asthmatic subjects. *J Allergy Clin Immunol* 1993;92:507-512.
- Tattersfield AE, Postma DS, Barnes PJ, et al. Exacerbations of asthma: A descriptive study of 425 severe exacerbations. *Am J Respir Crit Care Med* 1999;160:594-599.
- Togias A, Horowitz E, Joyner D, Guydon L, Malveaux F. Evaluating the factors that relate to asthma severity in adolescents. *Int Arch Allergy Immunol* 1997;113:87-95.
- Togias A, Perlman D, Boushey H, et al. Association of older age with lower pre- and post-bronchodilator FEV₁ percent predicted in asthma. *Am J Respir Crit Care Med* 1998;157:A163.
- Togias A. Mechanisms of nose-lung interaction. *Allergy* 1999;54:94-105.
- Ukena D, Harnest U, Sakalauskas R, et al. Comparison of addition of theophylline to inhaled steroid with doubling of the dose of inhaled steroid in asthma. *Eur Respir J* 1997;10:2754-2760.
- van Noord JA, Schreurs AJ, Mol SJ, Mulder PG. Addition of salmeterol versus doubling the dose of fluticasone propionate in patients with mild to moderate asthma. *Thorax* 1999;54:207-212.
- Vignola A, Chanez P, Chiappara G, Gagliardo R, Bonsignore G, Bousquet J. Growth factors in the remodeling of asthma. *ACI International* 1998;10:149-153.
- Virchow JC, Hassell SM, Summerton L, Harris A. Improved asthma control over 6 weeks with zafirlukast in patients on high dose inhaled corticosteroids [abstract]. *Eur Respir J* 1997;10:437S. Abstract P2804.
- Weiss KB, Gergen PJ, Hodgson TA. An economic evaluation of asthma in the United States. *N Engl J Med* 1992;26:862-866.
- Woolcock A, Lundback B, Ringdal N, Jacques LA. Comparison of addition of salmeterol to inhaled steroids with doubling of the dose of inhaled steroids. *Am J Respir Crit Care Med* 1996;153:1481-1488.
- Zimmerman B, Feanny S, Reisman J, et al. Allergy in asthma. I. The dose relationship of allergy to severity of childhood asthma *J Allergy Clin Immunol* 1988;81:63-70.