
...BIBLIOGRAPHY...

- Active Bacterial Core Surveillance (ABCs)/Emerging Infections Program Network Surveillance Report: *Streptococcus pneumoniae*, 1998. 1999. (Ref type: Internet Communication).
- Adams WG, Deaver KA, Cochi SL, et al. Decline of childhood *Haemophilus influenzae* type b (Hib) disease in the Hib vaccine era. *JAMA* 1993;269:221-226.
- American College of Physicians (ACP) Task Force on Adult Immunization and Infectious Diseases Society of America. Guide for Adult Immunization. 3rd ed. Philadelphia, PA: American College of Physicians, 1994;107-114.
- Anderson EL, Kennedy DJ, Geldmacher KM, et al. Immunogenicity of heptavalent pneumococcal conjugate vaccine in infants. *J Pediatr* 1996;128:649-653.
- Austrian R. Epidemiology of pneumococcal capsular types causing pediatric infections. *Pediatr Infect Dis J* 1989;8:S21-S22.
- Barnett ED, Pelton SI, Cabral HJ, et al. Immune response to pneumococcal conjugate and polysaccharide vaccines in otitis-prone and otitis-free children. *Clin Infect Dis* 1999;29:191-192.
- Berman S, Byrns PJ, Bondy J, et al. Otitis media-related antibiotic prescribing patterns, outcomes, and expenditures in a pediatric Medicaid population. *Pediatrics* 1997;100:585-592.
- Black S, Shinefield H, Ray P, et al. Efficacy of heptavalent conjugate pneumococcal vaccine (Wyeth Lederle) in 37,000 infants and children: Results of the Northern California Kaiser Permanente Efficacy Trial. [Abstract LB-9] 38th Interscience Conference on Antimicrobial Agents and Chemotherapy, San Diego, California, 1998:23.
- Black S, Shinefield H, Ray P, et al. Efficacy of heptavalent conjugate pneumococcal vaccine (Wyeth Lederle) in 37,000 infants and children: Results of the Northern California Kaiser Permanente Efficacy Trial. Presented at: the Pediatric Academic Societies' annual meeting, San Francisco, California, May 1-4, 1999 [Abstract #915].
- Black SB, Shinefield H, Ray P, et al. Safety and immunogenicity of Wyeth-Lederle heptavalent pneumococcal conjugate vaccine in infancy. In: Abstracts of the European Society for Pediatric Infectious Disease Meetings, Paris, May 21-23, 1997.
- Block SL, Hedrick JA, Harrison CJ. Pneumococcal serotypes from acute otitis media in rural Kentucky. Presented at: Interscience Conference on Antimicrobial Agents and Chemotherapy. San Francisco, CA; September 1999.
- Block SL, Harrison CJ, Hedrick JA, et al. Penicillin-resistant *Streptococcus pneumoniae* in acute otitis media: Risk factors, susceptibility patterns and antimicrobial management. *Pediatr Infect Dis J* 1995;14:751-759.
- Breiman RF, Butler JC, Tenover FC, et al. Emergence of drug-resistant pneumococcal infections in the United States. *JAMA* 1994;271:1835.
- Buchanan GR, Smith SJ. Pneumococcal septicemia despite pneumococcal vaccine and prescription of penicillin prophylaxis in children with sickle cell anemia. *Am J Dis Child* 1986;140:428-432.
- Butler JC, Breiman RF, Lipman BB, et al. Serotype distribution of *Streptococcus pneumoniae* infections among preschool children in the United States, 1978-1994: Implications for the development of a conjugate vaccine. *J Infect Dis* 1995;171:888-889.
- Catalan MJ, Fernandez JM, Vazquez A, et al. Failure of cefotaxime in the treatment of meningitis due to relatively resistant *Streptococcus pneumoniae*. *Clin Infect Dis* 1994;18:766-769.
- Centers for Disease Control and Prevention, Advisory Committee on Immunization Practices. Prevention of pneumococcal disease: Recommendations of the Advisory Committee on Immunization Practices (ACIP) [RR-8]. *Morb Mortal Wkly Rep* 1997;46:1-24.
- Centers for Disease Control and Prevention. Geographic variation in penicillin resistance in *Streptococcus pneumoniae*—selected sites, United States, 1997. *Morb Mortal Wkly Rep* 1999;48:656-661.
- Centers for Disease Control and Prevention. Progress toward elimination of *Haemophilus influenzae* type b disease among infants and children—United States, 1987-1993. *Morb Mort Wkly Rep* 1994;43:144-148.
- Chen DK, McGeer A, De Azavedo JC, et al. Decreased susceptibility of *Streptococcus pneumoniae* to fluoroquinolones in Canada. *N Engl J Med* 1999;341:233-239.
- Dagan R, Abramson O, Leibovitz E, et al. Impaired bacteriologic response to oral cephalosporins in acute otitis media caused by pneumococci with intermediate resistance to penicillin. *Pediatr Infect Dis J* 1996;15:980-985.
- Dagan R, Melamed R, Zamir O, LeRoy O. Safety and immunogenicity of tetravalent pneumococcal vaccines containing 6B, 14, 19F, and 23F polysaccharide conju-

...BIBLIOGRAPHY...

- gated to either tetanus toxoid or diphtheria toxoid in young infants and their boosterability by native polysaccharide antigens. *Pediatr Infect Dis J* 1997;16:1053-1059.
- Dohar JE, Garner ET, Nielsen RW, et al. Topical ofloxacin treatment of otorrhea in children with tympanostomy tubes. *Arch Otolaryngol Head Neck Surg* 1999;125:537-545.
 - Eskola J, Anttila M. Pneumococcal conjugate vaccines. *Pediatr Infect Dis* 1999;18:545-551.
 - Feikin D, Schuchat A, Kolczak M, et al. Mortality for invasive pneumococcal pneumonia in the era of antibiotic resistance, 1995-1997. *Am J Public Health*. In press.
 - Fleming CA, Craven DE, Romero-Steiner S, et al. Failure to elicit functional antibody in response to pneumococcal vaccine in HIV-infected adults. Presented at the Interscience Conference on Antimicrobial Agents and Chemotherapy, San Francisco, CA; September 1999; [Abstract No. 1874].
 - Frankel RE, Virata M, Hardalo C, et al. Invasive pneumococcal disease: Clinical features, serotypes, and antimicrobial resistance in cases involving patients with and without human immunodeficiency virus infection. *Clin Infect Dis* 1996;23:577-584.
 - Freid VM, Makuc DM, Rooks RN. Ambulatory health care visits by children: Principal diagnosis and place of visit. National Center for Health Statistics. *Vital Health Stat* 1998;Series 13.
 - Gill FM, Sleeper LA, Weiner SJ, et al. Clinical events in the first decade in a cohort of infants with sickle cell disease. *Blood* 1995;86:776-783.
 - Hall MJ, Lawrence L. Ambulatory surgery in the United States, 1995. Advance data. *Vital and Health Stat* 1997.
 - Heikonen-Kosma T, Korppi M, Jokinen C, et al. Etiology of childhood pneumonia: Serologic results of a prospective, population-based study. *Pediatr Infect Dis J* 1998;17:986-991.
 - Kaplan SL, Mason EO, Barson WJ, et al. Three-year multicenter surveillance of systemic pneumococcal infections in children. *Pediatrics* 1998;102:538-545.
 - Kayhty H, Ahman H, Ronnberg PR, et al. Pneumococcal polysaccharide-meningococcal outer membrane protein complex conjugate vaccine is immunogenic in infants and children. *J Infect Dis* 1995;172:1273-1278.
 - Kayhty H, Eskola J. New vaccine for the prevention of pneumococcal infections. *Emerg Infect Dis* 1996; 2:289-298.
 - King JC, Vink PE, Farley JJ, et al. Comparison of the safety and immunogenicity of a pneumococcal conjugate with a licensed polysaccharide vaccine in human immunodeficiency virus and nonhuman immunodeficiency virus-infected children. *Pediatr Infect Dis J* 1996;15:192-196.
 - Klein JO, Bluestone CD. Management of otitis media in the era of managed care. *Adv Pediatr Infect Dis* 1997;12:351-386.
 - Klein JO. Otitis media. *Clin Infect Dis* 1994;19:823-833.
 - Levine OS, Farley M, Harrison LH, et al. Risk factors for invasive pneumococcal disease in children: A population-based case control study in North America. *Pediatrics* 1999;103:E28 (Ref type: Electronic citation).
 - Lieu TA, Cochi SL, Black SB, et al. Cost-effectiveness of a routine varicella vaccination program for US children. *JAMA* 1994;271:375-381.
 - Lieu TA, Ray GT, for the Pneumococcal Vaccine Cost-Effectiveness Working Group. The projected cost-effectiveness of routine pneumococcal conjugate vaccination of healthy United States infants. Abstract presented at: Annual Meeting of the Society for Medical Decision Making, October 1999, Reno, Nevada.
 - Lieu TA. Presentation to the Advisory Committee on Immunization Practices; June 16, 1999; Atlanta, GA.
 - Lipsitch M. Bacterial vaccines and serotypes replacement: Lessons from *Haemophilus influenzae* and prospects for *Streptococcus pneumoniae*. *Emerg Infect Dis* 1999;5:336-345.
 - Lund BC, Ernst EJ, Klepser ME. Strategies in the treatment of penicillin-resistant *Streptococcus pneumoniae*. *Am J Health Syst Pharm* 1998;55:1987-1994.
 - Mao C, Harper M, Reddington C, et al. Serious pneumococcal infections (SPI) in HIV-infected children. In: Program Abstracts of the Interscience Conference on Antimicrobial Agents and Chemotherapy, 1994, Oct 4-7:36.
 - Margolis HS, Coleman PJ, Brown RE. Prevention of hepatitis B virus transmission by immunization. *JAMA* 1995;274:1201-1208.
 - McLinn S, Williams D. Incidence of antibiotic-resistant *Streptococcus pneumoniae* and beta-lactamase positive *Haemophilus influenzae* in clinical isolates from patients with otitis media. *Pediatr Infect Dis J* 1996; 15:S3-S9.
 - Otitis media and its complications. In: Behrman RE, Kliegman R, Nelson WE, eds. *Nelson Textbook of*
-

...BIBLIOGRAPHY...

- Pediatrics*, 15th ed. WB Saunders Company; 1996: 1814-1817.
- Overturf GD. Infections and immunizations of children with sickle cell disease. *Adv Pediatr Infect Dis* 1999;14:191-218.
 - Paradise JL, Rockette HE, Colborn DK, et al. Otitis media in 2253 Pittsburgh-area infants: Prevalence and risk factors during the first two years of life. *Pediatrics* 1997;99:318-333.
 - Pastor P, Medley F, Murphy TV. Invasive pneumococcal disease in Dallas County, Texas. Results from population-based surveillance in 1995. *Clin Infect Dis* 1998;26:590-595.
 - Pneumococcal vaccines. *Weekly Epidemiological Record* 1999;74:177-184.
 - Poland GA. The burden of pneumococcal disease: The role of conjugate vaccines. *Vaccine* 1999;17:1674-1679.
 - Schuchat A, Robinson K, Wenger JD, et al. Bacterial meningitis in the United States in 1995. *N Engl J Med* 1997;337:970-976.
 - Sloas MM, Barrett FF, Chesney PJ, et al. Cephalosporin treatment failure in penicillin- and cephalosporin-resistant *Streptococcus pneumoniae* meningitis. *Pediatr Infect Dis J* 1992;11:662-666.
 - Stool SE, Field MJ. The impact of otitis media. *Pediatr Infect Dis J* 1989;8(suppl):S11-S14.
 - Takala AK, Jero J, Kela E, et al. Risk factors for primary invasive pneumococcal disease among children in Finland. *JAMA* 1995;273:859-864.
 - Teele D, Klein JO, Roaner B, et al. Epidemiology of otitis media during the first seven years of life in children in greater Boston: A prospective cohort study. *J Infect Dis* 1989;160:83-93.
 - Thompson D, Oster G, McGarry LJ, Klein JO. Management of otitis media among children in a large health insurance plan. *Pediatr Infect Dis J* 1999;18:239-244.
 - Turner RB, Lande AE, Chase P, et al. Pneumonia in pediatric outpatients: Cause and clinical manifestations. *J Pediatr* 1987;111:194-200.
 - Vernacchio L, Romero-Steiner S, Martinez JE, et al. Comparison of an opsonophagocytic assay and IgG ELISA to assess responses to pneumococcal vaccines in patients with sickle cell disease. Abstract presented at Pneumococcal Vaccines for the World 1998 Conference, October 12-14, 1998, Washington, DC: Poster 27.
 - Wong WY, Overturf GD, Powars DR. Infection caused by *Streptococcus pneumoniae* in children with sickle cell disease: Epidemiology, immunologic mechanisms, prophylaxis, and vaccination. *Clin Infect Dis* 1992;14:1124-1136.
 - Zangwill KM, Vadheim CM, Vannier AM, et al. Epidemiology of invasive pneumococcal disease in Southern California: Implications for the design and conduct of a pneumococcal conjugate vaccine efficacy trial. *J Infect Dis* 1996;174:752-759.