
...BIBLIOGRAPHY...

- Abrams P, Freeman R, Anderström C, Mattiasson A. Tolterodine, a new antimuscarinic agent: As effective but better tolerated than oxybutynin in patients with an overactive bladder. *Br J Urol* 1998;81:801-810.
- Appell RA. Clinical efficacy and safety of tolterodine in the treatment of overactive bladder: A pooled analysis. *Urology* 1997;50(suppl 6A):90-96.
- Artibani W. Diagnosis and significance of idiopathic overactive bladder. *Urology* 1997;50(suppl 6A):25-32.
- Bailey KL, Torigoe Y, Zhou S, Mo LS, Flewelling SL. Overactive bladder cost of illness: Analysis of Medi-Cal claims. Presented at the International Society for Pharmacoeconomics and Outcomes Research 5th Annual International meeting, May 21-24, 2000, Arlington, Virginia.
- Birch BR, Miller RA. Primary nocturnal enuresis: A urodynamic study spanning three generations. *Scand J Urol Nephrol* 1995;29:285-288.
- Björnsdóttir LT, Geirsson RT, Jönsson PV. Urinary incontinence and urinary tract infections in octogenarian women. *Acta Obstet Gynecol Scand* 1998;77:105-109.
- Brading AF. A myogenic basis for the overactive bladder. *Urology* 1997;50(suppl 6A):57-67.
- Brieger GM, Yip SK, Hin LY, Chung TK. The prevalence of urinary dysfunction in Hong Kong Chinese women. *Obstet Gynecol* 1996;88:1041-1044.
- Brittain KR, Peet SM, Potter JF, Castleden CM. Prevalence and management of urinary incontinence in stroke survivors. *Age Ageing* 1999;28:509-511.
- Brocklehurst JC. Urinary incontinence in the community: Analysis of a MORI poll. *BMJ* 1993;306:832-824.
- Brown JS, Grady D, Ouslander JG, Herzog AR, Varner RE, Posner SF for the Heart and Estrogen/progestin Replacement (HERS) Research Group. Prevalence of urinary incontinence and associated risk factors in postmenopausal women. *Obstet Gynecol* 1999;94:66-70.
- Brown JS, Seeley DG, Fong J, Black DM, Ensrud KE, Grady D. Urinary incontinence in older women: Who is at risk? Study of Osteoporotic Fractures Research Group. *Obstet Gynecol* 1996;87:715-721.
- Brown JS, Subak LL, Gras J, Brown BA, Kuppermann M, Posner SF. Urge incontinence: The patient's perspective. *J Women's Health* 1998;7:1263-1269.
- Brown JS, Vittinghoff E, Wyman J, et al. Urinary incontinence: Does it increase risk for falls and fracture? *J Am Geriatr Soc* 2000 (in press).
- Burgio KL, Engel BT, Locher JL. Normative patterns of diurnal urination across 6 age decades. *J Urol* 1991;145:728-731.
- CDC/National Center for Injury Prevention and Control. The costs of fall injuries among older adults: The problem. Centers for Disease Control and Prevention Web site. Available at: <http://www.cdc.gov/ncipc/factsheets/fallcost.htm>. Accessed April 7, 2000.
- Chokroverty S, ed. *Clinical Companion to Sleep Disorders Medicine*, 2nd ed. Boston, MA: Butterworth-Heinemann; 2000.
- Chokroverty S, ed. *Sleep Disorders Medicine: Basic Science, Tactical Considerations and Clinical Aspects*, 2nd ed. Boston, MA: Butterworth-Heinemann; 1999.
- DeGroat WC. A neurologic basis for the overactive bladder. *Urology* 1997;50 (suppl 6A):36-52.
- Diokno AC, Chancellor MB, Mitcheson HD, et al, and the Tolterodine Study Group. Tolterodine (DETROL[®]) improves incontinence and nocturia in urologist based study [abstract]. *J Urol* 1999;161:256A.
- Donellan CA, Fook L, McDonald P, Playfer JR. Oxybutynin and cognitive dysfunction. *BMJ* 1997;315:1363-1364.
- Dowell CJ, Bryant CM, Moore KH, Simons AM. Calculating the direct costs of urinary incontinence: A new test instrument. *Br J Urol Int* 1999;83:596-606.
- Elving LB, Foldspang A, Lam GW, Mommsen S. Descriptive epidemiology of urinary incontinence in 3,100 women age 30-59. *Scand J Urol Nephrol Suppl* 1989;125:37-43.
- Frewen WK. The management of urgency and frequency of micturition. *Br J Urol* 1980;52:367-369.
- Fultz NH, Herzog R, Raghunathan TE, Wallace RB, Diokno AC. Prevalence and severity of urinary incontinence in older African American and Caucasian women. *J Gerontol A Biol Sci Med Sci* 1999;54:M299-M303.
- Gentili A, Weiner DK, Kuchibhatla M, Edinger JD. Factors that disturb sleep in nursing home residents. *Ageing Clin Exp Res* 1997;9:207-213.
- Grimby A, Milsom I, Molander U, Wiklund I, Ekelund P. The influence of urinary incontinence on the quality of life of elderly women. *Age Ageing* 1993;22:82-89.

...BIBLIOGRAPHY...

- Herr HW. Quality of life of incontinent men after radical prostatectomy. *J Urol* 1994;151:652-654.
- Hu TW. Impact of urinary incontinence on health-care costs. *J Am Geriatr Soc* 1990;38:292-295.
- Hu TW. The cost of incontinence in USA: Based on UI guidelines. Presented at the Multi-specialty Nursing Conference on Urinary Incontinence, January 1994, Phoenix, Arizona.
- Hulley S, Grady D, Bush T, et al. Randomized trial of estrogen plus progestin for secondary prevention of coronary heart disease in postmenopausal women. Heart and Estrogen/progestin Replacement Study (HERS) Research Group. *JAMA* 1998;280:605-613.
- Jackson S. The patient with overactive bladder symptoms and quality-of-life issues. *Urology* 1997;50(suppl 6A):18-22.
- Jeter KF, Wagner DB. Incontinence in the American home. A survey of 36,500 people. *J Am Geriatr Soc* 1990;38:379-383.
- Johannesson M, O'Connor RM, Kobelt-Nguyen G, Mattiasson A. Willingness to pay for reduced incontinence symptoms. *Br J Urol* 1997;80:557-562.
- Johansson C, Hellstrom L, Ekelund P, Milsom I. Urinary incontinence: A minor risk factor for hip fractures in elderly women. *Maturitas* 1996;25:21-28.
- Johansson C, Molander U, Milsom I, Ekelund P. Association between urinary incontinence and urinary tract infections, and fractures in postmenopausal women. *Maturitas* 1996;23:265-271.
- Katz IR, Sands LP, Bilker W, DiFilippo S, Boyce A, D'Angelo K. Identification of medications that cause cognitive impairment in older people: The case of oxybutynin chloride. *J Am Geriatr Soc* 1998;46:8-13.
- Kelleher CJ, Cardozo LD, Khuller V, Salvatore S. A medium term analysis of the subjective efficacy of treatment for women with detrusor instability and low bladder compliance. *Br J Obstet Gynaecol* 1997;104:988-993.
- Kelleher CJ, Cardozo LD, Khuller V, Salvatore S. A new questionnaire to assess the quality of life in urinary incontinent women. *Br J Obstet Gynaecol* 1997;104:1374-1379.
- Keller SL. Urinary incontinence: Occurrence, knowledge, and attitudes among women aged 55 and older in a rural midwestern setting. *J Wound Ostomy Continence Nurs* 1999;26:30-38.
- Kobelt G. Economic considerations and outcome measurement in urge incontinence. *Urology* 1997;50 (suppl 6A):100-107.
- Kobelt G, Jonsson L, Mattiasson A. Cost-effectiveness of new treatments for overactive bladder: The example of tolterodine, a new muscarinic agent: A Markov model. *NeuroUrol Urodyn* 1998;17:599-611.
- Kobelt G, Kirchberger I, Malone-Lee J. Quality-of-life aspects of the overactive bladder and the effect of treatment with tolterodine. *Br J Urol Int* 1999;83:583-590.
- Kobelt-Nguyen G, Johannesson M, Mattiasson A, et al. Correlations between symptoms of urge incontinence and scores of a generic quality of life instrument (SF36) and health status measurements (Euro-Qol) and between changes in symptoms and QoL scores. Presented at the 27th Annual Meeting of the International Continence Society, September 23-26, 1997, Yokohama, Japan. Abstract.
- Komaroff AL, Fagioli LR, Doolittle TH, et al. Health status in patients with chronic fatigue syndrome and in general population and disease comparison groups. *Am J Med* 1996;101:281-290.
- Koskimäki J, Hakama M, Huhtala H, Tammela TL. Association of smoking with lower urinary tract symptoms. *J Urol* 1998;159:1580-1582.
- Lam GW, Foldspang A, Elving LB, Mommsen S. Social context, social abstention, and problem recognition correlated with adult female urinary incontinence. *Dan Med Bull* 1992;39:565-570.
- Lenderking WR, Nackley JF, Anderson RB, Testa MA. A review of the quality-of-life aspects of urinary urge incontinence. *Pharmacoeconomics* 1996;9:11-23.
- Luukinen H, Koski K, Kivela S-L, Laippala P. Social status, life changes, housing conditions, health, functional abilities, and life-style as risk factors for recurrent falls among the home-dwelling elderly. *Public Health* 1996;110:115-118.
- Luukinen H, Koski K, Laippala P, Kivela S-L. Factors predicting fractures during falling impacts among home-dwelling older adults. *J Am Geriatr Soc* 1997; 45:1302-1309.
- Malone-Lee JG, Walsh B, Mangourd MD, and the Tolterodine in the Elderly Study Group. The safety and clinical efficacy of two doses of tolterodine, compared to placebo in elderly patients. Presented at the 27th Annual Meeting of the International Continence Society, September 23-26, 1997, Yokohama, Japan.

...BIBLIOGRAPHY...

- Milsom I. The prevalence of overactive bladder. Presented at the 14th Congress of the European Association of Gynecology and Obstetrics, May 1999, Grenada, Spain.
- Nygaard IE, Lemke JH. Urinary incontinence in rural older women: Prevalence, incidence and remission. *J Am Geriatr Soc* 1996;44:1049-1054.
- O'Brien J, Austin M, Sethi P, O'Boyle P. Urinary incontinence: Prevalence, need for treatment, and effectiveness of intervention by nurse. *BMJ* 1991;303:1308-1312.
- Ouslander JG, Kane RL, Abrass IB. Urinary incontinence in elderly nursing home patients. *JAMA* 1982;248:1194-1198.
- Ouslander JG, Kane RL. The costs of urinary incontinence in nursing homes. *Med Care* 1984;24:69-79.
- Ouslander JG, Schnelle JF. Incontinence in the nursing home. *Ann Intern Med* 1995;122:438-449.
- Ouslander JG, Schnelle JF, Uman GW, et al. Does oxybutynin add to the effectiveness of prompted voiding for urinary incontinence among nursing home residents? A placebo-controlled trial. *J Am Geriatr Soc* 1995;43:610-617.
- Ouslander JG, Schnelle JF, Uman G, et al. Predictors of successful prompted voiding among incontinent nursing home residents. *JAMA* 1995;273:1366-1370.
- Roe B, Doll H, Wilson K. Help seeking behaviour and health and social services utilisation by people suffering from urinary incontinence. *Int J Nursing Studies* 1999;36:245-253.
- Samuelsson E, Victor A, Tibblin G. A population study of urinary incontinence and nocturia among women aged 20-59 years. *Acta Obstet Gynecol Scand* 1997;76:74-80.
- Shih YCT, Hartzema AG, Tolleson-Rinehart S, Gorospe JA, Goldfarb SD. Costing the care for urinary incontinent patients in long-term care facilities. Presented at the 21st Annual Meeting of the Society for Medical Decision Making, October 5, 1999, Reno, Nevada.
- Simeonova Z, Milsom I, Kullendorff AM, Molander U, Bengtson C. The prevalence of urinary incontinence and its influence on the quality of life in women from an urban Swedish population. *Acta Obstet Gynecol Scand* 1999;78:546-551.
- Stanton SL, Kerr-Wilson R, Harris VG. The incidence of urological symptoms in normal pregnancy. *Br J Obstet Gynaecol* 1980;87:897-900.
- Stevens JA, Hasbrouck LM, Durant TM, et al. Surveillance for injuries and violence among older adults. *MMWR CDC Surveill Summ* 1999;48:27-50.
- Stewart WF, Hunt T, Payne CK. Reliability of reporting on coping strategies and impact of overactive bladder. Presented at 5th Annual Meeting of the International Society for Pharmacoeconomics and Outcomes Research, May 21-24, 2000, Arlington, Virginia.
- Thom D. Variation in estimates of urinary incontinence prevalence in the community: Effects of differences in definition, population characteristics, and study type. *J Am Geriatr Soc* 1998;46:473-480.
- Tinetti M, Speechley M, Ginter SF. Risk factors for falls among elderly persons living in the community. *N Engl J Med* 1988;319:1701-1707.
- Tromp AM, Smit JH, Deeg DJ, Bouter LM, Lips P. Predictors for falls and fractures in the Longitudinal Aging Study Amsterdam. *J Bone Miner Res* 1998;13:1932-1939.
- Turner WH, Brading AF. Smooth muscle of the bladder in the normal and the diseased state: Pathophysiology, diagnosis, and treatment. *Pharmacol Ther* 1997;75:77-110.
- Umlauf MG, Sherman SM. Symptoms or urinary incontinence among older community-dwelling men. *J Wound Ostomy Continence Nurs* 1996;23:314-321.
- Verdell L, ed. Consumer Focus '99: A Survey. *National Association for Continence*; Spartanburg, South Carolina: 1999.
- Wagner T, Hu TW. Economic costs of urinary incontinence in 1995. *Urology* 1998;51:355-361.
- Weber AM, Walters MD, Schover LR, Mitchinson A. Sexual function in women with uterovaginal prolapse and urinary incontinence. *Obstet Gynecol* 1995;85:483-487.
- Wein AJ, Rovner ES. The overactive bladder: An overview for primary care health providers. *Int J Fertil* 1999;44:56-66.
- Yarker Y, Goa KL, Fitton A. Oxybutynin: A review of its pharmacodynamics and pharmacokinetic properties, and its therapeutic use in detrusor instability. *Drugs Aging* 1995;6:243-262.
- Zorn BH, Montgomery H, Pieper K, Gray M, Steers WD. Urinary incontinence and depression. *J Urol* 1999;102:82-84.