

# 2000 INDEX

Articles that have page numbers beginning with an S appeared in the supplement "Current Trends and Developments in Drug Discovery" in May.

## AUTHORS

- Alden, Bonnie A. See Cheng, Yung-Fong.
- Altria, Kevin D. CE Currents. Column.
- Altria, Kevin D. "Welcome to Web Analysis," in Web Analysis. September, p. 922.
- Balogh, Michael. See Yu, Kate.
- Beesley, Thomas E. See Wang, Andy X.
- Berezkin, Victor G. See Ettre, Leslie S.
- Bertran, Celso A. See Collins, Kenneth E.
- Block, Eric. See Yu, Kate.
- Borny, Jean-François A., and Homan, Mark E. Efficient Characterization of Combinatorial Libraries Using Mass Spectrometry and Chemiluminescent Nitrogen Detection. May, p. S14.
- Boswell, C. Eric. Fast and Efficient Volatile Compound Analysis by Purge-and-Trap GC-MS. July, p. 726.
- Butler, Boyce. See Ham, Bryan.
- Carmody, Judy L. See Cheng, Yung-Fong.
- Carr, Peter W. See McNeff, Clayton.
- Chappell, I.; Weigand, R.J.; Zuzelski, T.J.; and Jersild, C. High-Speed Chromatography: Large-Diameter Columns and Small Particles. May, p. S35.
- Cheng, I. Francis. See Engelmann, Mark.
- Cheng, Yung-Fong; Walter, Thomas H.; Lu, Ziling; Iraneta, Pamela; Alden, Bonnie A.; Gendreau, Christina; Neue, Uwe D.; Grassi, Jeff M.; Carmody, Judy L.; O'Gara, John E.; and Fisk, Ray P. Hybrid Organic-Inorganic Particle Technology: Breaking Through Traditional Barriers of HPLC Separations. November, p. 1162.
- Coates, Stephen W.; Kirkland, Joseph J.; Langlois, Timothy; Majors, Ronald E.; Szafranski, Cory A.; Thompson, Lorin A. (Drew); and Wang, Qunjie. New Solid-Phase Scavengers Improve Recovery and Speed Throughput in Parallel and Related Synthesis. May, p. S30.
- Collins, Carol H. See Collins, Kenneth E.
- Collins, Kenneth E.; Collins, Carol H.; and Bertran, Celso A. "Stainless Steel Surfaces in LC Systems, Part I — Corrosion and Erosion," in LC Troubleshooting. June, p. 600.
- Collins, Kenneth E.; Collins, Carol H.; and Bertran, Celso A. "Stainless Steel Surfaces in LC Systems, Part II — Passivation and Practical Recommendations," in LC Troubleshooting. July, p. 688.
- Collins, Kenneth E.; Franchon, Adrien C.; Jardim, Isabel Cristina S.F.; Radovanovic, Eduardo; and Gonçalves, Maria do Carmo. "The Effects of Inner Surface Roughness of Microbore Column Blanks on Column Performance," in Column Watch. February, p. 106.
- Covino, L. See Richter, B.E.
- Cross, Reginald F. "Reducing Sample Size and Obtaining Representative Samples," in Sample Prep Perspectives. May, p. 468.
- Dabek-Zlotorzynska, Ewa, and Keppel-Jones, Katherine. "The Analysis of Low Molecular Weight Carboxylic Acids by CE with Indirect UV Detection," in CE Currents. September, p. 950.
- Dolan, John W. LC Troubleshooting. Monthly column.
- Dolan, John W. See Lewis, Roy.
- Dolan, John W. See Merdink, James L.
- Dolan, John W. See Morrison, Ryan D.
- Dorman, Frank L.; Schettler, Paul D.; English, Christopher M.; and Feeney, Michael J. "Achieving Optimum GC Separation — Designing New Capillary Column Stationary Phases Using Computer Modeling," in Column Watch. September, p. 928.
- Engelmann, Mark, and Cheng, I. Francis. Total Polychlorinated Biphenyl Quantification by Rapid Dechlorination Under Mild Conditions. February, p. 154.
- English, Christopher M. See Dorman, Frank L.
- Ettre, Leslie S. Milestones in Chromatography. Column.
- Ettre, Leslie S., and Berezkin, Victor G. "A.A. Zhukovitskii — A Russian Pioneer of Gas Chromatography," in Milestones in Chromatography. November, p. 1148.
- Ettre, Leslie S., and Meyer, Veronika R. "Two Symposia, When HPLC Was Young," in Milestones in Chromatography. July, p. 704.
- Feeney, Michael J. See Dorman, Frank L.
- Fingas, Merv. See Wang, Zhendi.
- Fisk, Ray P. See Cheng, Yung-Fong.
- Franchon, Adrien C. See Collins, Kenneth E.
- Gendreau, Christina. See Cheng, Yung-Fong.
- Giles, Kevin. See Sage, Ashley B.
- Gonçalves, Maria do Carmo. See Collins, Kenneth E.
- Grassi, Jeff M. See Cheng, Yung-Fong.
- Guttman, András, and Molnár, Imre. Csaba Horváth Turns 70. June, p. 580.
- Ham, Bryan; Butler, Boyce; and Thionville, Paul. Evaluating the Isolation and Quantification of Sterols in Seed Oils by Solid-Phase Extraction and Capillary Gas-Liquid Chromatography. November, p. 1174.
- Heegaard, Niels H.H. See Williamson, Brian.
- Hinshaw, John V. GC Connections. Monthly column.
- Homan, Mark E. See Borny, Jean-François A.
- Iraneta, Pamela. See Cheng, Yung-Fong.
- Jardim, Isabel Cristina S.F. See Collins, Kenneth E.
- Jersild, C. See Chappell, I.
- Johnson, Kerry. See McNeff, Clayton.
- Kehoe, Terry. See Williamson, Brian.
- Keppel-Jones, Katherine. See Dabek-Zlotorzynska, Ewa.
- Kirkland, Joseph J. See Coates, Stephen W.
- Koch, Charlie. "E-Mail and Chromatography," in Data File. May, p. 500.
- Krull, Ira, and Swartz, Michael. Validation Viewpoint. Column.
- Lachance, Danielle. See Oberhauser, Charles J.
- Langlois, Timothy. See Coates, Stephen W.
- Lee, J.T. See Wang, Andy X.
- Lesnik, Barry. "Method Validation Issues for the Resource Conservation and Recovery Act Program," in Validation Viewpoint. October, p. 1048.
- Lewis, Roy, and Dolan, John W. "The Problem of Late Elution — A Case Study," in LC Troubleshooting. November, p. 1136.
- Little, David. See Sage, Ashley B.
- Lu, Ziling. See Cheng, Yung-Fong.
- MacDonald, Stephen J. See Miller, Michael E.
- Majors, R.E. See McKinley, J.
- Majors, R.E. See Nicoud, R.-M.
- Majors, Ronald E. Column Watch. Column.
- Majors, Ronald E. See Coates, Stephen W.
- Mayer, Bernhard X., and Müller, Markus. "Long-Term Analyses with Capillary Electrophoresis," in CE Currents. July, p. 694.
- McDowall, R.D. Analytical Science in Drug Discovery. May, p. S8.
- McDowall, R.D. Chromatography Data Systems in Drug Discovery. October, p. 1074.
- McDowall, R.D. Chromatography Data Systems, Part I: The Fundamentals. January, p. 56.
- McDowall, R.D. Chromatography Data Systems, Part II: Specifying, Evaluating, and Selecting a System. February, p. 180.
- McDowall, R.D. Chromatography Data Systems, Part III: Prospective Validation of a Chromatography Data System. May, p. 530.
- McDowall, R.D. "Just e-Sign on the Bottom Line," in Questions of Quality. February, p. 142.
- McKinley, J., and Majors, R.E. "The Preparation of Calibration Standards for Volatile Organic Compounds — A Question of Traceability," in Sample Prep Perspectives. October, p. 1024.
- McNeff, Clayton; Zigan, Lorinda; Johnson, Kerry; Carr, Peter W.; Wang, Aosheng; and Weber-Main, Anne M. Analytical Advantages of Highly Stable Stationary Phases for Reversed-Phase LC. May, p. 514.
- Merdink, James L., and Dolan, John W. "Scaling Gradient LC Methods to LC-MS," in LC Troubleshooting. October, p. 1034.
- Meyer, Veronika R. See Ettre, Leslie S.
- Miller, Michael E.; Stuart, James D.; and MacDonald, Stephen J. Coupling Static Headspace Sampling to High-Speed Gas Chromatography. September, p. 968.
- Miwa, Tomoo. See Takeuchi, Toyohide.
- Molnár, Imre. See Guttman, András.
- Morrison, Ryan D., and Dolan, John W. "Reversed-Phase LC in 100% Water," in LC Troubleshooting. September, p. 936.
- Müller, Markus. See Mayer, Bernhard X.

Needham, S.R. "Fast, Efficient Separations in Drug Discovery — LC–MS Analysis Using Column Switching and Rapid Gradients," in *Directions in Discovery*. November, p. 1156.

Neue, Uwe D. See Cheng, Yung-Fong.

Nicoud, R.-M., and Majors, R.E. "Simulated Moving Bed Chromatography for Preparative Separations," in *Column Watch*. July, p. 680.

Niggebrugge, Adlai E. See Oberhauser, Charles J.

Oberhauser, Charles J.; Niggebrugge, Adlai E.; Lachance, Danielle; Takarewski, Joseph J.; Pegram, Matthew M.; and Quinn, Hubert M. "Turbulent-Flow LC for LC–MS and LC–MS–MS Bioanalysis," in *Directions in Discovery*. July, p. 716.

O'Gara, John E. See Cheng, Yung-Fong.

Ouchi, Glenn I. Data File. Column.

Pegram, Matthew M. See Oberhauser, Charles J.

Quinn, Hubert M. See Oberhauser, Charles J.

Radovanovic, Eduardo. See Collins, Kenneth E.

Richter, B.E., and Covino, L. *New Environmental Applications of Accelerated Solvent Extraction*. October, p. 1068.

Ross, Gordon A. See Serwe, Maria.

Ross, P. "The Role of Porous Graphitic Carbon in HPLC," in *Column Watch*. January, p. 14.

Safni. See Takeuchi, Toyohide.

Sage, Ashley B.; Little, David; and Giles, Kevin. *Using Parallel LC–MS and LC–MS–MS to Increase Sample Throughput*. May, p. S20.

Schettler, Paul D. See Dorman, Frank L.

Serwe, Maria, and Ross, Gordon A. *A Comparison of CE–MS and LC–MS for Peptide Samples*. January, p. 46.

Sigouin, Lise. See Wang, Zhendi.

Sims, Art. See Williamson, Brian.

Stuart, James D. See Miller, Michael E.

Sufeng, Wang. See Yan, Zhu.

Swartz, Michael. See Krull, Ira.

Szafranski, Cory A. See Coates, Stephen W.

Takarewski, Joseph J. See Oberhauser, Charles J.

Takeuchi, Toyohide; Safni; and Miwa, Tomoo. *Ion Chromatography Using Anion Exchangers Modified with Anionic Polysaccharides*. April, p. 418.

Thionville, Paul. See Ham, Bryan.

Thompson, Lorin A. (Drew). See Coates, Stephen W.

Walter, Thomas H. See Cheng, Yung-Fong.

Wang, Andy X.; Lee, J.T.; and Beesley, Thomas E. *Coupling Chiral Stationary Phases as a Fast Screening Approach for HPLC Method Development*. June, p. 626.

Wang, Aosheng. See McNeff, Clayton.

Wang, Qunjie. See Coates, Stephen W.

Wang, Zhendi; Fingas, Merv; and Sigouin, Lise. *Characterization and Source Identification of an Unknown Spilled Oil Using Fingerprinting Techniques by GC–MS and GC–FID*. October, p. 1058.

Weber-Main, Anne M. See McNeff, Clayton.

Wehr, Tim. *Directions in Discovery*. Column.

Weigand, R.J. See Chappell, I.

Weiping, Liu. See Yan, Zhu.

Williamson, Brian; Kehoe, Terry; Sims, Art; and Heegaard, Niels H.H. *Identification and Characterization of Serum Amyloid P-Component Protein by Electrospray Ionization Time-of-Flight LC–MS*. May, p. S41.

Yan, Zhu; Sufeng, Wang; and Weiping, Liu. *Indirect Suppressed-Conductivity Ion Chromatography*. February, p. 200.

Yu, Kate; Block, Eric; and Balogh, Michael. *LC–MS Analysis of Polymer Additives by Electron and Atmospheric-Pressure Ionization: Identification and Quantification*. February, p. 162.

Zigan, Lorinda. See McNeff, Clayton.

Zuzelski, T.J. See Chappell, I.

## SUBJECTS

### AUTOSAMPLERS

"Autosampler Problems — Symptoms and Solutions," in *GC Connections*. John V. Hinshaw. December, p. 1234.

"New GC Instruments and Accessories at the 51st Pittsburgh Conference," in *GC Connections*. John V. Hinshaw. May, p. 488.

### BIOPOLYMERS

"A Special Report on HPLC 2000," in *Column Watch*. Ronald E. Majors. November, p. 1122.

### CALIBRATION

"The Preparation of Calibration Standards for Volatile Organic Compounds — A Question of Traceability," in *Sample Prep Perspectives*. J. McKinley and R.E. Majors. October, p. 1024.

### CAPILLARIES FOR CE

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part II," in *Column Watch*. Ronald E. Majors. April, p. 356.

### CAPILLARY ELECTROCHROMATOGRAPHY

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part II," in *Column Watch*. Ronald E. Majors. April, p. 356.

"A Special Report on HPLC 2000," in *Column Watch*. Ronald E. Majors. November, p. 1122.

### CAPILLARY ELECTROPHORESIS

"The Analysis of Low Molecular Weight Carboxylic Acids by CE with Indirect UV Detection," in *CE Currents*. Ewa Dabek-Zlotorzynska and Katherine Keppel-Jones. September, p. 950.

"Capillary Electrophoresis without Method Development — Using Generic Operating Methods," in *CE Currents*. Kevin D. Altria. January, p. 33.

*A Comparison of CE–MS and LC–MS for Peptide Samples*. Maria Serwe and Gordon A. Ross. January, p. 46.

"Long-Term Analyses with Capillary Electrophoresis," in *CE Currents*. Bernhard X. Mayer and Markus Müller. July, p. 694.

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part II," in *Column Watch*. Ronald E. Majors. April, p. 356.

"A Special Report on HPLC 2000," in *Column Watch*. Ronald E. Majors. November, p. 1122.

## CE CURRENTS COLUMN

"The Analysis of Low Molecular Weight Carboxylic Acids by CE with Indirect UV Detection," in *CE Currents*. Ewa Dabek-Zlotorzynska and Katherine Keppel-Jones. September, p. 950.

"Capillary Electrophoresis without Method Development — Using Generic Operating Methods," in *CE Currents*. Kevin D. Altria. January, p. 33.

"Long-Term Analyses with Capillary Electrophoresis," in *CE Currents*. Bernhard X. Mayer and Markus Müller. July, p. 694.

## CE–MS

*A Comparison of CE–MS and LC–MS for Peptide Samples*. Maria Serwe and Gordon A. Ross. January, p. 46.

## CHIRAL SEPARATIONS

*Coupling Chiral Stationary Phases as a Fast Screening Approach for HPLC Method Development*. Andy X. Wang, J.T. Lee, and Thomas E. Beesley. June, p. 626.

## CHROMATOGRAPHIC THEORY

"Basic GC Measurements and Calculations," in *GC Connections*. John V. Hinshaw. April, p. 384.

"The Effects of Inner Surface Roughness of Microbore Column Blanks on Column Performance," in *Column Watch*. Kenneth E. Collins, Adrien C. Franchon, Isabel Cristina S.F. Jardim, Eduardo Radovanovic, and Maria do Carmo Gonçalves. February, p. 106.

*High-Speed Chromatography: Large-Diameter Columns and Small Particles*. I. Chappell, R.J. Weigand, T.J. Zuzelski, and C. Jersild. May, p. S35.

"A Noisy Problem," in *GC Connections*. John V. Hinshaw. February, p. 126.

"The Role of Porous Graphitic Carbon in HPLC," in *Column Watch*. P. Ross. January, p. 14.

"Simulated Moving Bed Chromatography for Preparative Separations," in *Column Watch*. R.-M. Nicoud and R.E. Majors. July, p. 680.

"Starting Out Right, Part II — Measuring Satisfaction," in *LC Troubleshooting*. John W. Dolan. January, p. 28.

"Starting Out Right, Part III — The Role of

the Solvent in Controlling Selectivity," in LC Troubleshooting. John W. Dolan. February, p. 118.

"Starting Out Right, Part V — Changing Column Conditions," in LC Troubleshooting. John W. Dolan. April, p. 376.

"Strategies for GC Optimization, Part II — Columns," in GC Connections. John V. Hinshaw. June, p. 610.

"Strategies for GC Optimization, Part III — Software," in GC Connections. John V. Hinshaw. October, p. 1040.

## COLUMN DESIGN AND STATIONARY-PHASE MODIFICATION

"Achieving Optimum GC Separation — Designing New Capillary Column Stationary Phases Using Computer Modeling," in Column Watch. Frank L. Dorman, Paul D. Schettler, Christopher M. English, and Michael J. Feeney. September, p. 928.

"Advances in the Design of HPLC Packings," in Column Watch. Ronald E. Majors. June, p. 586.

Coupling Chiral Stationary Phases as a Fast Screening Approach for HPLC Method Development. Andy X. Wang, J.T. Lee, and Thomas E. Beesley. June, p. 626.

High-Speed Chromatography: Large-Diameter Columns and Small Particles. I. Chappell, R.J. Weigand, T.J. Zuzelski, and C. Jersild. May, p. S35.

Hybrid Organic-Inorganic Particle Technology: Breaking Through Traditional Barriers of HPLC Separations. Yung-Fong Cheng, Thomas H. Walter, Ziling Lu, Pamela Iraneta, Bonnie A. Alden, Christina Gendreau, Uwe D. Neue, Jeff M. Grassi, Judy L. Carmody, John E. O'Gara, and Ray P. Fisk. November, p. 1162.

Ion Chromatography Using Anion Exchangers Modified with Anionic Polysaccharides. Toyohide Takeuchi, Safni, and Tomoo Miwa. April, p. 418.

"The Role of Porous Graphitic Carbon in HPLC," in Column Watch. P. Ross. January, p. 14.

"A Special Report on HPLC 2000," in Column Watch. Ronald E. Majors. November, p. 1122.

"Stationary-Phase Technology in Separation Science," in Column Watch. Ronald E. Majors. December, p. 1214.

## COLUMN MAINTENANCE AND TROUBLESHOOTING

"The Effects of Inner Surface Roughness of Microbore Column Blanks on Column Performance," in Column Watch. Kenneth E. Collins, Adrien C. Franchon, Isabel Cristina S.F. Jardim, Eduardo Radovanovic, and Maria do Carmo Gonçalves. February, p. 106.

"Reversed-Phase LC in 100% Water," in LC Troubleshooting. Ryan D. Morrison and John W. Dolan. September, p. 936.

"Stainless Steel Surfaces in LC Systems,

Part I — Corrosion and Erosion," in LC Troubleshooting. Kenneth E. Collins, Carol H. Collins, and Celso A. Bertran. June, p. 600.

"Stainless Steel Surfaces in LC Systems, Part II — Passivation and Practical Recommendations," in LC Troubleshooting. Kenneth E. Collins, Carol H. Collins, and Celso A. Bertran. July, p. 688.

## COLUMN SELECTION

"Advances in the Design of HPLC Packings," in Column Watch. Ronald E. Majors. June, p. 586.

Coupling Chiral Stationary Phases as a Fast Screening Approach for HPLC Method Development. Andy X. Wang, J.T. Lee, and Thomas E. Beesley. June, p. 626.

Hybrid Organic-Inorganic Particle Technology: Breaking Through Traditional Barriers of HPLC Separations. Yung-Fong Cheng, Thomas H. Walter, Ziling Lu, Pamela Iraneta, Bonnie A. Alden, Christina Gendreau, Uwe D. Neue, Jeff M. Grassi, Judy L. Carmody, John E. O'Gara, and Ray P. Fisk. November, p. 1162.

Ion Chromatography Using Anion Exchangers Modified with Anionic Polysaccharides. Toyohide Takeuchi, Safni, and Tomoo Miwa. April, p. 418.

"Strategies for GC Optimization, Part II — Columns," in GC Connections. John V. Hinshaw. June, p. 610.

## COLUMN WATCH COLUMN

"Achieving Optimum GC Separation — Designing New Capillary Column Stationary Phases Using Computer Modeling," in Column Watch. Frank L. Dorman, Paul D. Schettler, Christopher M. English, and Michael J. Feeney. September, p. 928.

"Advances in the Design of HPLC Packings," in Column Watch. Ronald E. Majors. June, p. 586.

"The Effects of Inner Surface Roughness of Microbore Column Blanks on Column Performance," in Column Watch. Kenneth E. Collins, Adrien C. Franchon, Isabel Cristina S.F. Jardim, Eduardo Radovanovic, and Maria do Carmo Gonçalves. February, p. 106.

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part I," in Column Watch. Ronald E. Majors. March, p. 262.

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part II," in Column Watch. Ronald E. Majors. April, p. 356.

"The Role of Porous Graphitic Carbon in HPLC," in Column Watch. P. Ross. January, p. 14.

"Simulated Moving Bed Chromatography for Preparative Separations," in Column Watch. R.-M. Nicoud and R.E. Majors. July, p. 680.

"A Special Report on HPLC 2000," in

Column Watch. Ronald E. Majors. November, p. 1122.

"Stationary-Phase Technology in Separation Science," in Column Watch. Ronald E. Majors. December, p. 1214.

## COLUMNS FOR GC

"Achieving Optimum GC Separation — Designing New Capillary Column Stationary Phases Using Computer Modeling," in Column Watch. Frank L. Dorman, Paul D. Schettler, Christopher M. English, and Michael J. Feeney. September, p. 928.

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part II," in Column Watch. Ronald E. Majors. April, p. 356.

## COLUMNS FOR LC

"Advances in the Design of HPLC Packings," in Column Watch. Ronald E. Majors. June, p. 586.

Analytical Advantages of Highly Stable Stationary Phases for Reversed-Phase LC. Clayton McNeff, Lorinda Zigan, Kerry Johnson, Peter W. Carr, Aosheng Wang, and Anne M. Weber-Main. May, p. 514.

"Configuring HPLC Systems for LC-MS," in Directions in Discovery. Tim Wehr. April, p. 406.

Coupling Chiral Stationary Phases as a Fast Screening Approach for HPLC Method Development. Andy X. Wang, J.T. Lee, and Thomas E. Beesley. June, p. 626.

High-Speed Chromatography: Large-Diameter Columns and Small Particles. I. Chappell, R.J. Weigand, T.J. Zuzelski, and C. Jersild. May, p. S35.

Hybrid Organic-Inorganic Particle Technology: Breaking Through Traditional Barriers of HPLC Separations. Yung-Fong Cheng, Thomas H. Walter, Ziling Lu, Pamela Iraneta, Bonnie A. Alden, Christina Gendreau, Uwe D. Neue, Jeff M. Grassi, Judy L. Carmody, John E. O'Gara, and Ray P. Fisk. November, p. 1162.

Ion Chromatography Using Anion Exchangers Modified with Anionic Polysaccharides. Toyohide Takeuchi, Safni, and Tomoo Miwa. April, p. 418.

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part I," in Column Watch. Ronald E. Majors. March, p. 262.

"Reversed-Phase LC in 100% Water," in LC Troubleshooting. Ryan D. Morrison and John W. Dolan. September, p. 936.

"The Role of Porous Graphitic Carbon in HPLC," in Column Watch. P. Ross. January, p. 14.

"Stationary-Phase Technology in Separation Science," in Column Watch. Ronald E. Majors. December, p. 1214.

## COLUMNS FOR SFC

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference,

Part II," in Column Watch. Ronald E. Majors. April, p. 356.

## COMBINATORIAL CHEMISTRY

Analytical Science in Drug Discovery. R.D.

McDowall. May, p. S8.

Chromatography Data Systems in Drug Discovery. R.D. McDowall. October, p. 1074.

Efficient Characterization of Combinatorial Libraries Using Mass Spectrometry and Chemiluminescent Nitrogen Detection. Jean-François A. Borny and Mark E. Homan. May, p. S14.

New Solid-Phase Scavengers Improve Recovery and Speed Throughput in Parallel and Related Synthesis. Stephen W. Coates, Joseph J. Kirkland, Timothy Langlois, Ronald E. Majors, Cory A. Szafranski, Lorin A. (Drew) Thompson, and Qunjie Wang. May, p. S30.

Using Parallel LC-MS and LC-MS-MS to Increase Sample Throughput. Ashley B. Sage, David Little, and Kevin Giles. May, p. S20.

## COMPUTERS AND SOFTWARE

"Achieving Optimum GC Separation — Designing New Capillary Column Stationary Phases Using Computer Modeling," in Column Watch. Frank L. Dorman, Paul D. Schettler, Christopher M. English, and Michael J. Feeney. September, p. 928.

"Automation and Reporting with a Desktop Database Management System," in Data File. Glenn I. Ouchi. March, p. 308.

Chromatography Data Systems in Drug Discovery. R.D. McDowall. October, p. 1074.

Chromatography Data Systems, Part I: The Fundamentals. R.D. McDowall. January, p. 56.

Chromatography Data Systems, Part II: Specifying, Evaluating, and Selecting a System. R.D. McDowall. February, p. 180.

Chromatography Data Systems, Part III: Prospective Validation of a Chromatography Data System. R.D. McDowall. May, p. 530.

"E-Mail and Chromatography," in Data File. Charlie Koch. May, p. 500.

Identification and Characterization of Serum Amyloid P-Component Protein by Electrospray Ionization Time-of-Flight LC-MS. Brian Williamson, Terry Kehoe, Art Sims, and Niels H.H. Heegaard. May, p. S41.

"Just e-Sign on the Bottom Line?" in Questions of Quality. R.D. McDowall. February, p. 142.

"New GC Instruments and Accessories at the 51st Pittsburgh Conference," in GC Connections. John V. Hinshaw. May, p. 488.

"SQL — The Database Language for Getting Results," in Data File. Glenn I. Ouchi. December, p. 1242.

"Strategies for GC Optimization, Part III — Software," in GC Connections. John V. Hinshaw. October, p. 1040.

"Welcome to Web Analysis," in Web Analysis. Kevin D. Altria. September, p. 922.

## DATA ANALYSIS

Chromatography Data Systems in Drug Discov-

ery. R.D. McDowall. October, p. 1074.

Chromatography Data Systems, Part I: The Fundamentals. R.D. McDowall. January, p. 56.

Chromatography Data Systems, Part II: Specifying, Evaluating, and Selecting a System. R.D. McDowall. February, p. 180.

"E-Mail and Chromatography," in Data File. Charlie Koch. May, p. 500.

## DATA FILE COLUMN

"Automation and Reporting with a Desktop Database Management System," in Data File. Glenn I. Ouchi. March, p. 308.

"E-Mail and Chromatography," in Data File. Charlie Koch. May, p. 500.

"SQL — The Database Language for Getting Results," in Data File. Glenn I. Ouchi. December, p. 1242.

## DERIVATIZATION

Total Polychlorinated Biphenyl Quantification by Rapid Dechlorination Under Mild Conditions. Mark Engelmann and I. Francis Cheng. February, p. 154.

## DETECTORS FOR GC

"New GC Instruments and Accessories at the 51st Pittsburgh Conference," in GC Connections. John V. Hinshaw. May, p. 488.

## DETECTORS FOR LC

Efficient Characterization of Combinatorial Libraries Using Mass Spectrometry and Chemiluminescent Nitrogen Detection. Jean-François A. Borny and Mark E. Homan. May, p. S14.

Indirect Suppressed-Conductivity Ion Chromatography. Zhu Yan, Wang Sufeng, and Liu Weiping. February, p. 200.

## DIRECTIONS IN DISCOVERY COLUMN

"Configuring HPLC Systems for LC-MS," in Directions in Discovery. Tim Wehr. April, p. 406.

"Fast, Efficient Separations in Drug Discovery — LC-MS Analysis Using Column Switching and Rapid Gradients," in Directions in Discovery. S.R. Needham. November, p. 1156.

"Separation Technology in Drug Discovery," in Directions in Discovery. Tim Wehr. January, p. 42.

"Turbulent-Flow LC for LC-MS and LC-MS-MS Bioanalysis," in Directions in Discovery. Charles J. Oberhauser, Adlai E. Niggebrugge, Danielle Lachance, Joseph J. Takarewski, Matthew M. Pegram, and Hubert M. Quinn. July, p. 716.

## DISCUSSION GROUPS

Total Polychlorinated Biphenyl Quantification by Rapid Dechlorination Under Mild Conditions. Mark Engelmann and I. Francis Cheng. February, p. 154.

## DRUG DISCOVERY

Analytical Science in Drug Discovery. R.D. McDowall. May, p. S8.

Chromatography Data Systems in Drug Discovery. R.D. McDowall. October, p. 1074.

Efficient Characterization of Combinatorial Libraries Using Mass Spectrometry and Chemiluminescent Nitrogen Detection. Jean-François A. Borny and Mark E. Homan. May, p. S14.

High-Speed Chromatography: Large-Diameter Columns and Small Particles. I. Chappell, R.J. Weigand, T.J. Zuzelski, and C. Jersild. May, p. S35.

Identification and Characterization of Serum Amyloid P-Component Protein by Electrospray Ionization Time-of-Flight LC-MS. Brian Williamson, Terry Kehoe, Art Sims, and Niels H.H. Heegaard. May, p. S41.

New Solid-Phase Scavengers Improve Recovery and Speed Throughput in Parallel and Related Synthesis. Stephen W. Coates, Joseph J. Kirkland, Timothy Langlois, Ronald E. Majors, Cory A. Szafranski, Lorin A. (Drew) Thompson, and Qunjie Wang. May, p. S30.

"Separation Technology in Drug Discovery," in Directions in Discovery. Tim Wehr. January, p. 42.

"Turbulent-Flow LC for LC-MS and LC-MS-MS Bioanalysis," in Directions in Discovery. Charles J. Oberhauser, Adlai E. Niggebrugge, Danielle Lachance, Joseph J. Takarewski, Matthew M. Pegram, and Hubert M. Quinn. July, p. 716.

Using Parallel LC-MS and LC-MS-MS to Increase Sample Throughput. Ashley B. Sage, David Little, and Kevin Giles. May, p. S20.

## ENVIRONMENTAL ANALYSIS

"Achieving Optimum GC Separation — Designing New Capillary Column Stationary Phases Using Computer Modeling," in Column Watch. Frank L. Dorman, Paul D. Schettler, Christopher M. English, and Michael J. Feeney. September, p. 928.

Analytical Advantages of Highly Stable Stationary Phases for Reversed-Phase LC. Clayton McNeff, Lorinda Zigan, Kerry Johnson, Peter W. Carr, Aosheng Wang, and Anne M. Weber-Main. May, p. 514.

Characterization and Source Identification of an Unknown Spilled Oil Using Fingerprinting Techniques by GC-MS and GC-FID. Zhendi Wang, Merv Fingas, and Lise Sigouin. October, p. 1058.

Fast and Efficient Volatile Compound Analysis by Purge-and-Trap GC-MS. C. Eric Boswell. July, p. 726.

"Method Validation Issues for the Resource Conservation and Recovery Act Program," in Validation Viewpoint. Barry Lesnik. October, p. 1048.

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part II," in Column Watch. Ronald E. Majors. April, p. 356.

New Environmental Applications of Accelerated Solvent Extraction. B.E. Richter and L. Covino. October, p. 1068.

Total Polychlorinated Biphenyl Quantification by Rapid Dechlorination Under Mild Conditions. Mark Engelmann and I. Francis Cheng. February, p. 154.

## EQUIPMENT DESIGN AND MODIFICATION

"Configuring HPLC Systems for LC-MS," in *Directions in Discovery*. Tim Wehr. April, p. 406.

"Gadgets for Gas Chromatography," in *Milestones in Chromatography*. Leslie S. Ettre. April, p. 392.

"Off-Duty Columns," in *GC Connections*. John V. Hinshaw. February, p. 134.

## EQUIPMENT EVALUATION

"The Effects of Inner Surface Roughness of Microbore Column Blanks on Column Performance," in *Column Watch*. Kenneth E. Collins, Adrien C. Franchon, Isabel Cristina S.F. Jardim, Eduardo Radovanovic, and Maria do Carmo Gonçalves. February, p. 106.

"GC Ovens — A Hot Topic," in *GC Connections*. John V. Hinshaw. November, p. 1142.

## EQUIPMENT MAINTENANCE AND TROUBLESHOOTING

"Autosampler Problems — Symptoms and Solutions," in *GC Connections*. John V. Hinshaw. December, p. 1234.

"Long-Term Analyses with Capillary Electrophoresis," in *CE Currents*. Bernhard X. Mayer and Markus Müller. July, p. 694.

"Stainless Steel Surfaces in LC Systems, Part II — Passivation and Practical Recommendations," in *LC Troubleshooting*. Kenneth E. Collins, Carol H. Collins, and Celso A. Bertran. July, p. 688.

## FUELS

Characterization and Source Identification of an Unknown Spilled Oil Using Fingerprinting Techniques by GC-MS and GC-FID. Zhendi Wang, Merv Fingas, and Lise Sigouin. October, p. 1058.

## GAS CHROMATOGRAPHY

"A.A. Zhukovitskii — A Russian Pioneer of Gas Chromatography," in *Milestones in Chromatography*. Leslie S. Ettre and Victor G. Berezkin. November, p. 1148.

"Autosampler Problems — Symptoms and Solutions," in *GC Connections*. John V. Hinshaw. December, p. 1234.

"Basic GC Measurements and Calculations," in *GC Connections*. John V. Hinshaw. April, p. 384.

Characterization and Source Identification of an Unknown Spilled Oil Using Fingerprinting Techniques by GC-MS and GC-FID. Zhendi Wang, Merv Fingas, and Lise Sigouin. October, p. 1058.

Coupling Static Headspace Sampling to High-Speed Gas Chromatography. Michael E. Miller, James D. Stuart, and Stephen J. MacDonald. September, p. 968.

Evaluating the Isolation and Quantification of Sterols in Seed Oils by Solid-Phase Extraction and Capillary Gas-Liquid Chromatography. Bryan Ham, Boyce Butler, and Paul Thionville. November, p. 1174.

Fast and Efficient Volatile Compound Analysis by Purge-and-Trap GC-MS. C. Eric Boswell. July, p. 726.

"Gadgets for Gas Chromatography," in *Milestones in Chromatography*. Leslie S. Ettre. April, p. 392.

"GC Ovens — A Hot Topic," in *GC Connections*. John V. Hinshaw. November, p. 1142.

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part II," in *Column Watch*. Ronald E. Majors. April, p. 356.

"New GC Instruments and Accessories at the 51st Pittsburgh Conference," in *GC Connections*. John V. Hinshaw. May, p. 488.

"A Noisy Problem," in *GC Connections*. John V. Hinshaw. February, p. 126.

"Off-Duty Columns," in *GC Connections*. John V. Hinshaw. February, p. 134.

"The Preparation of Calibration Standards for Volatile Organic Compounds — A Question of Traceability," in *Sample Prep Perspectives*. J. McKinley and R.E. Majors. October, p. 1024.

"Strategies for GC Optimization, Part I — Setting Realistic Expectations," in *GC Connections*. John V. Hinshaw. March, p. 296.

"Strategies for GC Optimization, Part II — Columns," in *GC Connections*. John V. Hinshaw. June, p. 610.

"Strategies for GC Optimization, Part III — Software," in *GC Connections*. John V. Hinshaw. October, p. 1040.

"Thermal Desorption Sampling," in *GC Connections*. John V. Hinshaw. September, p. 940.

Total Polychlorinated Biphenyl Quantification by Rapid Dechlorination Under Mild Conditions. Mark Engelmann and I. Francis Cheng. February, p. 154.

## GC CONNECTIONS COLUMN

"Autosampler Problems — Symptoms and Solutions," in *GC Connections*. John V. Hinshaw. December, p. 1234.

"Basic GC Measurements and Calculations," in *GC Connections*. John V. Hinshaw. April, p. 384.

"GC Ovens — A Hot Topic," in *GC Connections*. John V. Hinshaw. November, p. 1142.

"New GC Instruments and Accessories at the 51st Pittsburgh Conference," in *GC Connections*. John V. Hinshaw. May, p. 488.

"A Noisy Problem," in *GC Connections*. John V. Hinshaw. February, p. 126.

"Off-Duty Columns," in *GC Connections*. John V. Hinshaw. February, p. 134.

"Strategies for GC Optimization, Part I — Setting Realistic Expectations," in *GC Connections*. John V. Hinshaw. March, p. 296.

"Strategies for GC Optimization, Part II — Columns," in *GC Connections*. John V. Hinshaw. June, p. 610.

"Strategies for GC Optimization, Part III — Software," in *GC Connections*. John V. Hinshaw. October, p. 1040.

"Thermal Desorption Sampling," in *GC Connections*. John V. Hinshaw. September, p. 940.

## GC-MS

Characterization and Source Identification of an Unknown Spilled Oil Using Fingerprinting Techniques by GC-MS and GC-FID. Zhendi Wang, Merv Fingas, and Lise Sigouin. October, p. 1058.

Fast and Efficient Volatile Compound Analysis by Purge-and-Trap GC-MS. C. Eric Boswell. July, p. 726.

## GRADIENT ELUTION

"Fast, Efficient Separations in Drug Discovery — LC-MS Analysis Using Column Switching and Rapid Gradients," in *Directions in Discovery*. S.R. Needham. November, p. 1156.

Hybrid Organic-Inorganic Particle Technology: Breaking Through Traditional Barriers of HPLC Separations. Yung-Fong Cheng, Thomas H. Walter, Ziling Lu, Pamela Iraneta, Bonnie A. Alden, Christina Gendreau, Uwe D. Neue, Jeff M. Grassi, Judy L. Carmody, John E. O'Gara, and Ray P. Fisk. November, p. 1162.

"Reducing Column Diameter in Gradient Elution — A Case Study," in *LC Troubleshooting*. John W. Dolan. December, p. 1228.

"Scaling Gradient LC Methods to LC-MS," in *LC Troubleshooting*. James L. Merdink and John W. Dolan. October, p. 1034.

"Starting Out Right, Part VI — The Scouting Gradient Alternative," in *LC Troubleshooting*. John W. Dolan. May, p. 478.

## HEADSPACE ANALYSIS

Coupling Static Headspace Sampling to High-Speed Gas Chromatography. Michael E. Miller, James D. Stuart, and Stephen J. MacDonald. September, p. 968.

## HISTORY

"A.A. Zhukovitskii — A Russian Pioneer of Gas Chromatography," in *Milestones in Chromatography*. Leslie S. Ettre and Victor G. Berezkin. November, p. 1148.

Csaba Horváth Turns 70. András Guttman and Imre Molnár. June, p. 580.

"Two Symposia, When HPLC Was Young," in *Milestones in Chromatography*. Leslie S. Ettre and Veronika R. Meyer. July, p. 704.

**HYPHENATED TECHNIQUES**

Efficient Characterization of Combinatorial Libraries Using Mass Spectrometry and Chemiluminescent Nitrogen Detection. Jean-François A. Borny and Mark E. Homan. May, p. S14.

"Fast, Efficient Separations in Drug Discovery — LC-MS Analysis Using Column Switching and Rapid Gradients," in *Directions in Discovery*. S.R. Needham. November, p. 1156.

Identification and Characterization of Serum Amyloid P-Component Protein by Electrospray Ionization Time-of-Flight LC-MS. Brian Williamson, Terry Kehoe, Art Sims, and Niels H.H. Heegaard. May, p. S41.

"Scaling Gradient LC Methods to LC-MS," in *LC Troubleshooting*. James L. Merdink and John W. Dolan. October, p. 1034.

"Turbulent-Flow LC for LC-MS and LC-MS-MS Bioanalysis," in *Directions in Discovery*. Charles J. Oberhauser, Adlai E. Niggebrugge, Danielle Lachance, Joseph J. Takarewski, Matthew M. Pegram, and Hubert M. Quinn. July, p. 716.

Using Parallel LC-MS and LC-MS-MS to Increase Sample Throughput. Ashley B. Sage, David Little, and Kevin Giles. May, p. S20.

**INJECTORS**

"New GC Instruments and Accessories at the 51st Pittsburgh Conference," in *GC Connections*. John V. Hinshaw. May, p. 488.

**ION CHROMATOGRAPHY**

Indirect Suppressed-Conductivity Ion Chromatography. Zhu Yan, Wang Sufeng, and Liu Weiping. February, p. 200.

Ion Chromatography Using Anion Exchangers Modified with Anionic Polysaccharides. Toyohide Takeuchi, Safni, and Tomoo Miwa. April, p. 418.

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part I," in *Column Watch*. Ronald E. Majors. March, p. 262.

**ION-EXCHANGE CHROMATOGRAPHY**

Ion Chromatography Using Anion Exchangers Modified with Anionic Polysaccharides. Toyohide Takeuchi, Safni, and Tomoo Miwa. April, p. 418.

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part I," in *Column Watch*. Ronald E. Majors. March, p. 262.

**LC TROUBLESHOOTING COLUMN**

"The Problem of Late Elution — A Case Study," in *LC Troubleshooting*. Roy Lewis and John W. Dolan. November, p. 1136.

"Reducing Column Diameter in Gradient Elution — A Case Study," in *LC Troubleshooting*. John W. Dolan. December, p. 1228.

"Reversed-Phase LC in 100% Water," in *LC Troubleshooting*. Ryan D. Morrison and John W. Dolan. September, p. 936.

"Scaling Gradient LC Methods to LC-MS," in *LC Troubleshooting*. James L. Merdink and John W. Dolan. October, p. 1034.

"Stainless Steel Surfaces in LC Systems, Part I — Corrosion and Erosion," in *LC Troubleshooting*. Kenneth E. Collins, Carol H. Collins, and Celso A. Bertran. June, p. 600.

"Stainless Steel Surfaces in LC Systems, Part II — Passivation and Practical Recommendations," in *LC Troubleshooting*. Kenneth E. Collins, Carol H. Collins, and Celso A. Bertran. July, p. 688.

"Starting Out Right, Part II — Measuring Satisfaction," in *LC Troubleshooting*. John W. Dolan. January, p. 28.

"Starting Out Right, Part III — The Role of the Solvent in Controlling Selectivity," in *LC Troubleshooting*. John W. Dolan. February, p. 118.

"Starting Out Right, Part IV — Additional Variables to Control Selectivity," in *LC Troubleshooting*. John W. Dolan. March, p. 286.

"Starting Out Right, Part V — Changing Column Conditions," in *LC Troubleshooting*. John W. Dolan. April, p. 376.

"Starting Out Right, Part VI — The Scouting Gradient Alternative," in *LC Troubleshooting*. John W. Dolan. May, p. 478.

**LC-MS**

A Comparison of CE-MS and LC-MS for Peptide Samples. Maria Serwe and Gordon A. Ross. January, p. 46.

"Configuring HPLC Systems for LC-MS," in *Directions in Discovery*. Tim Wehr. April, p. 406.

Efficient Characterization of Combinatorial Libraries Using Mass Spectrometry and Chemiluminescent Nitrogen Detection. Jean-François A. Borny and Mark E. Homan. May, p. S14.

"Fast, Efficient Separations in Drug Discovery — LC-MS Analysis Using Column Switching and Rapid Gradients," in *Directions in Discovery*. S.R. Needham. November, p. 1156.

Identification and Characterization of Serum Amyloid P-Component Protein by Electrospray Ionization Time-of-Flight LC-MS. Brian Williamson, Terry Kehoe, Art Sims, and Niels H.H. Heegaard. May, p. S41.

LC-MS Analysis of Polymer Additives by Electron and Atmospheric-Pressure Ionization: Identification and Quantification. Kate Yu, Eric Block, and Michael Balogh. February, p. 162.

"Reversed-Phase LC in 100% Water," in *LC Troubleshooting*. Ryan D. Morrison and John W. Dolan. September, p. 936.

"Scaling Gradient LC Methods to LC-MS," in *LC Troubleshooting*. James L. Merdink and John W. Dolan. October, p. 1034.

"Turbulent-Flow LC for LC-MS and LC-MS-MS Bioanalysis," in *Directions in Discovery*. Charles J. Oberhauser, Adlai E. Niggebrugge, Danielle Lachance, Joseph J. Takarewski, Matthew M. Pegram, and Hubert M. Quinn. July, p. 716.

Using Parallel LC-MS and LC-MS-MS to Increase Sample Throughput. Ashley B. Sage, David Little, and Kevin Giles. May, p. S20.

**MEETING REPORTS**

"A Special Report on HPLC 2000," in *Column Watch*. Ronald E. Majors. November, p. 1122.

"Two Symposia, When HPLC Was Young," in *Milestones in Chromatography*. Leslie S. Ettré and Veronika R. Meyer. July, p. 704.

**METHOD DEVELOPMENT AND OPTIMIZATION**

A Comparison of CE-MS and LC-MS for Peptide Samples. Maria Serwe and Gordon A. Ross. January, p. 46.

Coupling Chiral Stationary Phases as a Fast Screening Approach for HPLC Method Development. Andy X. Wang, J.T. Lee, and Thomas E. Beesley. June, p. 626.

Fast and Efficient Volatile Compound Analysis by Purge-and-Trap GC-MS. C. Eric Boswell. July, p. 726.

"A Noisy Problem," in *GC Connections*. John V. Hinshaw. February, p. 126.

"The Problem of Late Elution — A Case Study," in *LC Troubleshooting*. Roy Lewis and John W. Dolan. November, p. 1136.

"Reducing Column Diameter in Gradient Elution — A Case Study," in *LC Troubleshooting*. John W. Dolan. December, p. 1228.

"Scaling Gradient LC Methods to LC-MS," in *LC Troubleshooting*. James L. Merdink and John W. Dolan. October, p. 1034.

"Simulated Moving Bed Chromatography for Preparative Separations," in *Column Watch*. R.-M. Nicoud and R.E. Majors. July, p. 680.

"Starting Out Right, Part III — The Role of the Solvent in Controlling Selectivity," in *LC Troubleshooting*. John W. Dolan. February, p. 118.

"Starting Out Right, Part IV — Additional Variables to Control Selectivity," in *LC Troubleshooting*. John W. Dolan. March, p. 286.

"Starting Out Right, Part V — Changing Column Conditions," in *LC Troubleshooting*. John W. Dolan. April, p. 376.

"Starting Out Right, Part VI — The Scouting Gradient Alternative," in *LC Troubleshooting*. John W. Dolan. May, p. 478.

"Strategies for GC Optimization, Part I — Setting Realistic Expectations," in *GC Connections*. John V. Hinshaw. March, p. 296.

"Strategies for GC Optimization, Part II — Columns," in *GC Connections*. John V. Hinshaw. June, p. 610.

"Strategies for GC Optimization, Part III — Software," in *GC Connections*. John V. Hinshaw. October, p. 1040.

**METHOD VALIDATION**

- "Method Validation Issues for the Resource Conservation and Recovery Act Program," in *Validation Viewpoint*. Barry Lesnik. October, p. 1048.
- "Regulatory Review of Method Validation Protocols," in *Validation Viewpoint*. Ira Krull and Michael Swartz. June, p. 620.

**MILESTONES IN CHROMATOGRAPHY COLUMN**

- "A.A. Zhukovitskii — A Russian Pioneer of Gas Chromatography," in *Milestones in Chromatography*. Leslie S. Ettre and Victor G. Berezkin. November, p. 1148.
- "Gadgetry for Gas Chromatography," in *Milestones in Chromatography*. Leslie S. Ettre. April, p. 392.
- "Two Symposia, When HPLC Was Young," in *Milestones in Chromatography*. Leslie S. Ettre and Veronika R. Meyer. July, p. 704.

**MOBILE PHASES, SOLVENTS, AND CARRIER GASES**

- "Capillary Electrophoresis without Method Development — Using Generic Operating Methods," in *CE Currents*. Kevin D. Altria. January, p. 33.
- "Long-Term Analyses with Capillary Electrophoresis," in *CE Currents*. Bernhard X. Mayer and Markus Müller. July, p. 694.
- "Stainless Steel Surfaces in LC Systems, Part II — Passivation and Practical Recommendations," in *LC Troubleshooting*. Kenneth E. Collins, Carol H. Collins, and Celso A. Bertran. July, p. 688.

**NORMAL-PHASE CHROMATOGRAPHY**

- "New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part I," in *Column Watch*. Ronald E. Majors. March, p. 262.

**PHARMACEUTICALS AND DRUG MONITORING**

- Analytical Science in Drug Discovery. R.D. McDowall. May, p. S8.
- "Capillary Electrophoresis without Method Development — Using Generic Operating Methods," in *CE Currents*. Kevin D. Altria. January, p. 33.
- "Configuring HPLC Systems for LC-MS," in *Directions in Discovery*. Tim Wehr. April, p. 406.
- Efficient Characterization of Combinatorial Libraries Using Mass Spectrometry and Chemiluminescent Nitrogen Detection. Jean-François A. Borny and Mark E. Homan. May, p. S14.
- "Fast, Efficient Separations in Drug Discovery — LC-MS Analysis Using Column Switching and Rapid Gradients," in *Directions in Discovery*. S.R. Needham. November, p. 1156.
- High-Speed Chromatography: Large-Diameter Columns and Small Particles. I. Chappell, R.J.

Weigand, T.J. Zuzelski, and C. Jersild. May, p. S35.

Hybrid Organic-Inorganic Particle Technology: Breaking Through Traditional Barriers of HPLC Separations. Yung-Fong Cheng, Thomas H. Walter, Ziling Lu, Pamela Iraneta, Bonnie A. Alden, Christina Gendreau, Uwe D. Neue, Jeff M. Grassi, Judy L. Carmody, John E. O'Gara, and Ray P. Fisk. November, p. 1162.

Identification and Characterization of Serum Amyloid P-Component Protein by Electrospray Ionization Time-of-Flight LC-MS. Brian Williamson, Terry Kehoe, Art Sims, and Niels H.H. Heegaard. May, p. S41.

New Solid-Phase Scavengers Improve Recovery and Speed Throughput in Parallel and Related Synthesis. Stephen W. Coates, Joseph J. Kirkland, Timothy Langlois, Ronald E. Majors, Cory A. Szafranski, Lorin A. (Drew) Thompson, and Qunjie Wang. May, p. S30.

"Regulatory Review of Method Validation Protocols," in *Validation Viewpoint*. Ira Krull and Michael Swartz. June, p. 620.

"Separation Technology in Drug Discovery," in *Directions in Discovery*. Tim Wehr. January, p. 42.

"Turbulent-Flow LC for LC-MS and LC-MS-MS Bioanalysis," in *Directions in Discovery*. Charles J. Oberhauser, Adlai E. Niggebrugge, Danielle Lachance, Joseph J. Takarewski, Matthew M. Pegram, and Hubert M. Quinn. July, p. 716.

Using Parallel LC-MS and LC-MS-MS to Increase Sample Throughput. Ashley B. Sage, David Little, and Kevin Giles. May, p. S20.

**POLYMER ANALYSIS**

LC-MS Analysis of Polymer Additives by Electron and Atmospheric-Pressure Ionization: Identification and Quantification. Kate Yu, Eric Block, and Michael Balogh. February, p. 162.

**PREPARATIVE AND PROCESS-SCALE CHROMATOGRAPHY**

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part I," in *Column Watch*. Ronald E. Majors. March, p. 262.

**PROTEINS, PEPTIDES, AND ENZYMES**

Identification and Characterization of Serum Amyloid P-Component Protein by Electrospray Ionization Time-of-Flight LC-MS. Brian Williamson, Terry Kehoe, Art Sims, and Niels H.H. Heegaard. May, p. S41.

"A Special Report on HPLC 2000," in *Column Watch*. Ronald E. Majors. November, p. 1122.

**QUALITY ASSURANCE AND QUALITY CONTROL**

"Just e-Sign on the Bottom Line?" in *Questions of Quality*. R.D. McDowall. February, p. 142.

**QUESTIONS OF QUALITY COLUMN**

"Just e-Sign on the Bottom Line?" in *Questions of Quality*. R.D. McDowall. February, p. 142.

**REGULATORY ISSUES**

Chromatography Data Systems, Part III: Prospective Validation of a Chromatography System. R.D. McDowall. May, p. 530.

"Just e-Sign on the Bottom Line?" in *Questions of Quality*. R.D. McDowall. February, p. 142.

"Method Validation Issues for the Resource Conservation and Recovery Act Program," in *Validation Viewpoint*. Barry Lesnik. October, p. 1048.

"Regulatory Review of Method Validation Protocols," in *Validation Viewpoint*. Ira Krull and Michael Swartz. June, p. 620.

**REVERSED-PHASE CHROMATOGRAPHY**

Analytical Advantages of Highly Stable Stationary Phases for Reversed-Phase LC. Clayton McNeff, Lorinda Zigan, Kerry Johnson, Peter W. Carr, Aosheng Wang, and Anne M. Weber-Main. May, p. 514.

Hybrid Organic-Inorganic Particle Technology: Breaking Through Traditional Barriers of HPLC Separations. Yung-Fong Cheng, Thomas H. Walter, Ziling Lu, Pamela Iraneta, Bonnie A. Alden, Christina Gendreau, Uwe D. Neue, Jeff M. Grassi, Judy L. Carmody, John E. O'Gara, and Ray P. Fisk. November, p. 1162.

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part I," in *Column Watch*. Ronald E. Majors. March, p. 262.

"Reducing Column Diameter in Gradient Elution — A Case Study," in *LC Troubleshooting*. John W. Dolan. December, p. 1228.

"Reversed-Phase LC in 100% Water," in *LC Troubleshooting*. Ryan D. Morrison and John W. Dolan. September, p. 936.

"The Role of Porous Graphitic Carbon in HPLC," in *Column Watch*. P. Ross. January, p. 14.

"Starting Out Right, Part III — The Role of the Solvent in Controlling Selectivity," in *LC Troubleshooting*. John W. Dolan. February, p. 118.

"Starting Out Right, Part IV — Additional Variables to Control Selectivity," in *LC Troubleshooting*. John W. Dolan. March, p. 286.

"Stationary-Phase Technology in Separation Science," in *Column Watch*. Ronald E. Majors. December, p. 1214.

**SAMPLE PREP PERSPECTIVES COLUMN**

"The Preparation of Calibration Standards for Volatile Organic Compounds — A Question of Traceability," in *Sample Prep Perspectives*. J. McKinley and R.E. Majors. October, p. 1024.

"Reducing Sample Size and Obtaining Representative Samples," in *Sample Prep Perspectives*. Reginald F. Cross. May, p. 468.

#### **SAMPLE PREPARATION**

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part II," in *Column Watch*. Ronald E. Majors. April, p. 356.

"The Preparation of Calibration Standards for Volatile Organic Compounds — A Question of Traceability," in *Sample Prep Perspectives*. J. McKinley and R.E. Majors. October, p. 1024.

"Reducing Sample Size and Obtaining Representative Samples," in *Sample Prep Perspectives*. Reginald F. Cross. May, p. 468.

"A Special Report on HPLC 2000," in *Column Watch*. Ronald E. Majors. November, p. 1122.

#### **SIZE-EXCLUSION CHROMATOGRAPHY**

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part I," in *Column Watch*. Ronald E. Majors. March, p. 262.

#### **SOLID-PHASE EXTRACTION**

Evaluating the Isolation and Quantification of Sterols in Seed Oils by Solid-Phase Extraction and Capillary Gas-Liquid Chromatography. Bryan Ham, Boyce Butler, and Paul Thionville. November, p. 1174.

New Solid-Phase Scavengers Improve Recovery and Speed Throughput in Parallel and Related Synthesis. Stephen W. Coates, Joseph J. Kirkland, Timothy Langlois, Ronald E. Majors, Cory A. Szafranski, Lorin A. (Drew) Thompson, and Qunjie Wang. May, p. S30.

#### **STANDARDS**

"The Preparation of Calibration Standards for Volatile Organic Compounds — A Question of Traceability," in *Sample Prep Perspectives*. J. McKinley and R.E. Majors. October, p. 1024.

#### **STATIONARY PHASES FOR LC**

"Stationary-Phase Technology in Separation Science," in *Column Watch*. Ronald E. Majors. December, p. 1214.

#### **SUPERCritical FLUID CHROMATOGRAPHY**

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part II," in *Column Watch*. Ronald E. Majors. April, p. 356.

#### **SYSTEM VALIDATION**

Chromatography Data Systems, Part III: Prospective Validation of a Chromatography Data System. R.D. McDowall. May, p. 530.

#### **THIN-LAYER CHROMATOGRAPHY**

"New Chromatography Columns and Accessories at the 2000 Pittsburgh Conference, Part II," in *Column Watch*. Ronald E. Majors. April, p. 356.

#### **VALIDATION VIEWPOINT COLUMN**

"Method Validation Issues for the Resource Conservation and Recovery Act Program," in *Validation Viewpoint*. Barry Lesnik. October, p. 1048.

"Regulatory Review of Method Validation Protocols," in *Validation Viewpoint*. Ira Krull and Michael Swartz. June, p. 620.

#### **WEB ANALYSIS COLUMN**

"Welcome to Web Analysis," in *Web Analysis*. Kevin D. Altria. September, p. 922. ■