

# A P P A R A T U S

---

CYLINDER : SYSTEM

# A P P A R A T U S



## TABLE OF CONTENTS

### CYLINDER : SYSTEM

INTRODUCTION

KEY TERMS

HOW TO ORDER

SPECIFICATIONS AND PRICING

MATERIALS AND FINISHES

CANOPY LAYOUT LIBRARY

APPARATUS CONFIGURATION LIBRARY

# A P P A R A T U S



## CYLINDER : SYSTEM

### REFERENCE

PROPORTION AND UTILITY  
WALTER DE MARIA

### COMPOSITION

FUNCTIONAL, DIRECTIONAL LIGHTING  
MECHANICAL JOINT  
CUSTOMIZABLE MODULARITY

THE CYLINDER SERIES ELEVATES THE EXPERIENCE OF FUNCTIONAL LIGHTING WITH DIRECTIONAL LIGHT EMANATING FROM RECESSED POINTS WITHIN SIMPLE METAL FORMS.


OUR CYLINDER : SYSTEM CONCEPT ENCOURAGES YOU TO CHART A PATH THROUGH YOUR SCENE AND TO BRING ATTENTION TO THE THINGS YOU FIND MEANINGFUL. CANOPY UNITS ARE THE BUILDING BLOCKS OF THE PATH, ALONG WHICH LAMP UNITS OF VARIOUS CHARACTER ARE PLACED. THE LIGHT IS SOFT-EDGED, WARM, DIFFUSED, AND CAN BE DIRECTED TO FIND THE OBJECT OF ITS AFFECTION.

TO EXPLORE THE CUSTOMIZABLE MODULARITY OF CYLINDER : SYSTEM, SELECT A CANOPY LAYOUT FROM OUR LIBRARY AND POPULATE IT WITH LAMP UNITS AS DESIRED, OR SELECT AN APPARATUS-DESIGNED CONFIGURATION.

# A P P A R A T U S



# A P P A R A T U S



# A P P A R A T U S







# A P P A R A T U S



# A P P A R A T U S



# A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

## KEY TERMS

CANOPY UNIT :  
A SINGLE CANOPY

CANOPY LAYOUT :  
A FORM MADE OF CANOPY UNITS

LAMP UNIT :  
A SINGLE LAMP [DOWNLIGHT, DOWNLIGHT EXTENDED, PENDANT]

CONFIGURATION :  
A CANOPY LAYOUT WITH LAMP UNIT(S)

INSTALLATION :  
A GROUPING OF MULTIPLE CONFIGURATIONS

# A P P A R A T U S

---

## HOW TO ORDER

EXPLORE THE CUSTOMIZABLE MODULARITY OF CYLINDER SYSTEM BY CREATING YOUR OWN CONFIGURATION OR SELECTING FROM A NUMBER OF CONFIGURATIONS DESIGNED BY APPARATUS.

### CREATE A CONFIGURATION

- |            |  |
|------------|--|
| STEP ONE   | FROM THE <a href="#">CANOPY LAYOUT LIBRARY</a> , NAVIGATE TO THE LAYOUT YOU WOULD LIKE TO CONFIGURE. |
| STEP TWO   | CLICK ON THE PLANNING WORKSHEET LINK FROM THE CANOPY LAYOUT LIBRARY PAGE.                            |
| STEP THREE | FOLLOW THE INSTRUCTIONS ON THE WORKSHEET TO SELECT AND PLACE YOUR DESIRED LAMP UNITS.                |
| STEP FOUR  | SUBMIT YOUR WORKSHEET. YOU WILL RECEIVE A VISUALIZATION AND QUOTE WITHIN TWO BUSINESS DAYS.          |

### SPECIFY AN APPARATUS CONFIGURATION

- |          |  |
|----------|--|
| STEP ONE | FROM THE <a href="#">APPARATUS CONFIGURATION LIBRARY</a> , NAVIGATE TO THE CONFIGURATION YOU WOULD LIKE TO ORDER.  |
| STEP TWO | EMAIL YOUR CLIENT MANAGER OR <a href="mailto:ORDERS@APPARATUSSTUDIO.COM">ORDERS@APPARATUSSTUDIO.COM</a> TO SPECIFY THE DESIRED CONFIGURATION NUMBER, HEIGHTS, MATERIALS AND FINISHES. YOU WILL RECEIVE A VISUALIZATION AND QUOTE WITHIN TWO BUSINESS DAYS. |

# A P P A R A T U S

## PRICING AND DETAILS


PRICE	<b>CANOPY UNIT</b>
WEIGHT	\$500
	APPROX. 2.5 LBS / 1 KG
PRICE	<b>LAMP UNIT : DOWNLIGHT</b>
MAXIMUM LAMP ANGLE	\$1300
WEIGHT	75 DEGREES
	APPROX. 3 LBS / 1 KG
PRICE	<b>LAMP UNIT : DOWNLIGHT EXTENDED</b>
INCLUDES	\$1600
MINIMUM OAH	UP TO 72 IN OAH
MAXIMUM OAH	18 IN
MAXIMUM LAMP ANGLE	72 IN
MAXIMUM ARM ANGLE	90 DEGREES
	45 DEGREES UP TO 48 IN OAH
	VERTICAL ONLY 49 - 72 IN OAH
WEIGHT	APPROX. 7 LBS / 3 KG
PRICE	<b>LAMP UNIT : PENDANT</b>
	A : FROM \$2600 / 22 - 76 IN OVERALL HEIGHT
	OR FROM \$3100 WITH LEATHER OR SUEDE
	B : FROM \$3700 / 77 - 151 IN OVERALL HEIGHT
	OR FROM \$4700 WITH LEATHER OR SUEDE
	C : FROM \$4800 / 152 - 226 IN OVERALL HEIGHT
	OR FROM \$6300 WITH LEATHER OR SUEDE
MINIMUM HEIGHT	22 IN
WEIGHT	A : APPROX. 10 LBS / 3 KG
	B : APPROX. 18 LBS / 8 KG
	C : APPROX. 26 LBS / 12 KG

POWER SOURCE	EACH CONFIGURATION CAN BE WIRED TO A SINGLE POWER SOURCE WHICH CAN BE LOCATED ANYWHERE ABOVE THE CANOPY CONFIGURATION. AN ELECTRICAL BOX MUST BE CENTERED ABOVE A CANOPY UNIT TO PROPERLY CONNECT AND SUPPLY POWER.
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
	SINGLE METAL FINISH PER CONFIGURATION. LEATHER AND SUEDE MAY BE UNIQUE PER LAMP UNIT IN A CONFIGURATION. CONFIGURATIONS MUST CONTAIN AT LEAST ONE LAMP UNIT.

# A P P A R A T U S




AGED BRASS




OIL-RUBBED BRONZE




BLACKENED BRASS




TARNISHED SILVER



LEATHER - CANE



LEATHER - SADDLE




LEATHER - TAUPE



LEATHER - BLACK




SUEDE - ICE



SUEDE - PEWTER



SUEDE - BRONZE



SUEDE - SEPIA



SUEDE - JUNIPER



SUEDE - PLUM



SUEDE - BLACK

METAL

LEATHER

SUEDE

CYLINDER : SYSTEM

AGED BRASS [WAXED]  
OIL-RUBBED BRONZE [WAXED]  
BLACKENED BRASS [WAXED]  
TARNISHED SILVER [LACQUERED] ADD 35%

CANE  
SADDLE  
TAUPE  
BLACK

ICE  
PEWTER  
BRONZE  
SEPIA  
JUNIPER  
PLUM  
BLACK

LEATHER AND SUEDE AVAILABLE FOR  
PENDANTS ONLY

# A P P A R A T U S

---

## CANOPY LAYOUT LIBRARY

TO CREATE A CONFIGURATION, CLICK ON THE [PLANNING WORKSHEET](#) LINK.

# A P P A R A T U S

## CANOPY LAYOUT STYLE : LINEAR



101X  
13 W, 6.5 D IN / 33 W, 17 D CM



102X  
19.75 W, 6.5 D IN / 50 W, 17 D CM



103X  
26.25 W, 6.5 D IN / 67 W, 17 D CM



104X  
32.75 W, 6.5 D IN / 83 W, 17 D CM



105X  
39.25 W, 6.5 D IN / 100 W, 17 D CM



106X  
46 W, 6.5 D IN / 117 W, 17 D CM



107X  
52.5 W, 6.5 D IN / 133 W, 17 D CM



108X  
59 W, 6.5 D IN / 150 W, 17 D CM



109X  
65.5 W, 6.5 D IN / 167 W, 17 D CM



110X  
72.25 W, 6.5 D IN / 183 W, 17 D CM



111X  
78.75 W, 6.5 D IN / 200 W, 17 D CM



112X  
85.25 W, 6.5 D IN / 217 W, 17 D CM



113X  
92 W, 6.5 D IN / 233 W, 17 D CM



114X  
98.5 W, 6.5 D IN / 250 W, 17 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW

[VISIT THE PLANNING WORKSHEET](#)

# A P P A R A T U S

CANOPY LAYOUT STYLE : GRID

1	2
3	4

201X  
13 W, 13 D IN / 33 W, 33 D CM

1	2	3	4	5	6	7
8	9	10	11	12	13	14

206X  
46 W, 13 D IN / 117 W, 33 D CM

1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24

211X  
78.75 W, 13 D IN / 200 W, 33 D CM

1	2	3
4	5	6

202X  
19.75 W, 13 D IN / 50 W, 33 D CM

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16

207X  
52.5 W, 13 D IN / 113 W, 33 D CM

1	2	3	4	5	6	7	8	9	10	11	12	13
14	15	16	17	18	19	20	21	22	23	24	25	26

212X  
85.25 W, 13 D IN / 217 W, 33 D CM

1	2	3	4
5	6	7	8

203X  
26.25 W, 13 D IN / 67 W, 33 D CM

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18

208X  
59 W, 13 D IN / 150 W, 33 D CM

1	2	3	4	5	6	7	8	9	10	11	12	13	14
15	16	17	18	19	20	21	22	23	24	25	26	27	28

213X  
92 W, 13 D IN / 233 W, 33 D CM

1	2	3	4	5
6	7	8	9	10

204X  
32.75 W, 13 D IN / 83 W, 33 D CM

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20

209X  
65.5 W, 13 D IN / 167 W, 33 D CM

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
16	17	18	19	20	21	22	23	24	25	26	27	28	29	30

214X  
98.5 W, 13 D IN / 250 W, 33 D CM

1	2	3	4	5	6
7	8	9	10	11	12

205X  
39.25 W, 13 D IN / 100 W, 33 D CM

1	2	3	4	5	6	7	8	9	10	11
12	13	14	15	16	17	18	19	20	21	22

210X  
72.25 W, 13 D IN / 183 W, 33 D CM

1	2	3
4	5	6
7	8	9

215X  
19.75 W, 19.75 D IN / 50 W, 50 D CM

1	2	3	4
5	6	7	8
9	10	11	12

216X  
26.25 W, 19.75 D IN / 67 W, 50 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW

[VISIT THE PLANNING WORKSHEET](#)

# A P P A R A T U S


## CANOPY LAYOUT STYLE : L FORM



**301X**  
13 W, 13 D IN / 33 W, 33 D CM



**302LX**  
19.75 W, 13 D IN / 50 W, 33 D CM




**302RX**  
19.75 W, 13 D IN / 50 W, 33 D CM




**307LX**  
46 W, 19.75 D IN / 117 W, 50 D CM




**307RX**  
46 W, 19.75 D IN / 117 W, 50 D CM



**305X**  
19.75 W, 19.75 D IN / 50 W, 50 D CM



**303LX**  
26.25 W, 13 D IN / 67 W, 33 D CM




**303RX**  
26.25 W, 13 D IN / 67 W, 33 D CM




**309LX**  
39.25 W, 26.25 D IN / 100 W, 67 D CM



**309RX**  
39.25 W, 26.25 D IN / 100 W, 67 D CM



**308X**  
26.25 W, 26.25 D IN / 67 W, 67 D CM



**304LX**  
32.75 W, 13 D IN / 83 W, 33 D CM



**304RX**  
32.75 W, 13 D IN / 83 W, 33 D CM



**310LX**  
46 W, 26.25 D IN / 117 W, 67 D CM




**310RX**  
46 W, 26.25 D IN / 117 W, 67 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW


[VISIT THE PLANNING WORKSHEET](#)

# A P P A R A T U S


CANOPY LAYOUT STYLE : T FORM, C FORM




401X  
19.75 W, 19.75 D IN / 50 W, 50 D CM




402X  
46 W, 46 D IN / 117 W, 117 D CM




403X  
72.25 W, 32.75 D IN / 183 W, 83 D CM



501X  
19.75 W, 32.75 D IN / 50 W, 83 D CM



502X  
19.75 W, 52.5 D IN / 50 W, 133 D CM




503X  
26.25 W, 65.5 D IN / 67 W, 167 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW


[VISIT THE PLANNING WORKSHEET](#)

# A P P A R A T U S


## CANOPY LAYOUT STYLE : Z FORM




**601LX**  
19.75 W, 13 D IN / 50 W, 33 D CM




**601RX**  
19.75 W, 13 D IN / 50 W, 33 D CM



**605LX**  
46 W, 26.25 D IN / 117 W, 67 D CM




**605RX**  
46 W, 26.25 D IN / 117 W, 67 D CM




**602LX**  
39.25 W, 19.75 D IN / 100 W, 50 D CM



**602RX**  
39.25 W, 19.75 D IN / 100 W, 50 D CM



**603LX**  
46 W, 26.25 D IN / 117 W, 67 D CM



**603RX**  
46 W, 26.25 D IN / 117 W, 67 D CM



**604LX**  
39.25 W, 13 D IN / 100 W, 33 D CM




**604RX**  
39.25 W, 13 D IN / 100 W, 33 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW


[VISIT THE PLANNING WORKSHEET](#)

# A P P A R A T U S

## CANOPY LAYOUT STYLE : P FORM



**701LX**  
26.25 W, 13 D IN / 67 W, 33 D CM



**701RX**  
26.25 W, 13 D IN / 67 W, 33 D CM




**704LX**  
32.75 W, 13 D IN / 83 W, 33 D CM




**704RX**  
32.75 W, 13 D IN / 83 W, 33 D CM




**702LX**  
39.25 W, 13 D IN / 100 W, 33 D CM



**702RX**  
39.25 W, 13 D IN / 100 W, 33 D CM




**705LX**  
46 W, 13 D IN / 117 W, 33 D CM




**705RX**  
46 W, 13 D IN / 117 W, 33 D CM




**703LX**  
52.5 W, 13 D IN / 133 W, 33 D CM




**703RX**  
52.5 W, 13 D IN / 133 W, 33 D CM



**707LX**  
39.25 W, 19.75 D IN / 100 W, 50 D CM



**707RX**  
39.25 W, 19.75 D IN / 100 W, 50 D CM



**706LX**  
59 W, 13 D IN / 150 W, 33 D CM



**706RX**  
59 W, 13 D IN / 150 W, 33 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW

[VISIT THE PLANNING WORKSHEET](#)

# A P P A R A T U S

CANOPY LAYOUT STYLE : P FORM

									1	2
3	4	5	6	7	8	9	10	11		
12	13	14								
15	16	17								

708LX  
59 W, 26.25 D IN / 150 W, 67 D CM

1	2									
3	4	5	6	7	8	9	10	11		
							12	13	14	
							15	16	17	

708RX  
59 W, 26.25 D IN / 150 W, 67 D CM

											1	2
3	4	5	6	7	8	9	10	11	12	13	14	
15	16	17										
18	19	20										

709LX  
78.75 W, 26.25 D IN / 200 W, 67 D CM

1	2												
3	4	5	6	7	8	9	10	11	12	13	14		
										15	16	17	
										18	19	20	

709RX  
78.75 W, 26.25 D IN / 200 W, 67 D CM

														1	2
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
18	19	20													
21	22	23													

710LX  
98.5 W, 26.25 D IN / 250 W, 67 D CM


1	2														
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
													18	19	20
													21	22	23

710RX  
98.5 W, 26.25 D IN / 250 W, 67 D CM


ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW  
[VISIT THE PLANNING WORKSHEET](#)

# A P P A R A T U S

## CYLINDER : SYSTEM INSTALLATION



002X  
26.25 W, 19.75 D IN / 67 W, 50 D CM



006X  
105 W, 19.75 D IN / 267 W, 50 D CM



001X  
78.75 W, 13 D IN / 200 W, 33 D CM




005X  
243 W, 13 D IN / 617 W, 33 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW


[VISIT THE PLANNING WORKSHEET](#)

# A P P A R A T U S


## CYLINDER : SYSTEM INSTALLATION




008X  
164 W, 32.75 D IN / 417 W, 83 D CM



003X  
46 W, 32.75 D IN / 117 W, 83 D CM



007X  
138 W, 32.75 D IN / 351 W, 83 D CM



004X  
59 W, 32.75 D IN / 150 W, 83 D CM

ALL LAYOUTS ARE SHOWN IN BOTTOM VIEW

[VISIT THE PLANNING WORKSHEET](#)


# A P P A R A T U S

---


## APPARATUS CONFIGURATION LIBRARY

TO ORDER AN APPARATUS CONFIGURATION, EMAIL YOUR CLIENT MANAGER OR  
ORDERS@APPARATUSSTUDIO.COM TO SPECIFY THE DESIRED CONFIGURATION  
NUMBER, HEIGHTS, MATERIALS AND FINISHES.

# A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



	CYLINDER : SYSTEM 401A
DIMENSIONS	19.75 W, 19.75 D IN 50 W, 50 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 51 LBS / 23 KG
PRICE	FROM \$12900
MINIMUM HEIGHT	22 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	4 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE
	FINISHED AND ASSEMBLED BY HAND IN NY DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



TARNISHED SILVER

# A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY


	CYLINDER : SYSTEM 707RA
DIMENSIONS	39.25 W, 19.75 D IN 100 W, 50 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 46 LBS / 21 KG
PRICE	FROM \$11500
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	4 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



AGED BRASS

# A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

## DIMENSIONS

CYLINDER : SYSTEM 106A

46 W, 6.5 D IN

117 W, 17 D CM

HEIGHT TO ORDER

APPROX. 35 LBS / 16 KG

## WEIGHT

## PRICE

FROM \$9300

## MINIMUM HEIGHT INCLUDES

18 IN

72 IN

## VOLTAGE

120-240

UL / CE

## LAMPING

120V : MAX 9W

240V : MAX 7W

## BULB INCLUDED

4 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

## BULB LIFE

30,000 HOURS

## DEPOSIT

50% UPON ORDER

## BALANCE

DUE PRIOR TO SHIPPING

## LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



DIMENSIONS

WEIGHT

PRICE

MINIMUM HEIGHT

VOLTAGE

LAMPING

BULB INCLUDED

BULB LIFE

DEPOSIT

BALANCE

LEAD TIME

CYLINDER : SYSTEM 708LA

59 W, 26.25 D IN

150 W, 67 D CM

HEIGHT TO ORDER

APPROX. 98 LBS / 44 KG

FROM \$25400

22 IN

120-240

UL / CE

120V : MAX 9W

240V : MAX 7W

9 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

30,000 HOURS

50% UPON ORDER

DUE PRIOR TO SHIPPING

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

DIMENSIONS

CYLINDER : SYSTEM 304RA

32.75 W, 13 D IN  
83 W, 33 D CM  
HEIGHT TO ORDER  
APPROX. 32 LBS / 15 KG

WEIGHT

PRICE

FROM \$8800

MINIMUM HEIGHT  
INCLUDES

18 IN  
72 IN

VOLTAGE

120-240  
UL / CE

LAMPING

120V : MAX 9W  
240V : MAX 7W

BULB INCLUDED

4 X 7W DIMMABLE LED BULB  
500 LUMENS  
1800-3000K WARM DIM  
120V : GU10  
240V : GU10  
30,000 HOURS

BULB LIFE

DEPOSIT  
BALANCE  
LEAD TIME

50% UPON ORDER  
DUE PRIOR TO SHIPPING  
PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY


	CYLINDER : SYSTEM 203A
DIMENSIONS	26.25 W, 13 D IN 67 W, 33 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 40 LBS / 18 KG
PRICE	FROM \$10400
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	4 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S





AGED BRASS



AGED BRASS

# A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

## DIMENSIONS

## WEIGHT

## PRICE

## MINIMUM HEIGHT

## INCLUDES

## VOLTAGE

## LAMPING

## BULB INCLUDED

## BULB LIFE

## DEPOSIT BALANCE LEAD TIME

CYLINDER : SYSTEM 710RA

98.5 W, 26.25 D IN

250 W, 67 D CM

HEIGHT TO ORDER

APPROX. 90 LBS / 41 KG

FROM \$20000

DOWNLIGHT EXTENDED : 18 IN

PENDANT : 22 IN

DOWNLIGHT EXTENDED : 72 IN

120-240

UL / CE

120V : MAX 9W

240V : MAX 7W

4 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

30,000 HOURS

50% UPON ORDER

DUE PRIOR TO SHIPPING

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



AGED BRASS

# A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

## DIMENSIONS

CYLINDER : SYSTEM 215A1

19.75 W, 19.75 D IN

50 W, 50 D CM

HEIGHT TO ORDER

APPROX. 47 LBS / 21 KG

## WEIGHT

## PRICE

FROM \$11900

## MINIMUM HEIGHT

DOWNLIGHT EXTENDED : 18 IN

PENDANT : 22 IN

## INCLUDES

DOWNLIGHT EXTENDED : 72 IN

## VOLTAGE

120-240

UL / CE

## LAMPING

120V : MAX 9W

240V : MAX 7W

## BULB INCLUDED

4 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

## BULB LIFE

30,000 HOURS

## DEPOSIT

50% UPON ORDER

## BALANCE

DUE PRIOR TO SHIPPING

## LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



AGED BRASS

# A P P A R A T U S



## CYLINDER : SYSTEM 204A


DIMENSIONS	32.75 W, 13 D IN 83 W, 33 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 48 LBS / 22 KG
PRICE	FROM \$11500
MINIMUM HEIGHT	22 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	3 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



AGED BRASS

A P P A R A T U S




DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

	CYLINDER : SYSTEM 602RA
DIMENSIONS	39.25 W, 19.75 D IN 100 W, 50 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 37 LBS / 17 KG
PRICE	FROM \$9800
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	4 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE
	FINISHED AND ASSEMBLED BY HAND IN NY DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



AGED BRASS

# A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

## CYLINDER : SYSTEM 108A

DIMENSIONS	59 W, 6.5 D IN 150 W, 17 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 48 LBS / 22 KG
PRICE	FROM \$12500
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	5 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS / TAUPE LEATHER



AGED BRASS / TAUPE LEATHER

# A P P A R A T U S



## DIMENSIONS

## WEIGHT

## PRICE

## MINIMUM HEIGHT

## VOLTAGE

## LAMPING

## BULB INCLUDED

## BULB LIFE

## DEPOSIT

## BALANCE

## LEAD TIME

## CYLINDER : SYSTEM 303RA

26.25 W, 13 D IN

67 W, 33 D CM

HEIGHT TO ORDER

APPROX. 35 LBS / 16 KG

FROM \$9000

22 IN

120-240

UL / CE

120V : MAX 9W

240V : MAX 7W

3 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

30,000 HOURS

50% UPON ORDER

DUE PRIOR TO SHIPPING

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS / TAUPE LEATHER



AGED BRASS

A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

DIMENSIONS

CYLINDER : SYSTEM 215A2

19.75 W, 19.75 D IN  
50 W, 50 D CM  
HEIGHT TO ORDER  
APPROX. 42 LBS / 19 KG

WEIGHT

PRICE

FROM \$10300

MINIMUM HEIGHT

DOWNLIGHT EXTENDED : 18 IN  
PENDANT : 22 IN  
DOWNLIGHT EXTENDED : 72 IN

INCLUDES

VOLTAGE

120-240  
UL / CE

LAMPING

120V : MAX 9W  
240V : MAX 7W

BULB INCLUDED

3 X 7W DIMMABLE LED BULB  
500 LUMENS  
1800-3000K WARM DIM  
120V : GU10  
240V : GU10  
30,000 HOURS

BULB LIFE

DEPOSIT  
BALANCE  
LEAD TIME

50% UPON ORDER  
DUE PRIOR TO SHIPPING  
PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



AGED BRASS

# A P P A R A T U S




DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

## CYLINDER : SYSTEM INSTALLATION 001A

DIMENSIONS	78.75 W, 13 D IN 200 W, 33 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 64 LBS / 29 KG
PRICE	FROM \$16900
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	7 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S



## DIMENSIONS

## WEIGHT

## PRICE

## VOLTAGE

## LAMPING

## BULB INCLUDED

## BULB LIFE

## DEPOSIT

## BALANCE

## LEAD TIME

## CYLINDER : SYSTEM 301A

9.75 H, 13 W, 13 D IN

25 H, 33 W, 33 D CM

APPROX. 11 LBS / 5 KG

FROM \$2800

120-240

UL / CE

120V : MAX 9W

240V : MAX 7W

7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

30,000 HOURS

50% UPON ORDER


DUE PRIOR TO SHIPPING

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY

DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S



## DIMENSIONS

## WEIGHT

## PRICE

## VOLTAGE

## LAMPING

## BULB INCLUDED

## BULB LIFE

## DEPOSIT

## BALANCE

## LEAD TIME

## CYLINDER : SYSTEM 201A

9.75 H, 13 W, 13 D IN

25 H, 33 W, 33 D CM

APPROX. 17 LBS / 8 KG

FROM \$4600

120-240

UL / CE

120V : MAX 9W

240V : MAX 7W

2 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

30,000 HOURS

50% UPON ORDER


DUE PRIOR TO SHIPPING

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY

DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S



## DIMENSIONS

## WEIGHT

## PRICE

## VOLTAGE

## LAMPING

## BULB INCLUDED

## BULB LIFE

## DEPOSIT

## BALANCE

## LEAD TIME

## CYLINDER : SYSTEM 101A

9.75 H, 6.5 W, 13 D IN

25 H, 17 W, 33 D CM

APPROX. 9 LBS / 4 KG

FROM \$2300

120-240

UL / CE

120V : MAX 9W

240V : MAX 7W

7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

30,000 HOURSS

50% UPON ORDER


DUE PRIOR TO SHIPPING

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY

DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




	CYLINDER : SYSTEM 701RA
DIMENSIONS	26.25 W, 13 D IN 67 W, 33 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 27 LBS / 12 KG
PRICE	FROM \$7200
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	3 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE
	FINISHED AND ASSEMBLED BY HAND IN NY DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



AGED BRASS

# A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

## DIMENSIONS

CYLINDER : SYSTEM INSTALLATION 002A

26.25 W, 19.75 D IN

67 W, 50 D CM

HEIGHT TO ORDER

APPROX. 60 LBS / 27 KG

## WEIGHT

## PRICE

FROM \$10900

## MINIMUM HEIGHT INCLUDES

18 IN

72 IN

## VOLTAGE

120-240

UL / CE

## LAMPING

120V : MAX 9W

240V : MAX 7W

## BULB INCLUDED

5 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

30,000 HOURS

## BULB LIFE

## DEPOSIT

50% UPON ORDER

## BALANCE


DUE PRIOR TO SHIPPING

## LEAD TIME

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

A P P A R A T U S




DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

CYLINDER : SYSTEM 202A

DIMENSIONS	19.75 W, 13 D IN 50 W, 33 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 30 LBS / 14 KG
PRICE	FROM \$7800
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	3 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S



## CYLINDER : SYSTEM 102A

DIMENSIONS	19.75 W, 6.5 D IN 50 W, 17 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 13 LBS / 6 KG
PRICE	FROM \$3100
MINIMUM HEIGHT INCLUDES	18 IN 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



AGED BRASS

# A P P A R A T U S



## DIMENSIONS

## WEIGHT

## PRICE

## MINIMUM HEIGHT

## VOLTAGE

## LAMPING

## BULB INCLUDED

## BULB LIFE

## DEPOSIT

## BALANCE

## LEAD TIME

## CYLINDER : SYSTEM INSTALLATION 003A

46 W, 32.75 D IN

117 W, 83 D CM

HEIGHT TO ORDER

APPROX. 43 LBS / 20 KG

FROM \$15100

22 IN

120-240

UL / CE

120V : MAX 9W

240V : MAX 7W

5 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

30,000 HOURS


50% UPON ORDER

DUE PRIOR TO SHIPPING

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S



## DIMENSIONS

## WEIGHT

## PRICE

## VOLTAGE

## LAMPING

## BULB INCLUDED

## BULB LIFE

## DEPOSIT

## BALANCE

## LEAD TIME

CYLINDER : SYSTEM 306RA

9.75 H, 32.75 W, 19.75 D IN

25 H, 83 W, 50 D CM

APPROX. 28 LBS / 13 KG

FROM \$7400

120-240

UL / CE

120V : MAX 9W

240V : MAX 7W

3 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

30,000 HOURS

50% UPON ORDER

DUE PRIOR TO SHIPPING

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




	CYLINDER : SYSTEM 305A
DIMENSIONS	19.75 W, 19.75 D IN 50 W, 50 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 32 LBS / 15 KG
PRICE	FROM \$7700
MINIMUM HEIGHT	22 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	2 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S




AGED BRASS



AGED BRASS

# A P P A R A T U S




DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

CYLINDER : SYSTEM INSTALLATION 004A

DIMENSIONS	59 W, 32.75 D IN 150 W, 83 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 77 LBS / 35 KG
PRICE	FROM \$19800
MINIMUM HEIGHT	DOWNLIGHT EXTENDED : 18 IN PENDANT : 22 IN
INCLUDES	DOWNLIGHT EXTENDED : 72 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	7 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE
FINISHED AND ASSEMBLED BY HAND IN NY DOMESTIC AND IMPORTED COMPONENTS	

# A P P A R A T U S



DOWNLIGHT EXTENDED LAMPS 49 IN AND ABOVE  
WILL NOT ANGLE FROM THE CANOPY

## DIMENSIONS

## WEIGHT

## PRICE

## MINIMUM HEIGHT INCLUDES

## VOLTAGE

## LAMPING

## BULB INCLUDED

## BULB LIFE

## DEPOSIT BALANCE LEAD TIME

CYLINDER : SYSTEM 605RA

46 W, 26.25 D IN

117 W, 67 D CM

HEIGHT TO ORDER

APPROX. 48 LBS / 22 KG

FROM \$12600

18 IN

72 IN

120-240

UL / CE

120V : MAX 9W

240V : MAX 7W

5 X 7W DIMMABLE LED BULB

500 LUMENS

1800-3000K WARM DIM

120V : GU10

240V : GU10

30,000 HOURS


50% UPON ORDER

DUE PRIOR TO SHIPPING

PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS

# A P P A R A T U S



	CYLINDER : SYSTEM 302LA
DIMENSIONS	19.75 W, 13 D IN 50 W, 33 D CM HEIGHT TO ORDER
WEIGHT	APPROX. 29 LBS / 13 KG
PRICE	FROM \$7200
MINIMUM HEIGHT	22 IN
VOLTAGE	120-240 UL / CE
LAMPING	120V : MAX 9W 240V : MAX 7W
BULB INCLUDED	2 X 7W DIMMABLE LED BULB 500 LUMENS 1800-3000K WARM DIM 120V : GU10 240V : GU10
BULB LIFE	30,000 HOURS
DEPOSIT	50% UPON ORDER
BALANCE	DUE PRIOR TO SHIPPING
LEAD TIME	PLEASE REFER TO WEBSITE

FINISHED AND ASSEMBLED BY HAND IN NY  
DOMESTIC AND IMPORTED COMPONENTS