

CORDLESS LIGHTING

2023/2024

zafferano
A M E R I C A



Cut The Cord. Shine Light Where You Want It!

Zafferano America proudly presents our 2023/2024 Cordless Lighting catalog. Zafferano offers the most extensive collection of rechargeable, battery-operated LED lamps and lighting fixtures in North America. Cordless Lamps allow you to place light wherever you want it, whenever you want it, without being tied down by a cord, a plug, or an electrical outlet. We offer light that travels with you, illuminating spaces that previously required extensive, expensive electrical efforts or be shrouded in darkness.











Our lamps are designed for indoor and outdoor use, from the rooftop to the garden to the deck to the dining room. The revolutionary technology of the rechargeable lamp, like the introduction of the mobile phone or the wireless mic, will profoundly change your view of the lamp as a utilitarian object, elevating it to an essential part of your daily life. See the lamps that have earned rave reviews from Oprah, The New York Times, The Wall Street Journal, and hundreds of restaurants across the country. Many not only use the lamps on their tables, they offer them in their gift shop as well.

Zafferano America was first to the market with Cordless Lamp innovations including contact-charging, multiple color temperatures, and replaceable batteries. We genuinely believe our lights shine brighter than our competitors and imitators. Our 100% US-based sales, shipping, and customer service teams are fluent in English, Spanish, and Portuguese. We are deeply dedicated to quality and customer satisfaction.





As the exclusive North American distributor of the entire award-winning Lampes-à-Porter cordless lamp collection by Zafferano SRL of Treviso, Italy, we invite you to experience our superior design, engineering, and quality. Once you've used one of our lamps, you will understand why Zafferano is the originator and industry leader in battery-operated, rechargeable Cordless Lighting.










Index of Collections






									
6	8	14	18	24	28	32	36	40	44
Poldina	Table lamp	Lido	Mini	Micro	L Floor Lamp	L Desk Lamp	xxL Floor Lamp	Upside Down	Peg Magnetic







									
48	52	56	62	64	68	70	74		
Suspension Magnetic	Wall Magnetic	Shades	Theta	Table lamp	Olivia	Table lamp	Mini		




					
78	80	84	86	90	94
Ofelia	Table lamp	Pina	Table lamp	Lamp Stand	Ceramic Tray

						
98	100	104	108	112	114	116
Swap	Table lamp	Shades	Mini	Mini Shades	PushUp	Accent lamp

			
120	122	126	128
Home	Table lamp & mounting bracket	Dama	Table lamp

						
132	134	136	140	144	148	150
Olimpia	Table lamp	Sister Light	Table lamp	Mini	Peg	Wall

							
152	154	160	164	166	168	164	170
Pencil	Lighting module with accessories						

			
178	178	180	182
Accessories	Bases and chargers	Multi-contact charging base	Battery packs

Poldina



Poldina Pro




The original Poldina has often been imitated, but never equaled. Poldina has redefined the cordless lamp since its introduction in 2018, elevating indoor and outdoor spaces with style and light. In this catalog we offer many new finishes. Features include touch-dimming control and 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated (Salt Spray Tested 500 hours)




4.3"
11cm



3.9" x 3.9"
10 x 10cm

14.9"
38 cm



3.7" x 3.7"
9.4 x 9.4cm

Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 12 hours at full charge
Charging time approximately 6-7 hours
Polycarbonate light diffuser
Powder-coated die-cast aluminum components
Suitable for indoor or outdoor use

Gold Leaf, Silver Leaf, Copper Leaf, Glossy Gold, and Glossy Chrome finishes may tarnish or peel if left outdoors for extended time periods

ACCESSORIES INCLUDED

Contact charging base
120V AC Adaptor Plug



LD0340B4
White



LD0340R4
Rust



LD0340N4
Dark Grey



LD0340S4
Sand



LD0340U4
Ruby Red

NEW



LD0340Y4
Steel Blue




LD0340A4
Blue



LD0340M4
Dark Green



LD0340G4
Sage



LD0340P4
Pink

NEW



LD0340F4
Red



LD0340X4
Burgundy



LD0340D4
Black

NEW



LD0340BF0*
Gold Leaf
(hand applied)



LD0340BFA*
Silver Leaf
(hand applied)



LD0340RFR*
Copper Leaf
(hand applied)



LD0340O4*
Glossy Gold

NEW



LD0340C4*
Glossy Chrome

NEW

*Lamps with Gold Leaf, Silver Leaf, Copper Leaf, Glossy Gold, and Glossy Chrome finishes are not suitable for outdoor use

Poldina Lido

Glass and ceramic items featured are part of
the Zafferano Tableware Collection

Poldina Pro Lido


NEW



The Poldina Lido combines our modern cordless lamp with the timeless craftsmanship of Italian ceramics. The partnership with a long-established factory in Civita Castellana—a village near Rome, where the art of ceramics has been practiced since the 10th century BC—allows Zafferano to offer products which are made exclusively in Italy by hand.

TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated (Salt Spray Tested 500 hours)



ACCESSORIES INCLUDED

Contact charging base
120V AC Adaptor Plug

Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 12 hours at full charge
Charging time approximately 6-7 hours
Powder-coated die-cast aluminum components
Polycarbonate light diffuser
Suitable for indoor or outdoor use

Ceramic shades can be purchased separately.
See pages 50-55



LD0340BC1
White Lamp
Green Striped Shade



LD0340BC2
White Lamp
Yellow Striped Shade



LD0340BC3
White Lamp
Blue Striped Shade



LD0340FC1
Red Lamp
Red Striped Shade



LD0340AC1
Blue Lamp
Light Blue Fish Shade



Poldina Pro Mini



At only 12” tall the Poldina Mini allows comfortable conversation across the dining table. Our most popular choice for outdoor dining tables, this battery-operated and rechargeable portable table lamp features touch-dimming control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated (Salt Spray Tested 500 hours)



- Rechargeable and replaceable Lithium Ion battery pack
- Contact charging base
- Battery lasts about 12 hours at full charge
- Charging time approximately 6-7 hours
- Polycarbonate light diffuser
- Powder-coated die-cast aluminum components
- Suitable for indoor or outdoor use

Gold Leaf, Silver Leaf, Copper Leaf, Glossy Gold, and Glossy Chrome finishes may tarnish or peel if left outdoors for extended time periods

ACCESSORIES INCLUDED

- Contact charging base
- 120V AC Adaptor Plug



LD0320B4
White



LD0320R4
Rust



LD0320N4
Dark Grey



LD0320G4
Sage



LD0320D4
Black



LD0320S4
Sand



LD0320BF0*
Gold Leaf
(hand applied)



LD0320BFA*
Silver Leaf
(hand applied)



LD0320RFR*
Copper Leaf
(hand applied)



LD032004*
Glossy Gold



LD0320C4*
Glossy Chrome

*Lamps with Gold Leaf, Silver Leaf, Copper Leaf, Glossy Gold, and Glossy Chrome finishes are not suitable for outdoor use

Poldina Micro



Poldina Pro Micro



NEW



The Poldina Micro is a cordless lamp for smaller spaces available in exciting bold colors. The battery-operated and rechargeable portable table lamp features touch-dimming control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

TECHNICAL DATA

LED 1.8W - 174lm-177lm-179lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated (Salt Spray Tested 500 hours)



- Rechargeable and replaceable Lithium Ion battery pack
- Contact charging base
- Battery lasts about 7-8 hours at full charge
- Charging time approximately 3-4 hours
- Polycarbonate light diffuser
- Powder-coated die-cast aluminum components
- Suitable for indoor or outdoor use

Glossy Gold and Glossy Chrome finishes may tarnish or peel if left outdoors for extended time periods

ACCESSORIES INCLUDED

Contact charging base



LD0490B3
White



LD0490R3
Rust



LD0490N3
Dark Grey



LD0490D3
Black



LD0490L3
Lilac



LD0490K3
Capri Blue



LD0490V3
Apple Green



LD0490Z3
Orange



LD0490G3
Sage



LD0490P3
Pink



LD0490F3
Red



LD0490S3
Sand



LD049003*
Glossy Gold



LD0490C3*
Glossy Chrome

*Lamps with Glossy Gold and Glossy Chrome finishes are not suitable for outdoor use.

Poldina Pro L Floor Lamp




Poldina L brings light where you want it for reading or ambience in your living room, bedroom, or patio. Features touch-dimming control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow. The center column consists of 3 stems to allow the height to be adjusted from a minimum 20.4 inches to 48 inches.

TECHNICAL DATA


LED 5.5W • 479lm - 540lm - 550lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP54 Rated (Salt Spray Tested 500 hours)




6.5"
16.5cm




48"
122cm




34.2"
87cm



20.4"
52cm



5.9" x 5.9"
15 x 15cm



ACCESSORIES INCLUDED

Contact charging base
120V AC Adaptor Plug
3-Stem Kit

Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 11 hours at full charge
Charging time approximately 11 hours
Powder-coated die-cast aluminum components
Polycarbonate light diffuser
Suitable for indoor or outdoor use



Poldina Pro L Desk Lamp


NEW



Poldina L Desk marries the Poldina L Floor lamp head with a heavier, one-piece base to make a larger, more powerful version of our best-selling Poldina Pro Table Lamp. Battery-operated and rechargeable, the Poldina L Desk lamp features dimming touch control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

TECHNICAL DATA

LED 5.5W • 479lm - 540lm - 550lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP54 Rated (Salt Spray Tested 500 hours)



ACCESSORIES INCLUDED

Contact charging base
120V AC Adaptor Plug

Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 11 hours at full charge
Charging time approximately 11 hours
Powder-coated die-cast aluminum components
Polycarbonate light diffuser
Suitable for indoor or outdoor use



LD0395B4
White



LD0395R4
Rust



LD0395N4
Dark Grey



LD0395S4
Sand



LD0395D4
Black




Poldina Pro XXL Floor Lamp



Poldina XXL is designed for grand indoor and outdoor spaces with a distinct profile and ample light output. Features touch-dimming control and has 2-CCT color temperature selection for 2700K (warm white) or 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight. The center column consists of 3 stems to allow the height to be adjusted from a minimum 27.3 inches to 59 inches.

TECHNICAL DATA

LED 6.5W • 470lm - 500lm DIMMABLE
2-CCT (2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP54 Rated (Salt Spray Tested 500 hours)



ACCESSORIES INCLUDED

Contact charging base
120V AC Adaptor Plug
3-Stem Kit

Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 15 hours at full charge
Charging time approximately 20 hours
Powder-coated die-cast aluminum components
Polycarbonate light diffuser
Suitable for indoor or outdoor use



Poldina Pro Upside Down Table Lamp

NEW




The Poldina Pro Upside Down lamp offers the opportunity to create unlimited decorative arrangements in the base of a cordless lamp. The base holds a food-grade removable plastic tray suitable for holding nuts or snack mixes, condiments, amuse-bouches, or dried floral arrangements such as the ones shown in the photograph above. With the tray removed, the base is water-tight and can hold potted succulents or cut fresh flowers.

TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP54 Rated (Salt Spray Tested 500 hours)




4.3"
11 cm



3.9" x 3.9"
10 x 10cm

14.9"
38 cm



3.7" x 3.7"
9.4 x 9.4cm

Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 12 hours at full charge
Charging time approximately 6-7 hours
Powder-coated die-cast aluminum components
Polycarbonate light diffuser
Suitable for indoor or outdoor use

Flower arrangements and condiments not included

ACCESSORIES INCLUDED

Contact charging base
120V AC Adaptor Plug

NEW



LD0420B4
White



LD0420R4
Rust



LD0420N4
Dark Grey



LD0420S4
Sand



LD0420G4
Sage



Poldina Pro Peg Magnetic


NEW



The Poldina Peg Magnetic is a solution for bringing light to gardens, patios, and pathways without costly wires and transformers. The head is attached magnetically and can easily be removed and brought inside for charging. Additional stems (LD0283) can be purchased separately to increase the height of the lamp. Features touch-dimming control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP54 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 10 hours at full charge
Charging time approximately 6-8 hours
Powder-coated die-cast aluminum components
Polycarbonate light diffuser
Suitable for indoor or outdoor use

The magnetic head can be removed from the stem to allow for convenient charging

For optimum stability of the lamp, we recommend a maximum of three stems. There is no guarantee when using more than 3 stems.

ACCESSORIES INCLUDED

Contact charging base
120V AC Adaptor Plug
(1) Stem extension



LD0682B4
White



LD0682R4
Rust



LD0682N4
Dark Grey



LD0283B3
White



LD0283R3
Rust



LD0283N3
Dark Grey



Poldina Pro Suspension Magnetic


NEW



Hang this versatile fixture from a tree branch, over a covered patio, or from the roof of a gazebo to bring light where you want it. The head is attached magnetically and can easily be removed for charging. Features touch-dimming control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.

TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP54 Rated (Salt Spray Tested 500 hours)



ACCESSORIES INCLUDED

Contact charging base
120V AC Adaptor Plug

Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 10 hours at full charge
Charging time approximately 6-8 hours
Powder-coated die-cast aluminum components
Polycarbonate light diffuser
Suitable for indoor or outdoor use
Rope not included

The magnetic head can be removed from the decorative ring to allow for convenient charging



LD0686B4
White



LD0686R4
Rust



LD0686N4
Dark Grey



Poldina Pro Wall Magnetic

NEW



Poldina Pro Wall Magnetic is a simple solution for walls without wires, indoors or out. The head is attached magnetically and can easily be removed for recharging and the mounting brackets are attached with two hidden screws. Features dimming touch control and has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight and a gentle uplight glow.


TECHNICAL DATA

LED 2.2W • 234lm - 251lm - 256lm
DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP54 Rated (Salt Spray Tested 500 hours)




Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 10 hours at full charge
Charging time approximately 6-8 hours
Powder-coated die-cast aluminum components
Polycarbonate light diffuser
Suitable for indoor or outdoor use

The magnetic head can be removed from the body to allow for convenient charging



LD0688
Wall sconce with mounting bracket



LD0689
Wall sconce with mounting hook and ring

ACCESSORIES INCLUDED

Contact charging base
120V AC Adaptor Plug



LD0688B4
White



LD0688R4
Rust



LD0688N4
Dark Grey



LD0689B4
White



LD0689R4
Rust



LD0689N4
Dark Grey



Poldina Lido Shades

NEW




Introducing the Lido line of hand-decorated ceramic accessory shades for the Poldina Pro series. The shades are made specifically to fit over the head of the lamps for a perfect custom fit and are made in Civita Castellana, Italy. The Lido shades add whimsy and flair to the Poldina Pro, Poldina Pro Mini, Poldina Suspension, Poldina Wall, Poldina Peg and Poldina Upside Down.

TECHNICAL DATA

For Poldina Pro & Poldina Pro Mini,
Poldina Wall, Poldina Suspension,
Poldina Peg, and Poldina Upside Down

Lamps to be purchased separately
Suitable for indoor/outdoor use



SDZA-340-BC1
Lido Green



SDZA-340-BC2
Lido Yellow



SDZA-340-BC3
Lido Blue



SDZA-340-FC1
Lido Red



SDZA-340-AC1
Light Blue Fish

Poldina Ceramic Shades

NEW




Introducing hand-decorated ceramic accessory shades for the Poldina Pro collection which coordinate with the Perle, Reablu, and Holiday tableware lines by Zafferano. The shades are made in Civita Castellana, Italy to fit over the head of the Poldina, Poldina Wall, Poldina Peg, and Poldina Upside Down.

TECHNICAL DATA

For Poldina Pro & Poldina Pro Mini,
Poldina Wall, Poldina Suspension,
Poldina Peg, and Poldina Upside Down

Lamps to be purchased separately
Suitable for indoor/outdoor use



SDZA-340-PD02
Perle Black



SDZA-340-PD07
Perle Blue



SDZA-340-PD13
Perle Green



SDZA-340-PD11
Perle Red



SDZA-340-RLB
Reablu



SDZA-340-HL
Holiday

Poldina Wicker Shades


NEW



Introducing wicker shades to accessorize our Poldina collection. Shades come in three sizes: Poldina Pro/ Poldina Pro Mini, Poldina L, and Poldina XXL.

TECHNICAL DATA

Lamps to be purchased separately
Suitable for indoor/outdoor use



Small (SDMM-340)

For Poldina Pro & Poldina Pro Mini, Poldina Wall, Poldina Suspension, Poldina Peg, and Poldina Upside Down

Medium (SDMM-390)

For Poldina L Desk & Poldina L Floor

Large (SDMM-360)

For Poldina XXL Floor



SDMM-340-ESG
SDMM-390-ESG
SDMM-360-ESG
Empire Seagrass



SDMM-340-EWH
SDMM-390-EWH
SDMM-360-EWH
Empire Water Hyacinth



SDMM-340-SWH
SDMM-390-SWH
SDMM-360-SWH
Scalloped Water Hyacinth

Theta

Theta Pro


NEW



Battery-operated and rechargeable portable table lamp with an elegant profile reminiscent of a hotel call bell. The lamp has a multi-function control knob on top of the metal shade that can be used for dimming and for continuous tunable color temperature from 2200K (candle light) to 3000K (cool white). The integrated LED module and the optical polycarbonate diffuser mounted in the metal shade produce controlled downlight.

TECHNICAL DATA

LED 2.2W • 214lm - 224lm DIMMABLE
Tunable CCT from 2200K - 3000K • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated (Salt Spray Tested 500 hours)



- Rechargeable and replaceable Lithium Ion battery pack
- Contact charging base
- Battery lasts about 9 hours at full charge
- Charging time approximately 6-8 hours
- Prismatic polycarbonate light diffuser
- Powder-coated die-cast aluminum components
- Suitable for indoor or outdoor use

Polished Gold, Polished Chrome, and Rose Gold finishes may tarnish or peel if left outdoors for extended time periods

ACCESSORIES INCLUDED

- Contact charging base
- 120V AC Adaptor Plug

NEW



LD1000B3
Matte White



LD1000R3
Rust



LD1000D3
Matte Black



LD1000C3*
Polished Chrome



LD1000O3*
Polished Gold



LD1000E3*
Rose Gold

*Lamps with Polished Gold, Polished Chrome and Rose Gold finishes are not suitable for outdoor use



Olivia

Glass and ceramic items featured are part of
the Zafferano Tableware Collection


Olivia Pro



Battery-operated and rechargeable portable table lamp. The lamp features touch-controlled dimming and memory functions, which adjusts the light level and memorizes the most recent settings every time it is switched on. The lamp also has 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight.

TECHNICAL DATA

LED 2.2W • 132/144/150lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated (Salt Spray Tested 500 hours)



ACCESSORIES INCLUDED

Contact charging base
120V AC Adapter Plug

Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 9 hours at full charge
Charging time approximately 6-8 hours
Powder-coated die-cast aluminum components
Prismatic polycarbonate light diffuser
Powder-coated die-cast aluminum components
Suitable for indoor or outdoor use

ETL Listing Pending

Gold Leaf, Silver Leaf, and Copper Leaf finishes may tarnish or peel if left outdoors for extended time periods

Lamps with Gold Leaf, Silver Leaf, Copper Leaf, and Black finishes are only available in 2-CCT color temperatures:



LD0850B4
White



LD0850R4
Rust



LD0850N4
Dark Grey



LD0850D3
Black

NEW



LD0850BFO*
Gold Leaf
(hand applied)



LD0850BFA*
Silver Leaf
(hand applied)



LD0850RFR*
Copper Leaf
(hand applied)

*Lamps with Gold Leaf, Silver Leaf and Copper Leaf finishes are not suitable for outdoor use



Olivia Pro Mini


NEW



Olivia Mini is the shorter version of Olivia offered in a selection of bold colors. Features touch-controlled dimming, 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white), and a memory function which adjusts the light level and color temperature to the most recent setting every time it is switched on, and memory function, which adjusts the light level and color temperature to the most recent setting every time it is switched on. The integrated LED module is designed and engineered to produce controlled downlight.

TECHNICAL DATA

LED 2.2W • 132/144/150lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated (Salt Spray Tested 500 hours)



- Rechargeable and replaceable Lithium Ion battery pack
- Contact charging base
- Battery lasts about 9 hours at full charge
- Charging time approximately 6-8 hours
- Powder-coated die-cast aluminum components
- Polycarbonate light diffuser
- Suitable for indoor or outdoor use

ETL Listing Pending

ACCESSORIES INCLUDED

- Contact charging base
- 120V AC Adapter Plug



LD0860B4
White



LD0860R4
Rust



LD0860N4
Dark Grey



LD0860L4
Lilac



LD0860K4
Capri Blue



LD0860V4
Apple Green



LD0860Z4
Orange



Ofelia



Ofelia Pro



Battery-operated and rechargeable portable table lamp with a soft square profile and conversation-size height. Features touch-controlled dimming, 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white), and a memory function which adjusts the light level and color temperature to the most recent setting every time it is switched on, and memory function, which adjusts the light level and color temperature to the most recent setting every time it is switched on. The integrated LED module is designed and engineered to produce controlled downlight.


TECHNICAL DATA

LED 2.2W • 132/144/150lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated (Salt Spray Tested 500 hours)



- Rechargeable and replaceable Lithium Ion battery pack
- Contact charging base
- Battery lasts approximately 9 hours at full charge
- Charging time approximately 6-8 hours
- Powder-coated die-cast aluminum components
- Prismatic polycarbonate light diffuser
- Suitable for indoor or outdoor use

ETL Listing Pending



ACCESSORIES INCLUDED

- Contact charging base
- 120V AC Adapter Plug



LD0870B4
White



LD0870R4
Rust



LD0870N4
Dark Grey



LD0870S4
Sand



LD0870G4
Sage



Pina




Pina Pro



The lamp that took over New York and the world, the Pina Pro is our most popular cordless lamp. With brilliant light output large enough for a 5ft diameter table from the tiny cone-shaped head, Pina seems like a magic candle. Features touch-dimming control and 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white) and 3000K (cool white). The integrated LED module is designed and engineered to produce controlled downlight.

TECHNICAL DATA

LED 2.2W • 185lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP54 Rated (Salt Spray Tested 500 hours)



ACCESSORIES INCLUDED

Contact charging base
120V AC Adapter Plug

Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 12 hours at full charge
Charging time approximately 6-7 hours
Polycarbonate light diffuser
Powder-coated die-cast aluminum components
Suitable for indoor or outdoor use

Gold Leaf, Silver Leaf, Copper Leaf, Glossy Gold, and Glossy Chrome finishes may tarnish or peel if left outdoors for extended time periods

Lamps with leaf finishes are only available in 1-CCT color temperatures: 2700K



LD0650B4
White



LD0650R4
Rust



LD0650N4
Dark Grey



LD0650S4
Sand



LD0650D4
Black



LD0650BFA*
Silver Leaf
(hand applied)



LD0650BFO*
Gold Leaf
(hand applied)



LD0650RFR*
Copper Leaf
(hand applied)



LD065004
Glossy Gold



LD0650C4
Glossy Chrome

*Lamps with Gold Leaf, Silver Leaf, Copper Leaf, Glossy Gold, and Glossy Chrome finishes are not suitable for outdoor use



Pina Pro Floor Stand


NEW



A special floor stand that turns Pina into a floor lamp or a peg lamp. The bottom section of the stand can be mounted in three different configurations: using the base only, using the peg only, or using both peg and base to increase the stability of the stand when used in the lawn or garden areas. The Pina lamp fits exactly into the tray of the stand for easy removal. The floor stand does not charge the lamp.

TECHNICAL DATA

Powder coated aluminum components
Lamps to be purchased separately



ACCESSORIES INCLUDED

- (2) Stem extensions
- (1) Peg extension
- Assembly Kit





LD0651B3
White



LD0651D3
Black



LD0651N3
Dark Grey



LD0651S3
Sand



LD0651R3
Rust



Pina Pro Ceramic Tray


NEW



Introducing a unique tray that beautifully marries the sleek design of the Pina lamp with the artistry of our handmade Italian ceramics. The tray can be purely decorative or used as a serving dish that fits the Pina lamp perfectly in the center. Hand-painted in Civita Castellana, Italy.

TECHNICAL DATA

Food safe, hand-painted stoneware
Lamps to be purchased separately
The tray does not charge the lamp





LD065201
White/Black



LD065202
Navy Blue/Blue



LD065203
Sand/Light Blue



Swap



Swap Pro

NEW




This simple rechargeable lamp can be used as shown or accessorized with decorative glass, ceramic, or fabric shades which are sold separately and featured on pages 104-107. Features touch-dimming control at 2700K (warm light). The integrated LED module is designed and engineered to produce controlled downlight.

TECHNICAL DATA

LED 2.2W • 267lm DIMMABLE
2700K • CRI>90
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated (Salt Spray Tested 500 hours)



- Rechargeable and replaceable Lithium Ion battery pack
- Contact charging base
- Battery lasts about 13 hours at full charge
- Charging time approximately 6 hours
- Powder-coated die-cast aluminum components
- Polycarbonate light diffuser
- Suitable for indoor or outdoor use



ACCESSORIES INCLUDED

- Contact charging base
- 120V AC Adapter Plug



LD1010B3
White



LD1010R3
Rust



LD1010N3
Black



Swap Pro Ceramic & Fabric Shades


NEW



We are pleased to offer ceramic and fabric shades for our Swap lamps. Fabric shades are made with fire-retardant elastic fabric, which is washable and crease-resistant. Ceramic shades are hand-painted in Civita Castellana, Italy. Lampshades fit over the metal top of the lamp using special magnets (included with the shades).

TECHNICAL DATA


Lamps to be purchased separately



SDZA-1010-103
Ceramic Sand/Light Blue



SDZA-1010-101
Ceramic White/Black



SDZA-1010-005
Handkerchief Black



SDZA-1010-000
Handkerchief White

ACCESSORIES INCLUDED

Magnet and Cut-Out

Swap Pro Glass Shades


NEW



We are pleased to offer glass shades for our Swap lamps. Our glass shades are handcrafted, blown borosilicate with large or small colorful hand blown accents. Shades fit over the metal top of the lamp using special magnets (included with the shades).

TECHNICAL DATA

Lamps to be purchased separately



SDZA-1010-001
25 Dot White



SDZA-1010-002
25 Dot Black



SDZA-1010-003
25 Dot Amber



SDZA-1010-004
25 Dot Blue



SDZA-1010-011
41 Dot White



SDZA-1010-012
41 Dot Black



SDZA-1010-013
41 Dot Amber



SDZA-1010-014
41 Dot Blue

ACCESSORIES INCLUDED

Magnet and Cut-Out

Swap Pro Mini

NEW



The Swap Mini offers the same decorative possibilities as its taller counterpart, the Swap Pro, and is offered in bold, cheerful colors and sleek metal finishes. It can be customized using a range of ceramic lampshades which are sold separately and can be found on page 113. Features touch-dimming control at 2700K (warm light). The integrated LED module is designed and engineered to produce controlled downlight.


TECHNICAL DATA

LED 2.2W • 267lm DIMMABLE
2700K • CRI>90
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated (Salt Spray Tested 500 hours)



Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 13 hours at full charge
Charging time approximately 6 hours
Polycarbonate light diffuser
Powder-coated die-cast aluminum components
Suitable for indoor or outdoor use

Glossy Gold and Glossy Chrome finishes may tarnish or peel if left outdoors for extended time periods



ACCESSORIES INCLUDED

Contact charging base



LD1011B3
White



LD1011R3
Rust



LD1011N3
Black



LD1011L3
Lilac



LD1011K3
Capri Blue



LD1011V3
Apple Green



LD1011Z3
Orange



LD101103*
Glossy Gold



LD1011C3*
Glossy Chrome

*Lamps with Glossy Gold and Glossy Chrome finishes are not suitable for outdoor use



Swap Pro Mini Ceramic Shades


NEW



Swap Mini Ceramic Shades are produced in close partnership with a historic factory in Civita Castellana, Italy. Shades fit over the metal top of the lamp using special magnets (included with the shades).

TECHNICAL DATA

Lamps to be purchased separately



SDZA-1011-01
White/Black



SDZA-1011-02
Navy Blue/Blue



SDZA-1011-03
Sand/Light Blue



SDZA-1011-04
Light Blue Fish



SDZA-1011-05
Green Dots



SDZA-1011-06
Yellow-Orange



SDZA-1011-07
Light Blue Dots



SDZA-1011-08
Red Dots



SDZA-1011-09
Black Dots

Not pictured: Yellow Dots/SDZA-1011-10

ACCESSORIES INCLUDED

Magnet and Cut-Out

PushUp



PushUp Pro


NEW



Push down on the top of the PushUp Pro to open the lamp and turn on the light, press down again to close and turn off. This low-profile battery-powered and rechargeable accent lamp is perfect for outdoor bars, cocktail rooms, and nightclub lounges. The hidden control under the base has three features: on/off, touch-dimming, and 3-CCT color temperature selection for 2200K (candle light), 2700K (warm white), and 3000K (cool white).

TECHNICAL DATA

LED 2.2W • 207lm - 235lm - 248lm DIMMABLE
3-CCT (2200K/2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP54 Rated (Salt Spray Tested 500 hours)



- Rechargeable and replaceable Lithium Ion battery pack
- Contact charging base
- Battery lasts about 13 hours at full charge
- Charging time approximately 6-7 hours
- Powder-coated die-cast aluminum components
- Polycarbonate light diffuser
- Suitable for indoor or outdoor use

ACCESSORIES INCLUDED

Contact charging base



LD1050B3
White



LD1050R3
Rust



LD1050N3
Dark Grey



LD1050S3
Sand



Home

Glass and ceramic items featured are part of
the Zafferano Tableware Collection

Home Pro


NEW



A rechargeable, battery-powered indoor/outdoor cordless lantern that evokes the American Arts & Crafts movement. Home can be converted into a wall lamp with our newly offered Wall Mount Bracket (LD0259, on next page). Features touch-dimming control and a color temperature of 3000K (cool white).


TECHNICAL DATA

LED 2.2W • 260lm DIMMABLE
3000K • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP54 Rated (Salt Spray Tested 500 hours)



11.6"
29.4cm

3.9 x 3.9"
10 x 10cm




12.9"
7.5cm

Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 12 hours at full charge
Charging time approximately 6 hours
Powder-coated die-cast aluminum components
Polycarbonate light diffuser
Suitable for indoor or outdoor use

HOME WALL MOUNT BRACKET (LD0259)

Wall Mount Bracket must be purchased separately
Available in White, Rust, Black, Dark Grey, and Sand



1.2"
3cm

3.8"
9.7cm

ACCESSORIES INCLUDED

Contact charging base
120V AC Adapter Plug





LD0258B3
White



LD0258R3
Rust



LD0258N3
Dark Grey



LD0258S3
Sand



LD0258D3
Black



Dama




Dama Pro



The ultra-modern lines of the Dama Pro battery powered rechargeable cordless lamp recall the Starship Enterprise. Features touch-dimming control and 2-CCT color temperature selection for 2700K (warm white) and 3000K (cool white).

TECHNICAL DATA


LED 2.2W • 166lm-178lm DIMMABLE
2-CCT (2700K/3000K) • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP54 Rated (Salt Spray Tested 500 hours)



ACCESSORIES INCLUDED

Contact charging base
120V AC Adapter Plug

Rechargeable and replaceable Lithium Ion battery pack
Contact charging base
Battery lasts about 9 hours at full charge
Charging time approximately 6 hours
Powder-coated die-cast aluminum components
Polycarbonate light diffuser
Suitable for indoor or outdoor use



LD0610B3
White



LD0610N3
Black



LD0611B3
White with USB Port



LD0611N3
Black with USB Port



Olimpia




Olimpia Pro



The glow of a satin opal glass globe brings a festive atmosphere to indoor and outdoor spaces. This battery-powered rechargeable table lamp features touch-dimming control with 3000K (cool white) light. An accessory lens is included to warm the color temperature to 2700K (warm white). The integrated LED module specifically engineered & mounted in the base of the lamp to produce ambient light.

TECHNICAL DATA

LED 2.2W • 260lm DIMMABLE
3000K • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A
IP54 Rated (Salt Spray Tested 500 hours)



- Rechargeable and replaceable Lithium Ion battery pack
- Contact charging base
- Battery lasts about 9 hours at full charge
- Charging time approximately 6 hours
- Powder-coated die-cast aluminum components
- Satin opal glass globe
- Powder-coated finishes suitable for indoor or outdoor use

Glossy Gold, Glossy Chrome, and Glossy Copper finishes may tarnish or peel if left outdoors for extended time periods

ACCESSORIES INCLUDED

- Contact charging base
- 120V AC Adapter Plug
- Lens to change color temperature (2700K)



LD0900B3
White



LD0900N3
Dark Grey



NEW

LD0900R3
Rust



LD0900O3*
Glossy Gold



LD0900C3*
Glossy Chrome



LD0900E3*
Glossy Copper

*Lamps with Glossy Gold, Glossy Chrome, and Glossy Copper finishes are not suitable for outdoor use



Sister Light

Sister Light



Battery-operated and rechargeable portable table lamp with an elegant curved profile. Electronic control system ensures constant luminous output until the battery runs out. A multifunctional touch-control allows 4-step dimming and 3-CCT selection of 2700K (warm white), 3150K (cool white) and 4000K (bright white). The lamp is programmable, allowing the user to fix the CCT and light intensity. The integrated LED module is designed and engineered to produce controlled down light.

The head of the lamp, which is screwed onto the stem, can be converted to magnetic attachment, allowing Sister Light to be used as a flashlight or a portable emergency light. The base of the lamp can be permanently fastened to a desk or table.


TECHNICAL DATA

LED 3W • 305lm -326lm -328lm DIMMABLE
3-CCT (2700K/3150K/4000K) • CRI>90
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated



- Rechargeable and replaceable Lithium Ion battery pack
- Rechargeable with a USB-C cable
- Battery lasts about 8-58 hours at full charge depending on the luminous flux setting
- Charging time approximately 5 hours
- Prismatic polycarbonate light diffuser
- Anodized aluminum components
- Suitable for indoor or outdoor use
- Impact resistant (IK07) and Salt Spray tested 1500 hours

When using the magnetic feature, the head of the fixture can be removed from the stem for convenient charging.



ACCESSORIES INCLUDED

- Charging Cable with USB-C input
- 120V AC Adapter Plug not included
- Kit for magnetic attachment
- For mounting to desk or table



LD0300A3
Anodized Aluminum



LD0300B3
Anodized Blue



LD030003
Anodized Gold



LD0300R3
Anodized Copper



LD0300V3
Anodized Green



Sister Light Mini




Battery-operated and rechargeable portable table lamp with an elegant curved profile and shorter stem. Electronic control system ensures constant luminous output until the battery runs out. A multifunctional touch-control allows 4-step dimming and 3-CCT selection of 2700K (warm white), 3150K (cool white) and 4000K (bright white). The lamp is programmable, allowing the user to fix the CCT and light intensity. The integrated LED module is designed and engineered to produce controlled down light.

The head of the lamp, which is screwed onto the stem, can be converted to magnetic attachment, allowing Sister Light to be used as a flashlight or a portable emergency light. The base of the lamp can be permanently fastened to a desk or table.

TECHNICAL DATA

LED 3W • 305lm -326lm -328lm DIMMABLE
3-CCT (2700K/3150K/4000K) • CRI>90
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated



- Rechargeable and replaceable Lithium Ion battery pack
- Rechargeable with a USB-C cable
- Battery lasts about 8-58 hours at full charge depending on the luminous flux setting
- Charging time approximately 5 hours
- Prismatic to Polycarbonate light diffuser
- Anodized aluminum components
- Suitable for indoor or outdoor use
- Impact resistant (IK07) and Salt Spray tested 1500 hours

When using the magnetic feature, the head of the fixture can be removed from the stem for convenient charging.

ACCESSORIES INCLUDED

- Charging Cable with USB-C input
- 120V AC Adapter Plug not included
- Kit for magnetic attachment
- For mounting to desk or table



LD030603
Anodized Gold



LD0306R3
Anodized Copper



LD0306V3
Anodized Green




Sister Light Peg



Battery-operated and rechargeable portable stake lamp with an elegant curved profile and shorter stem. Electronic control system ensures constant luminous output until the battery runs out. A multifunctional touch-control allows 4-step dimming and 3-CCT selection of 2700K (warm white), 3150K (cool white) and 4000K (bright white). The lamp is programmable, allowing the user to fix the CCT and light intensity. The integrated LED module is designed and engineered to produce controlled down light.

TECHNICAL DATA

LED 3W • 305lm -326lm -328lm DIMMABLE
3-CCT (2700K/3150K/4000K) • CRI>90
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated



- Rechargeable and replaceable Lithium Ion battery pack
- Rechargeable with a USB-C cable
- Battery lasts about 8-58 hours at full charge depending on the luminous flux setting
- Charging time approximately 5 hours
- Prismatic polycarbonate light diffuser
- Anodized aluminum components
- Suitable for indoor or outdoor use
- Impact resistant (IK07) and Salt Spray tested 1500 hours

When using the magnetic feature, the head of the fixture can be removed from the stem for convenient charging.



LD0302R3
Anodized Copper



LD0302V3
Anodized Green

ACCESSORIES INCLUDED

- Charging Cable with USB-C input
- 120V AC Adapter Plug not included
- Kit for magnetic attachment
- 3-Stem Kit

Sister Light Wall



Battery-operated and rechargeable wall lamp which mounts with two hidden screws. Electronic control system that ensures constant luminous output until the battery runs out. A multifunctional touch-control allows 4-step dimming and 3-CCT selection of 2700K (warm white), 3150K (cool white) and 4000K (bright white). The lamp is programmable, allowing the user to fix the CCT and light intensity. The integrated LED module is designed and engineered to produce controlled down light.



TECHNICAL DATA

LED 3W • 305lm -326lm -328lm DIMMABLE
3-CCT (2700K/3150K/4000K) • CRI>90
100-240V • 50-60Hz • 5Vdc max 1A
IP65 Rated



Rechargeable and replaceable Lithium Ion battery pack
Rechargeable with a USB-C cable
Battery lasts about 8-58 hours at full charge depending on the luminous flux setting
Charging time approximately 5 hours
Prismatic Polycarbonate light diffuser
Anodized aluminum components
Suitable for indoor or outdoor use
Impact resistant (IK07) and Salt Spray tested 1500 hours

When using the magnetic feature, the head of the fixture can be removed from the stem for convenient charging.



AC Adaptor Plug not included



USB-C cable included



LD0308R3
Anodized Copper



LD0308V3
Anodized Green

ACCESSORIES INCLUDED

Charging Cable with USB-C input
120V AC Adapter Plug not included
Kit for magnetic attachment
For mounting to desk or table

Pencil



Pencil Lighting Module

NEW



A battery-operated and rechargeable portable lighting system based on a five-sided linear module. Available in three sizes and three finishes. Pencil can become a floor, table, wall, or suspension lamp utilizing dedicated accessories available for each specific application. Equipped with an electronic control system that ensures constant luminous output until the battery runs out, 4-stem touch-dimming control, and a 3-CCT color temperature selection function: 2700K (warm white), 3150K, (cool white), or 4000K (bright white).

TECHNICAL DATA

Small



LED • 6W • 530-590-680lm • Dimmable
3-CCT (2700K/3150K/4000K) • CRI>90
100-240V • 50-60Hz • 19Vdc max 2.5A

Medium

LED • 12W • 1050-1180-1350lm • Dimmable
3-CCT (2700K/3150K/4000K) • CRI>90
100-240V • 50-60Hz • 19Vdc max 2.5A

Large

LED • 18W • 1340-1500-1700lm • Dimmable
3-CCT (2700K/3150K/4000K) • CRI>90
100-240V • 50-60Hz • 19Vdc max 2.5A



Charging plug and
cable not included

Rechargeable and replaceable Lithium Ion battery pack
Battery lasts 8-58 hours, depending on the luminous flux setting

Rechargeable with a charging plug & cable or by contact (when used with the LD0810 charging base)

Recharging times: 6hrs/9hrs/12hrs (for small/medium/ large size respectively)

Powder-coated extruded aluminum

Suitable for indoor or outdoor use

Impact resistant (IK07) and salt spray resistant (1500 hours)

With accessories, the lighting module can become a floor, table, wall and pendant lamp

Charger (LD0800CS) must be purchased separately



White



Rust



Graphite

Small

LD0800B3

LD0800R3

LD0800G3

Medium

LD0801B3

LD0801R3

LD0801G3

Large

LD0802B3

LD0802R3

LD0802G3

ACCESSORIES



LD0800CS

Charging plug and cable



LD0813

Horizontal wall module brackets



LD0810

Docking and charging station



LD0815

Vertical wall module bracket



LD0816

Rotating docking station
Non-charging



LD0812

Vertical suspension bracket



LD0814

Table bases



LD0811

Horizontal suspension brackets




Pencil Charging Plug and Cable



Pencil Charging Plug and Cable can recharge Pencil in two ways: either by connecting cable directly to the lighting module (fig. 1); or by connecting the cable to the docking station where the module is placed (fig. 2). The charging plug must be purchased separately from Pencil light modules. Pencil Kits including both light module and charging plug are available (p. 168).

TECHNICAL DATA

47.5W • 100-240V • 50-60Hz
19Vdc max 2.5A • IP20 Rated



LD0800CS



Pencil Docking Station



Docking Station is a dual-function accessory. It is used as a docking station, turning Pencil into a floor or table lamp. It becomes a contact charging base when connected to the charging plug and cable. Pencil is a portable light when removed from the charging base.


Pencil Charging Plug and Cable (LD0800CS) required for charging. The docking station will only charge the lamp if it's connected to the charger.

TECHNICAL DATA

19Vdc max 2.5A
IP20 Rated



Powder-coated die-cast aluminum
May tarnish or peel if left outdoors for extended time periods
Charger not included



LD0810B3
White



LD0810R3
Rust



LD0810G3
Graphite

Pencil Rotating Docking Station (Non-Charging)



The Rotating Docking Base turns Pencil into a floor lamp or table lamp. As opposed to the docking station, this accessory allows the light to rotate 360° degrees in both directions. Depending on the angle, the lighting module can produce direct or indirect light. Pencil can be a portable light when removed from the base.


This docking station does not provide a charging function. Use LD0800CS for charging.

TECHNICAL DATA




Powder-coated die-cast aluminum

This docking station does not charge the lamp



LD0816B3
White



LD0816R3
Rust



LD0816G3
Graphite

Pencil Table Bases (Pair)





A pair of acrylic Table Bases turn Pencil into a table/desk lamp. Based on positioning, it gives direct or indirect light. Bases come in two heights: 11 inches and 14 inches. They can be used with all three sizes of Pencil Modules. We have recently upgraded the quality of our table bases to half-inch thick acrylic material for better stability. They are now manufactured in the United States.

TECHNICAL DATA



Transparent PMMA stands



11": LD081411
14": LD081414

Base Dimensions

LD081411
4.5" x 4.5"/11.5 x 11.5 cm
LD081414
5" x 5"/12.7 x 12.7 cm



11": LD081411
14": LD081414



Pencil Wall Brackets (Pair)



Pencil Wall Brackets turn Pencil into a wall mounted lamp. Based on positioning, it gives direct or indirect light. All three sizes of Pencil utilize the same LD0813 brackets.

TECHNICAL DATA




Powder-coated die-cast aluminum




0.9"
2.5cm



1.2"
3cm



3.9"
10cm



LD0813B3
White



LD0813R3
Rust



LD0813G3
Graphite

Pencil Vertical Wall Bracket




Vertical Wall Bracket turns Pencil into a vertical wall mounted lamp. This accessory allows the light to rotate 360° degrees in both directions. Depending on the angle, it can produce direct or indirect light. All three sizes of Pencil utilize the same LD0815 bracket.


TECHNICAL DATA




Powder-coated die-cast aluminum
with chromed details



1.9"
4.7cm



1.3"
3.8cm



2.5"
6.4cm



LD0815B3
White



LD0815R3
Rust



LD0815G3
Graphite

Pencil Horizontal Suspension Brackets (Pair)





Horizontal Suspension Brackets and cables turn Pencil into a horizontal suspension lamp. Only downlight is provided. Aircraft cables are adjustable to desired length. All three sizes of Pencil utilize the same LD0812 brackets.

TECHNICAL DATA



Powder-coated die-cast aluminum with chromed details



LD0812B3
White

LD0812R3
Rust

LD0812G3
Graphite

Pencil Vertical Suspension Bracket




Vertical Suspension Bracket and cable turn Pencil into a vertical suspension lamp. Depending on the angle, it can produce direct or indirect light. Aircraft cable is adjustable to desired length. All three sizes of Pencil utilize the same LD0811 bracket.

TECHNICAL DATA



Powder-coated die-cast aluminum
with chromed details



LD0811B3
White

LD0811R3
Rust

LD0811G3
Graphite

Pencil Kits

To make ordering Pencils easier, we’ve created specific kits which include: One Pencil Light, one Accessory, and a Charging Plug.

PENCIL MODULE WITH CHARGING PLUG

Small
WHITE: LD0800-CS-B3
RUST: LD0800-CS-R3
GRAPHITE: LD0800-CS-G3

Medium
WHITE: LD0801-CS-B3
RUST: LD0801-CS-R3
GRAPHITE: LD0801-CS-G3

Large
WHITE: LD0802-CS-B3
RUST: LD0802-CS-R3
GRAPHITE: LD0802-CS-G3




PENCIL MODULE WITH DOCKING STATION & CHARGING PLUG

Small
WHITE: LD0800-DS-B3
RUST: LD0800-DS-R3
GRAPHITE: LD0800-DS-G3

Medium
WHITE: LD0801-DS-B3
RUST: LD0801-DS-R3
GRAPHITE: LD0801-DS-G3

Large
WHITE: LD0802-DS-B3
RUST: LD0802-DS-R3
GRAPHITE: LD0802-DS-G3



PENCIL MODULE WITH ROTATING DOCKING STATION & CHARGING PLUG

Small
WHITE: LD0800-RS-B3
RUST: LD0800-RS-R3
GRAPHITE: LD0800-RS-G3

Medium
WHITE: LD0801-RS-B3
RUST: LD0801-RS-R3
GRAPHITE: LD0801-RS-G3

Large
WHITE: LD0802-RS-B3
RUST: LD0802-RS-R3
GRAPHITE: LD0802-RS-G3



PENCIL MODULE AND TABLE BASES

To order a Pencil table lamp, order one pair LD81400 Table Bases and any of the Pencil Module Kits complete with Charging Plug.

PENCIL MODULE
WITH VERTICAL
WALL BRACKET &
CHARGING PLUG

- Small
- WHITE: LD0800-VW-B3
RUST: LD0800-VW-R3
GRAPHITE: LD0800-VW-G3
- Medium
- WHITE: LD0801-VW-B3
RUST: LD0801-VW-R3
GRAPHITE: LD0801-VW-G3
- Large
- WHITE: LD0802-VW-B3
RUST: LD0802-VW-R3
GRAPHITE: LD0802-VW-G3



PENCIL MODULE
WITH HORIZONTAL
WALL BRACKETS &
CHARGING PLUG

- Small
- WHITE: LD0800-HW-B3
RUST: LD0800-HW-R3
GRAPHITE: LD0800-HW-G3
- Medium
- WHITE: LD0801-HW-B3
RUST: LD0801-HW-R3
GRAPHITE: LD0801-HW-G3
- Large
- WHITE: LD0802-HW-B3
RUST: LD0802-HW-R3
GRAPHITE: LD0802-HW-G3



PENCIL MODULE
WITH HORIZONTAL
SUSPENSION
BRACKETS
& CABLES &
CHARGING PLUG

- Small
- WHITE: LD0800-HS-B3
RUST: LD0800-HS-R3
GRAPHITE: LD0800-HS-G3
- Medium
- WHITE: LD0801-HS-B3
RUST: LD0801-HS-R3
GRAPHITE: LD0801-HS-G3
- Large
- WHITE: LD0802-HS-B3
RUST: LD0802-HS-R3
GRAPHITE: LD0802-HS-G3



PENCIL MODULE
WITH VERTICAL
SUSPENSION
BRACKET & CABLE
& CHARGING PLUG

- Small
- WHITE: LD0800-VS-B3
RUST: LD0800-VS-R3
GRAPHITE: LD0800-VS-G3
- Medium
- WHITE: LD0801-VS-B3
RUST: LD0801-VS-R3
GRAPHITE: LD0801-VS-G3
- Large
- WHITE: LD0802-VS-B3
RUST: LD0802-VS-R3
GRAPHITE: LD0802-VS-G3



Accessory Contact Charging Bases




LD0350RB (Poldina, Poldina Mini)
Contact charging base



LD0490RB (Poldina Micro)
Contact charging base



LD0395RB (Poldina L Desk)
Contact charging base



LD0390RB (Poldina L)
Contact charging base



LD0360RB (Poldina XXL)
Contact charging base




LD0850RB (Olivia, Olivia Mini)
Contact charging base



LD0870RB (Ofelia)
Contact charging base



LD0420RB (Poldina Upside Down)
Contact charging base



LD0682RB (Poldina Peg)
LD0686RB (Poldina Suspension)
LD0688RB (Poldina Wall Bracket)
LD0689RB (Poldina Wall Hook)
Contact charging base



LD1050RB (PushUp)
Contact charging base



LD0650RB (Pina)
Contact charging base



LD0610RB (Dama)
Contact charging base



LD0900RB (Olimpia)
Contact charging base



LD1010RB (Swap)
Contact charging base



LD1011RB (Swap Mini)
Contact charging base



LD0258RB (Home)
Contact charging base


Accessory Multi-Contact Charging Bases



LD0350RP
Multi-contact charging carpet
6pcs (Poldina, Poldina Mini, Pina, Swap, Swap Mini, Home, Dama, Olimpia, PushUp)



LD0490RP
Multi-contact charging carpet
12pcs (Poldina Micro)



LD0870RP
Multi-contact charging carpet
6pcs (Olivia, Olivia Mini, Ofelia)



LD0340RA
Multi-Port USB charger 8pcs


6-Lamp Multi-Contact Charging Carpet (Poldina Pro, Poldina Pro Mini, Pina, Swap, Swap Mini, Home, Dama, PushUp, and Olimpia)



LD0350RP




14.6"
32.7cm



12.2"
31cm



2.3"
5.8cm




20"
51cm

35W
6 Lamps
INPUT: AC
220

Modular multi-contact charging base: they can be connected in sequence to simultaneously charge multiple set of lamps. Particularly suitable for professional use.



Modular up to 8 carpets
(48 lamps)




12-Lamp Multi-Contact Charging Carpet (Poldina Micro)



LD0490RP




14.6"
32.7cm



12.2"
31cm"



2.3"
5.8cm




20"
51 "

35W
12 Lamps
Input: AC
220

Modular multi-contact charging base: they can be connected in sequence to simultaneously charge multiple set of lamps. Particularly suitable for professional use.



Modular up to 4 carpets
(48 lamps)



6-Lamp Multi-Contact Charging Carpet (Olivia, Olivia Mini, Ofelia, Theta)




LD0870RP




45W
6 Lamps
Input: AC

Modular multi-contact charging base: they can be stacked (up to 3 levels) to simultaneously charge multiple sets of lamps. Particularly suitable for professional use.




18.5"
47cm




11.4"
59cm

1.5"
4cm




Modular up to 3 levels
(18 lamps)



8-Lamp Multi-Port USB Charger



LD0340RA



5.3"
13.5cm



5.3"
13.5cm

40w
8 Lamps
Input: AC

USB multi-socket charger (8 x USB-A). Can charge of up to 8 devices simultaneously. A graphic display shows the level of the batteries being charged. Particularly suitable for professional use.

Rechargeable Batteries

All rechargeable batteries are subject to wear and end of life when used over time.

The life of our batteries is generally 450 charges. This may be reduced by certain factors:

1. Incorrect charging mode (the lamp must be charged when battery is low: about 10% battery life).
2. When lamp is unused for a long period of time.
3. When lamp is on live charging base after lamp is fully charged
4. When lamps are exposed to very high or very low temperatures.

These rules apply when using original or replacement Zafferano battery packs. Only use genuine Zafferano replacement battery packs. The use of any other rechargeable batteries voids the warranty.

When the lamps no longer hold a charge, the batteries must be replaced. Replacement batteries can be ordered by their specific item number on the adjoining page.

BAT04701906701900S2
Single Cell (set of 2)
replacement battery pack for:
Pina, Home, PushUp

3,7V | 1x2200mA/H



BAT04701906701900S3
Single Cell (set of 3)
replacement battery pack for:
Poldina L floor lamp, Poldina L desk lamp

BAT04704004001000
Single Cell replacement
battery pack for:
Poldina Micro

3,7V | 1x1900mA/H



BAT04/703706701900
Dual Cell replacement battery
pack for:
**Poldina Pro, Poldina Pro Mini,
Poldina Upside Down, Poldina
Pro Peg Magentic, Poldina Pro
Suspension Magnetic, Poldina
Pro Wall Magnetic, Olivia,
Olivia Mini, Ofelia, Dama,
Olimpia**

3,7V | 2x2200mA/H



BAT04703706701900S3
Dual Cell (set of 3)
replacement battery pack for:
Poldina XXL floor lamp

BAT04701906701902S2
Single Cell (set of 2) replacement
battery pack for:
Swap, Swap Mini

3,7V | 1x2600mA/H



BAT04705506701900
Triple Cell replacement
battery pack for:
**Sister Light, Sister Light
Mini, Sister Light Peg,
Sister Light Wall**

3,7V | 7500mA/H



BAT04702719700300
Triple Cell replacement
battery pack for **small Pencil**
module

11,1V | 5000mA/H



BAT04702739200600
Six Cell replacement
battery pack for **medium**
Pencil module

11,1V | 10000mA/H



BAT04702758700900
Nine Cell replacement battery
pack for **large Pencil module**

11,1V | 15000mA/H



zafferano

A M E R I C A

Corporate Office & Distribution Center

301 Penhorn Avenue, Unit 5

Secaucus, NJ 07094

Sales@ZafferanoAmerica.com

888-744-5277

ZafferanoAmerica.com

Rev. 9/23