

ADULT JEWELRY - Imitation jewelry includes necklace, earrings, bracelet etc. with no play value

Number: BURL-095
Creation Date: 8/1/2018
Revision Date: 09/22/2022
Created by: Legal Dept.

TEST DESCRIPTION	REGULATION/TEST METHOD	REQUIREMENTS
MANDATORY		
Label Verification	F.P. & L. Act (16 CFR 500) OR NIST Uniform Laws and Regulations Handbook 130	Manufacturer, packer, or distributor's name & address (city, state & zip)
		Product Identification Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units).
Country of Origin Marking	19 CFR 134.11	Shall indicate country of origin legibly, permanently, and incomparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.
Jewelry Label Claims	16 CFR 23	Shall not contain any illustration which is unfair or deceptive to use, as part of any advertisement, packaging material, label, or other sales promotion matter, any visual representation, picture, televised or computer image, illustration, diagram, or other depiction which, either alone or in conjunction with any accompanying words or phrases, misrepresents the type, kind, grade, quality, quantity, metallic content, size, weight, cut, color, character, treatment, substance, durability, serviceability, origin, preparation, production, manufacture, distribution, or any other material aspect of an industry product. Report claims regarding jewelry that are regulated by 16 CFR 23. NOTE: Manufacturer shall be responsible for the conformity of the cited regulation regarding deception of misrepresent claims.
Lead Content on Jewelry (body piercing components)	In accordance with AB 1681 & 2901	Any new body piercing components must be composed of the following materials: Surgical implant Stainless Steel Surgical implant grade of Titanium Niobium (Nb) Solid 14 Karat or higher white or yellow Nickel-free Gold Solid Platinum A dense low-porosity plastic, including but no limit to, Tygon or PTFE with no intentionally added Lead
STATES REGULATIONS		

TEST DESCRIPTION	REGULATION/TEST METHOD	REQUIREMENTS
<p>Total Lead in Adult Jewelry (State of California)</p>	<p>US State Law, California Health and Safety Code, Division 20, Chapter 6.5, Article 10.1.1, Section 25214.2 (a)</p>	<p>Adult jewelry shall be made entirely from one or more than one of the following materials:</p> <ol style="list-style-type: none"> 1. Stainless or surgical steel; 2. Karat gold; 3. Sterling silver; 4. Platinum, palladium, iridium, ruthenium, rhodium, or osmium; 5. Natural or cultured pearls; 6. Glass, ceramic, or crystal decorative components, including cat's eye, cubic zirconia, including cubic zirconium or CZ, rhinestones, and cloisonné; 7. A gemstone that is cut and polished for ornamental purposes, excluding aragonite, bayldonite, boleite, cerussite, crocoite, ekanite, linarite, mimetite, phosgenite, samarskite, vanadinite, and wulfenite; 8. Elastic, fabric, ribbon, rope, or string that does not contain intentionally added lead; 9. All natural decorative material, including amber, bone, coral, feathers, fur, horn, leather, shell, or wood, that is in its natural state and is not treated in a way that adds lead; 10. Adhesive; <p>NOTE: Letter of guarantee or bill of material (BOM) shall be provided to demonstrate the jewelry is made of above materials. Vendor shall be responsible for the accuracy of information provided.</p> <ol style="list-style-type: none"> 11. Electroplated metal containing less than: <ul style="list-style-type: none"> - 0.05% (500 ppm) lead by weight 12. Unplated metal not otherwise listed containing less than: <ul style="list-style-type: none"> - 0.05% (500 ppm) lead by weight 13. Plastic or rubber, including acrylic, polystyrene, plastic beads and stones, and polyvinyl chloride (PVC) containing less than 0.02% (200 ppm) lead by weight; 14. A dye or surface coating containing less than: <ul style="list-style-type: none"> - 0.05% (500 ppm) lead by weight 15. Any other material that contains less than: <ul style="list-style-type: none"> - 0.05% (500 ppm) lead by weight
<p>Body-Piercing Adult Jewelry (State of California)</p>	<p>US State Law, California Health and Safety Code, Division 20, Chapter 6.5, Article 10.1.1, Section 25214.2 (b)</p>	<p>Body-piercing adult jewelry shall be made of one or more of the following materials:</p> <ol style="list-style-type: none"> 1. Surgical implant stainless steel; 2. Surgical implant grade of Titanium; 3. Niobium (Nb); 4. Solid 14 Karat or higher white or yellow Nickel-free Gold; 5. Solid Platinum; 6. A dense low-porosity plastic, including but no limit to, Tygon or PTFE with no intentionally added Lead. <p>NOTE: Letter of declaration or bill of material (BOM) shall be provided to demonstrate the jewelry is made of above materials. Vendor shall be responsible for the accuracy of information provided.</p>

TEST DESCRIPTION	REGULATION/TEST METHOD	REQUIREMENTS
California Prop 65	Warning label or applicable testing	In lieu of warning label, product should meet all applicable Prop 65 requirements.
Total heavy metals in packaging	Toxics in Packaging Clearinghouse (TPCH)	Packaging shall not contain the sum of mercury, cadmium, lead and chromium (VI) in concentration above 0.01% by weight.
Plastic Bag Warnings	Various state laws	Plastic bags with a thickness of less than 1 mil (0.001 inch) having an opened end larger than 5 inches in diameter shall contain the following warning statement or equivalent: WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy.
OPTION (QUALITY & PERFORMANCE)		
Safety Specification for Adult Jewelry	ASTM F2999	Shall comply with all applicable requirements.
Nickel Release Content (direct or prolonged contact with skin)	ASTM F2923	(i) Migration of nickel in any post assemblies of children jewelry which are inserted into pierced ears and other pierced human body parts, shall NOT exceed 0.2µg/cm ² /week; (ii) Migration of nickel intended to come into direct and prolonged contact with the skin should be less than 0.5µg/cm ² /week;
Formaldehyde (Spot Test) For textile and leather with direct skin contact.	AATCC 94	No Trace If trace is found - proceed with full testing
Formaldehyde	JIS 1041 LAW 112	Children 3 years and over: <75 ppm Children under 3 years: <16 ppm
Colorfastness to Crocking (Leather and Textile components)	AATCC 8/116	Dry: Grade 4 minimum Wet: Grade 3 minimum
Resistance To Corrosion (metal components only)	ASTM B117 (Modified)	Withstand 24 hours in 1% salt spray (fog) with no major corrosion or visual change. Modification = 1% salt (fog) spray.