

Global-Mark Certificate · Australia / New Zealand

ELG-75-24DA

available on request

molo design, ltd.

1470 Venables Street
Vancouver BC
Canada V5L 2G7

t +1 604 685 0340

info@molodesign.com
www.molodesign.com



Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	MEAN WELL Enterprises Co., Ltd.	Other Name	
Address	No.28, Wuquan 3rd Road, Wugu District, New Taipei City Taiwan 24891 Taiwan		
Client ID	107669	Global-Mark File Number:	107669-018
Certificate Number & Approval Mark	GMA-512462-EA	Revision Number	00
Certification Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	26/05/2022
Certificate Last Update Date	
Certification Expiry Date	26/05/2027

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



global-mark®

Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-12	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-12A	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-12B	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-12AB	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-12D	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-12DA	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-12D2	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-12AD2	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-12ADA	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-24	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-24A	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-24B	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-24AB	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-24D	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



Certificate of Conformity

Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-24DA	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-24D2	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-24AD2	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-24ADA	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-36	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-36A	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-36B	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-36AB	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-36D	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-36DA	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-36D2	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-36AD2	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-36ADA	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-42	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-42A	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



Certificate of Conformity

Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-42B	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-42AB	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-42D	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-42DA	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-42D2	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-42AD2	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-42ADA	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-48	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-48A	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-48B	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-48AB	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-48D	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-48DA	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-48D2	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V
Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-48AD2	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®





global-mark®

Certificate of Conformity

Power Supply or Charger	Independent Controlgear	MEAN WELL	ELG-75-48ADA	Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V
-------------------------	-------------------------	-----------	--------------	---

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Classified as do not cover

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®

