

Global-Mark Certificate · Australia / New Zealand

HLG-150H-12B

cloud light mobile · medium + large (12V) (outside of North America)

molo design, ltd.

1470 Venables Street
Vancouver BC
Canada V5L 2G7

t +1 604 685 0340

info@molodesign.com
www.molodesign.com





global-mark®

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	MEAN WELL Enterprises Co., Ltd	Other Name	
Address	No.28, Wuquan 3rd Road, Wugu District, New Taipei City Taiwan 24891 Taiwan		
Client ID	107669	Global-Mark File Number:	107669-007
Certification and Authorized Mark Number	GMA-511651	Revision Number	00
Certification Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product Scheme Global-Mark Electrical Product Safety Certification Scheme		

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	17/01/2022
Certificate Last Update Date	
Certification Expiry Date	17/01/2027

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®




Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Independent LED Driver	MEANWELL	HLG-185H-12A	Input: 100-240VAC, 1.8A, 50/60Hz Output: +12Vdc/13A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-12B	Input: 100-240VAC, 1.8A, 50/60Hz Output: +12Vdc/13A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-12AB	Input: 100-240VAC, 1.8A, 50/60Hz Output: +12Vdc/13A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-12	Input: 100-240VAC, 1.8A, 50/60Hz Output: +12Vdc/13A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-15	Input: 100-240VAC, 2.1A, 50/60Hz Output: +15Vdc/11.5A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-15A	Input: 100-240VAC, 2.1A, 50/60Hz Output: +15Vdc/11.5A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-15B	Input: 100-240VAC, 2.1A, 50/60Hz Output: +15Vdc/11.5A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-15AB	Input: 100-240VAC, 2.1A, 50/60Hz Output: +15Vdc/11.5A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-20	Input: 100-240V~, 2.1A, 50/60Hz Output: +20Vdc/9.3A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-20A	Input: 100-240V~, 2.1A, 50/60Hz Output: +20Vdc/9.3A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-20B	Input: 100-240V~, 2.1A, 50/60Hz Output: +20Vdc/9.3A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-20AB	Input: 100-240V~, 2.1A, 50/60Hz Output: +20Vdc/9.3A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-24	Input: 100-240V~, 2.1A, 50/60Hz Output: +24Vdc/7.8A

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Suitability

Non declared	Independent LED Driver	MEANWELL	HLG-185H-24A	Input: 100-240V~, 2.1A, 50/60Hz Output: +24Vdc/7.8A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-24B	Input: 100-240V~, 2.1A, 50/60Hz Output: +24Vdc/7.8A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-24AB	Input: 100-240V~, 2.1A, 50/60Hz Output: +24Vdc/7.8A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-30	Input: 100-240V~, 2.1A, 50/60Hz Output: +30Vdc/6.2A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-30A	Input: 100-240V~, 2.1A, 50/60Hz Output: +30Vdc/6.2A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-30B	Input: 100-240V~, 2.1A, 50/60Hz Output: +30Vdc/6.2A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-30AB	Input: 100-240V~, 2.1A, 50/60Hz Output: +30Vdc/6.2A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-36	Input: 100-240V~, 2.1A, 50/60Hz Output: +36Vdc/5.2A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-36A	Input: 100-240V~, 2.1A, 50/60Hz Output: +36Vdc/5.2A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-36B	Input: 100-240V~, 2.1A, 50/60Hz Output: +36Vdc/5.2A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-36AB	Input: 100-240V~, 2.1A, 50/60Hz Output: +36Vdc/5.2A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-42	Input: 100-240V~, 2.1A, 50/60Hz Output: +42Vdc/4.4A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-42A	Input: 100-240V~, 2.1A, 50/60Hz Output: +42Vdc/4.4A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-42B	Input: 100-240V~, 2.1A, 50/60Hz Output: +42Vdc/4.4A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-42AB	Input: 100-240V~, 2.1A, 50/60Hz Output: +42Vdc/4.4A

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Suitability

Non declared	Independent LED Driver	MEANWELL	HLG-150H-48	Input: 100-240V~, 2.1A, 50/60Hz Output: +48Vdc/3.9A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-48A	Input: 100-240V~, 2.1A, 50/60Hz Output: +48Vdc/3.9A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-48B	Input: 100-240V~, 2.1A, 50/60Hz Output: +48Vdc/3.9A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-48AB	Input: 100-240V~, 2.1A, 50/60Hz Output: +48Vdc/3.9A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-54	Input: 100-240V~, 2.1A, 50/60Hz Output: +54Vdc/3.45A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-54A	Input: 100-240V~, 2.1A, 50/60Hz Output: +54Vdc/3.45A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-54B	Input: 100-240V~, 2.1A, 50/60Hz Output: +54Vdc/3.45A
Non declared	Independent LED Driver	MEANWELL	HLG-185H-54AB	Input: 100-240V~, 2.1A, 50/60Hz Output: +54Vdc/3.45A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-12	Input: 100-240VAC, 1.7A, 50/60Hz Output: +12Vdc/12.5A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-12A	Input: 100-240VAC, 1.7A, 50/60Hz Output: +12Vdc/12.5A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-12B	Input: 100-240VAC, 1.7A, 50/60Hz Output: +12Vdc/12.5A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-12AB	Input: 100-240VAC, 1.7A, 50/60Hz Output: +12Vdc/12.5A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-15	Input: 100-240VAC, 1.7A, 50/60Hz Output: +15Vdc/10A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-15A	Input: 100-240VAC, 1.7A, 50/60Hz Output: +15Vdc/10A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-15B	Input: 100-240VAC, 1.7A, 50/60Hz Output: +15Vdc/10A

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	Independent LED Driver	MEANWELL	HLG-150H-15AB	Input: 100-240VAC, 1.7A, 50/60Hz Output: +15Vdc/10A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-20	Input: 100-240VAC, 1.7A, 50/60Hz Output: +20Vdc/7.5A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-20A	Input: 100-240VAC, 1.7A, 50/60Hz Output: +20Vdc/7.5A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-20B	Input: 100-240VAC, 1.7A, 50/60Hz Output: +20Vdc/7.5A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-20AB	Input: 100-240VAC, 1.7A, 50/60Hz Output: +20Vdc/7.5A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-24	Input: 100-240VAC, 1.7A, 50/60Hz Output: +24Vdc/6.3A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-24A	Input: 100-240VAC, 1.7A, 50/60Hz Output: +24Vdc/6.3A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-24B	Input: 100-240VAC, 1.7A, 50/60Hz Output: +24Vdc/6.3A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-24AB	Input: 100-240VAC, 1.7A, 50/60Hz Output: +24Vdc/6.3A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-30	Input: 100-240VAC, 1.7A, 50/60Hz Output: +30Vdc/5A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-30A	Input: 100-240VAC, 1.7A, 50/60Hz Output: +30Vdc/5A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-30B	Input: 100-240VAC, 1.7A, 50/60Hz Output: +30Vdc/5A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-30AB	Input: 100-240VAC, 1.7A, 50/60Hz Output: +30Vdc/5A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-36	Input: 100-240VAC, 1.7A, 50/60Hz Output: +36Vdc/4.2A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-36A	Input: 100-240VAC, 1.7A, 50/60Hz Output: +36Vdc/4.2A

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®





global-mark®

Certificate of Suitability

Non declared	Independent LED Driver	MEANWELL	HLG-150H-36B	Input: 100-240VAC, 1.7A, 50/60Hz Output: +36Vdc/4.2A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-36AB	Input: 100-240VAC, 1.7A, 50/60Hz Output: +36Vdc/4.2A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-42	Input: 100-240VAC, 1.7A, 50/60Hz Output: +42Vdc/3.6A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-42A	Input: 100-240VAC, 1.7A, 50/60Hz Output: +42Vdc/3.6A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-42B	Input: 100-240VAC, 1.7A, 50/60Hz Output: +42Vdc/3.6A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-42AB	Input: 100-240VAC, 1.7A, 50/60Hz Output: +42Vdc/3.6A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-48	Input: 100-240VAC, 1.7A, 50/60Hz Output: +48Vdc/3.2A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-48A	Input: 100-240VAC, 1.7A, 50/60Hz Output: +48Vdc/3.2A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-48B	Input: 100-240VAC, 1.7A, 50/60Hz Output: +48Vdc/3.2A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-48AB	Input: 100-240VAC, 1.7A, 50/60Hz Output: +48Vdc/3.2A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-54	Input: 100-240VAC, 1.7A, 50/60Hz Output: +54Vdc/2.8A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-54A	Input: 100-240VAC, 1.7A, 50/60Hz Output: +54Vdc/2.8A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-54B	Input: 100-240VAC, 1.7A, 50/60Hz Output: +54Vdc/2.8A
Non declared	Independent LED Driver	MEANWELL	HLG-150H-54AB	Input: 100-240VAC, 1.7A, 50/60Hz Output: +54Vdc/2.8A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-12	Input: 100-240VAC, 1.4A, 50/60Hz Output: +12Vdc/10A

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®





global-mark®

Certificate of Suitability

Non declared	Independent LED Driver	MEANWELL	HLG-120H-12A	Input: 100-240VAC, 1.4A, 50/60Hz Output: +12Vdc/10A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-12B	Input: 100-240VAC, 1.4A, 50/60Hz Output: +12Vdc/10A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-12AB	Input: 100-240VAC, 1.4A, 50/60Hz Output: +12Vdc/10A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-15	Input: 100-240VAC, 1.4A, 50/60Hz Output: +15Vdc/8.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-15A	Input: 100-240VAC, 1.4A, 50/60Hz Output: +15Vdc/8.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-15B	Input: 100-240VAC, 1.4A, 50/60Hz Output: +15Vdc/8.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-15AB	Input: 100-240VAC, 1.4A, 50/60Hz Output: +15Vdc/8.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-20	Input: 100-240VAC, 1.4A, 50/60Hz Output: +20Vdc/6.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-20A	Input: 100-240VAC, 1.4A, 50/60Hz Output: +20Vdc/6.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-20B	Input: 100-240VAC, 1.4A, 50/60Hz Output: +20Vdc/6.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-20AB	Input: 100-240VAC, 1.4A, 50/60Hz Output: +20Vdc/6.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-24	Input: 100-240VAC, 1.4A, 50/60Hz Output: +24Vdc/5.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-24A	Input: 100-240VAC, 1.4A, 50/60Hz Output: +24Vdc/5.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-24B	Input: 100-240VAC, 1.4A, 50/60Hz Output: +24Vdc/5.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-24AB	Input: 100-240VAC, 1.4A, 50/60Hz Output: +24Vdc/5.0A

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®





global-mark®

Certificate of Suitability

Non declared	Independent LED Driver	MEANWELL	HLG-120H-30	Input: 100-240VAC, 1.4A, 50/60Hz Output: +30Vdc/4.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-30A	Input: 100-240VAC, 1.4A, 50/60Hz Output: +30Vdc/4.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-30B	Input: 100-240VAC, 1.4A, 50/60Hz Output: +30Vdc/4.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-30AB	Input: 100-240VAC, 1.4A, 50/60Hz Output: +30Vdc/4.0A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-36	Input: 100-240VAC, 1.4A, 50/60Hz Output: +36Vdc/3.4A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-36A	Input: 100-240VAC, 1.4A, 50/60Hz Output: +36Vdc/3.4A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-36B	Input: 100-240VAC, 1.4A, 50/60Hz Output: +36Vdc/3.4A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-36AB	Input: 100-240VAC, 1.4A, 50/60Hz Output: +36Vdc/3.4A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-42	Input: 100-240VAC, 1.4A, 50/60Hz Output: +42Vdc/2.9A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-42A	Input: 100-240VAC, 1.4A, 50/60Hz Output: +42Vdc/2.9A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-42B	Input: 100-240VAC, 1.4A, 50/60Hz Output: +42Vdc/2.9A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-42AB	Input: 100-240VAC, 1.4A, 50/60Hz Output: +42Vdc/2.9A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-48	Input: 100-240VAC, 1.4A, 50/60Hz Output: +48Vdc/2.5A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-48A	Input: 100-240VAC, 1.4A, 50/60Hz Output: +48Vdc/2.5A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-48B	Input: 100-240VAC, 1.4A, 50/60Hz Output: +48Vdc/2.5A

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



Certificate of Suitability

Non declared	Independent LED Driver	MEANWELL	HLG-120H-48AB	Input: 100-240VAC, 1.4A, 50/60Hz Output: +48Vdc/2.5A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-54	Input: 100-240VAC, 1.4A, 50/60Hz Output: +54Vdc/2.3A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-54A	Input: 100-240VAC, 1.4A, 50/60Hz Output: +54Vdc/2.3A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-54B	Input: 100-240VAC, 1.4A, 50/60Hz Output: +54Vdc/2.3A
Non declared	Independent LED Driver	MEANWELL	HLG-120H-54AB	Input: 100-240VAC, 1.4A, 50/60Hz Output: +54Vdc/2.3A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-20	Input: 100-240VAC, 1.2A, 50/60Hz Output: +20Vdc/4.8A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-20A	Input: 100-240VAC, 1.2A, 50/60Hz Output: +20Vdc/4.8A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-20B	Input: 100-240VAC, 1.2A, 50/60Hz Output: +20Vdc/4.8A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-20AB	Input: 100-240VAC, 1.2A, 50/60Hz Output: +20Vdc/4.8A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-24	Input: 100-240VAC, 1.2A, 50/60Hz Output: +24Vdc/4.0A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-24A	Input: 100-240VAC, 1.2A, 50/60Hz Output: +24Vdc/4.0A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-24B	Input: 100-240VAC, 1.2A, 50/60Hz Output: +24Vdc/4.0A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-24AB	Input: 100-240VAC, 1.2A, 50/60Hz Output: +24Vdc/4.0A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-30	Input: 100-240VAC, 1.2A, 50/60Hz Output: +30Vdc/3.2A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-30A	Input: 100-240VAC, 1.2A, 50/60Hz Output: +30Vdc/3.2A

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®





global-mark®

Certificate of Suitability

Non declared	Independent LED Driver	MEANWELL	HLG-100H-30B	Input: 100-240VAC, 1.2A, 50/60Hz Output: +30Vdc/3.2A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-30AB	Input: 100-240VAC, 1.2A, 50/60Hz Output: +30Vdc/3.2A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-36	Input: 100-240VAC, 1.2A, 50/60Hz Output: +36Vdc/2.65A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-36A	Input: 100-240VAC, 1.2A, 50/60Hz Output: +36Vdc/2.65A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-36B	Input: 100-240VAC, 1.2A, 50/60Hz Output: +36Vdc/2.65A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-36AB	Input: 100-240VAC, 1.2A, 50/60Hz Output: +36Vdc/2.65A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-42	Input: 100-240VAC, 1.2A, 50/60Hz Output: +42Vdc/2.28A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-42A	Input: 100-240VAC, 1.2A, 50/60Hz Output: +42Vdc/2.28A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-42B	Input: 100-240VAC, 1.2A, 50/60Hz Output: +42Vdc/2.28A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-42AB	Input: 100-240VAC, 1.2A, 50/60Hz Output: +42Vdc/2.28A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-48	Input: 100-240VAC, 1.2A, 50/60Hz Output: +48Vdc/2.0A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-48A	Input: 100-240VAC, 1.2A, 50/60Hz Output: +48Vdc/2.0A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-48B	Input: 100-240VAC, 1.2A, 50/60Hz Output: +48Vdc/2.0A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-48AB	Input: 100-240VAC, 1.2A, 50/60Hz Output: +48Vdc/2.0A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-54	Input: 100-240VAC, 1.2A, 50/60Hz Output: +54Vdc/1.77A

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



Certificate of Suitability

Non declared	Independent LED Driver	MEANWELL	HLG-100H-54A	Input: 100-240VAC, 1.2A, 50/60Hz Output: +54Vdc/1.77A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-54B	Input: 100-240VAC, 1.2A, 50/60Hz Output: +54Vdc/1.77A
Non declared	Independent LED Driver	MEANWELL	HLG-100H-54AB	Input: 100-240VAC, 1.2A, 50/60Hz Output: +54Vdc/1.77A

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Classified as NON IC not suitable for residential installation

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®

