

Global-Mark Certificate · Australia / New Zealand

HLG-80H-12B

cloud light pendant (12V)

cloud light mobile · small (12V)

cloud light mobile · medium + large (12V) (North America only)

molo design, ltd.

1470 Venables Street
Vancouver BC
Canada V5L 2G7

t +1 604 685 0340

info@molodesign.com
www.molodesign.com



Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	MEAN WELL Enterprises Co., Ltd	Other Name	
Address	No.28, Wuquan 3rd Road, Wugu District, New Taipei City Taiwan 24891 Taiwan		
Client ID	107669	Global-Mark File Number:	107669-011
Certificate Number & Approval Mark	GMA-511909-EA	Revision Number	01
Certification Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	19/04/2022
Certificate Last Update Date	16/01/2023
Certification Expiry Date	19/04/2027

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Handwritten signature

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia





global-mark®

Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-54	Input: 100-240Vac, 0.85A, 50/60Hz Output: +54Vdc, 1.5A, rated Power: 81W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-15	Input: 100-240Vac, 0.85A, 50/60Hz Output: +15Vdc, 5.0A, rated Power: 75W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-30	Input: 100-240Vac, 0.85A, 50/60Hz Output: +30Vdc, 2.7A, rated Power: 81W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-12	Input: 100-240Vac, 0.85A, 50/60Hz Output: +12Vdc, 5.0A, rated Power: 60W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-54B	Input: 100-240Vac, 0.85A, 50/60Hz Output: +54Vdc, 1.5A, rated Power: 81W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-54D	Input: 100-240Vac, 0.85A, 50/60Hz Output: +54Vdc, 1.5A, rated Power: 81W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-20	Input: 100-240Vac, 0.85A, 50/60Hz Output: +20Vdc, 4.0A, rated Power: 80W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-54A	Input: 100-240Vac, 0.85A, 50/60Hz Output: +54Vdc, 1.5A, rated Power: 81W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-20B	Input: 100-240Vac, 0.85A, 50/60Hz Output: +20Vdc, 4.0A, rated Power: 80W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-20D	Input: 100-240Vac, 0.85A, 50/60Hz Output: +20Vdc, 4.0A, rated Power: 80W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-30A	Input: 100-240Vac, 0.85A, 50/60Hz Output: +30Vdc, 2.7A, rated Power: 81W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-30D	Input: 100-240Vac, 0.85A, 50/60Hz Output: +30Vdc, 2.7A, rated Power: 81W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-30B	Input: 100-240Vac, 0.85A, 50/60Hz Output: +30Vdc, 2.7A, rated Power: 81W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-12D	Input: 100-240Vac, 0.85A, 50/60Hz Output: +12Vdc, 5.0A, rated Power: 60W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Handwritten signature of the Certification Manager.

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



Certificate of Conformity

Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-15A	Input: 100-240Vac, 0.85A, 50/60Hz Output: +15Vdc, 5.0A, rated Power: 75W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-48	Input: 100-240Vac, 0.85A, 50/60Hz Output: +48Vdc, 1.7A, rated Power: 81.6W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-12B	Input: 100-240Vac, 0.85A, 50/60Hz Output: +12Vdc, 5.0A, rated Power: 60W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-36	Input: 100-240Vac, 0.85A, 50/60Hz Output: +36Vdc, 2.3A, rated Power: 82.8W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-20A	Input: 100-240Vac, 0.85A, 50/60Hz Output: +20Vdc, 4.0A, rated Power: 80W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-15B	Input: 100-240Vac, 0.85A, 50/60Hz Output: +15Vdc, 5.0A, rated Power: 75W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-15D	Input: 100-240Vac, 0.85A, 50/60Hz Output: +15Vdc, 5.0A, rated Power: 75W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-42	Input: 100-240Vac, 0.85A, 50/60Hz Output: +42Vdc, 1.95A, rated Power: 81.9W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-36D	Input: 100-240Vac, 0.85A, 50/60Hz Output: +36Vdc, 2.3A, rated Power: 82.8W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-48D	Input: 100-240Vac, 0.85A, 50/60Hz Output: +48Vdc, 1.7A, rated Power: 81.6W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-48A	Input: 100-240Vac, 0.85A, 50/60Hz Output: +48Vdc, 1.7A, rated Power: 81.6W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-48B	Input: 100-240Vac, 0.85A, 50/60Hz Output: +48Vdc, 1.7A, rated Power: 81.6W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-24	Input: 100-240Vac, 0.85A, 50/60Hz Output: +24Vdc, 3.4A, rated Power: 81.6W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-36B	Input: 100-240Vac, 0.85A, 50/60Hz Output: +36Vdc, 2.3A, rated Power: 82.8W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-36A	Input: 100-240Vac, 0.85A, 50/60Hz Output: +36Vdc, 2.3A, rated Power: 82.8W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

John H. H. H.

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER

Certificate of Conformity

Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-24A	Input: 100-240Vac, 0.85A, 50/60Hz Output: +24Vdc, 3.4A, rated Power: 81.6W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-24D	Input: 100-240Vac, 0.85A, 50/60Hz Output: +24Vdc, 3.4A, rated Power: 81.6W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-24B	Input: 100-240Vac, 0.85A, 50/60Hz Output: +24Vdc, 3.4A, rated Power: 81.6W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-42A	Input: 100-240Vac, 0.85A, 50/60Hz Output: +42Vdc, 1.95A, rated Power: 81.9W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-42D	Input: 100-240Vac, 0.85A, 50/60Hz Output: +42Vdc, 1.95A, rated Power: 81.9W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-42B	Input: 100-240Vac, 0.85A, 50/60Hz Output: +42Vdc, 1.95A, rated Power: 81.9W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-12A	Input: 100-240Vac, 0.85A, 50/60Hz Output: +12Vdc, 5.0A, rated Power: 60W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-12AB	Input: 100-240Vac, 0.85A, 50/60Hz Output: +12Vdc, 5.0A, rated Power: 60W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-15AB	Input: 100-240Vac, 0.85A, 50/60Hz Output: +15Vdc, 5.0A, rated Power: 75W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-20AB	Input: 100-240Vac, 0.85A, 50/60Hz Output: +20Vdc, 4.0A, rated Power: 80W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-24AB	Input: 100-240Vac, 0.85A, 50/60Hz Output: +24Vdc, 3.4A, rated Power: 81.6W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-30AB	Input: 100-240Vac, 0.85A, 50/60Hz Output: +30Vdc, 2.7A, rated Power: 81W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-36AB	Input: 100-240Vac, 0.85A, 50/60Hz Output: +36Vdc, 2.3A, rated Power: 82.8W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-42AB	Input: 100-240Vac, 0.85A, 50/60Hz Output: +42Vdc, 1.95A, rated Power: 81.9W
Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-48AB	Input: 100-240Vac, 0.85A, 50/60Hz Output: +48Vdc, 1.7A, rated Power: 81.6W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Gene Hobbs

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia





global-mark®

Certificate of Conformity

Power Supply or Charger	Independent LED Driver	MEANWELL	HLG-80H-54AB	Input: 100-240Vac, 0.85A, 50/60Hz Output: +54Vdc, 1.5A, rated Power: 81W
-------------------------	------------------------	----------	--------------	---

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Classified as Do Not Cover

2023/01/16 Modification 1

- add alternative models: HLG-80H-12AB, HLG-80H-15AB, HLG-80H-20AB, HLG-80H-24AB, HLG-80H-30AB, HLG-80H-36AB, HLG-80H-42AB, HLG-80H-48AB, HLG-80H-54AB

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER