

CCC Certificate · China

China Compulsory Certificate

ELG-75-24DA

available on request

molo design, ltd.

1470 Venables Street
Vancouver BC
Canada V5L 2G7

t +1 604 685 0340

info@molodesign.com
www.molodesign.com





中国国家强制性产品认证证书

证书编号: 2015011002834473

发证日期: 2022年09月06日

有效期至: 2025年01月06日

认证委托人名称 明纬(广州)电子有限公司
及注册地址 广州市花都区金谷南路11号

产品生产者名称 明纬企业股份有限公司
及注册地址 新北市五股区五权三路28号

生产企业名称 明纬(广州)电子有限公司
及生产地址 广州市花都区金谷南路11号

产品名称和系列、规格、型号 LED模块用交流电子控制装置(LED控制装置,控制端口调光/非控制端口调光,独立式,恒流模式,安全特低电压,ta:60°C,tc:85°C,I类,IP67,适宜直接安装在普通可燃材料表面,定温热保护:110°C)见附件;100-240V~50/60Hz。

产品标准和技术要求 GB 17625.1-2012;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

上述产品符合 CNCA-C10-01:2014 认证规则的要求,特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书,证书首次颁发日期:2016年01月11日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发:

谢肇煦



中国质量认证中心





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2015011002834473

Valid from: Sep.06,2022

Valid until: Jan.06,2025

**NAME AND REGISTERED
ADDRESS OF THE APPLICANT**

MEAN WELL (Guangzhou) Electronics Co., Ltd.
No.11 Jingu South Road, Huadu District, Guangzhou, China

**NAME AND REGISTERED
ADDRESS OF THE
MANUFACTURER**

MEAN WELL Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

**NAME AND LOCATION
OF THE FACTORY**

MEAN WELL (Guangzhou) Electronics Co., Ltd.
No.11 Jingu South Road,Huadu District, Guangzhou, China

PRODUCT MODEL(S)

A.C. Supplied Electronic Controlgear For LED Modules (Controlled Port Dimming / Non-Controlled Port Dimming, Independent, Constant Current Mode, SELV, ta:60°C, tc:85°C, Class I, IP67, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C) See Appendix;100-240V ~ 50/60Hz.

**STANDARDS AND
TECHNICAL REQUIREMENTS**

GB 17625.1-2012;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Jan.11,2016

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





中国国家强制性产品认证证书

证书编号: 2015011002834473

第 1 页 共 2 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号: 3077765

序号	产品型号	参数	备注
1	ELG-75-12B	输出 (当输入电压 100-200Vac 时): Max. 12Vdc, 5A (恒流), 配套光源: Max. 48W LED 模块 输出 (当输入电压 200-240Vac 时): Max. 12Vdc, 5A (恒流), 配套光源: Max. 60W LED 模块	外接电阻调光
2	ELG-75-12D		D 型调光方式
3	ELG-75-12D2		D2 型调光方式
4	ELG-75-12DA		DA 型调光方式
5	ELG-75-24B	输出 (当输入电压 100-200Vac 时): Max. 24Vdc, 3.15A (恒流), 配套光源: Max. 60W LED 模块 输出 (当输入电压 200-240Vac 时): Max. 24Vdc, 3.15A (恒流), 配套光源: Max. 75.6W LED 模块	外接电阻调光
6	ELG-75-24D		D 型调光方式
7	ELG-75-24D2		D2 型调光方式
8	ELG-75-24DA		DA 型调光方式
9	ELG-75-36B	输出 (当输入电压 100-200Vac 时): Max. 36Vdc, 2.1A (恒流), 配套光源: Max. 60W LED 模块 输出 (当输入电压 200-240Vac 时): Max. 36Vdc, 2.1A (恒流), 配套光源: Max. 75.6W LED 模块	外接电阻调光
10	ELG-75-36D		D 型调光方式
11	ELG-75-36D2		D2 型调光方式
12	ELG-75-36DA		DA 型调光方式
13	ELG-75-42B	输出 (当输入电压 100-200Vac 时): Max. 42Vdc, 1.8A (恒流), 配套光源: Max. 60W LED 模块 输出 (当输入电压 200-240Vac 时): Max. 42Vdc, 1.8A (恒流), 配套光源: Max. 75.6W LED 模块	外接电阻调光
14	ELG-75-42D		D 型调光方式
15	ELG-75-42D2		D2 型调光方式
16	ELG-75-42DA		DA 型调光方式
17	ELG-75-48B	输出 (当输入电压 100-200Vac 时): Max. 48Vdc, 1.6A (恒流), 配套光源: Max. 60W LED 模块	外接电阻调光
18	ELG-75-48D		D 型调光方式



中国质量认证中心





中国国家强制性产品认证证书

证书编号: 2015011002834473

第 2 页 共 2 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号: 3077765

19	ELG-75-48D2	输出（当输入电压 200-240Vac 时）： Max. 48Vdc, 1.6A（恒流）， 配套光源：Max. 76.8W LED 模块	D2 型调光方式
20	ELG-75-48DA		DA 型调光方式
备注：			
1.D 型调光方式：定时芯片调光，在规定的时间内，调整输出功率；			
2.D2 型调光方式：可编程定时调光，使用者可根据需要，通过编程线修改定时调光的时间长短和降载幅度；			
3.DA 型调光方式：DALI 功能调光。			

输入: 100-240V~ 50/60Hz



中国质量认证中心





中国国家强制性产品认证证书

证书编号: 2016011002834794

发证日期: 2022年09月01日

有效期至: 2025年01月06日

**认证委托人名称
及注册地址** 明纬(广州)电子有限公司
广州市花都区金谷南路11号

**产品生产者名称
及注册地址** 明纬企业股份有限公司
新北市五股区五权三路28号

**生产企业名称
及生产地址** 明纬(广州)电子有限公司
广州市花都区金谷南路11号

**产品名称和系列、
规格、型号** LED模块用交流电子控制装置(LED控制装置,独立式,恒压/恒流模式,安全特低电压,ta:60°C,tc:85°C,
I类,IP67,适宜直接安装在普通可燃材料表面,定温热保护:110°C)
见附件;100-240V~50/60Hz。

**产品标准和
技术要求** GB 17625.1-2012;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

上述产品符合 CNCA-C10-01:2014 认证规则的要求,特发此证。

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书,证书首次颁发日期:2016年01月11日

经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发:

谢肇煦



中国质量认证中心





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2016011002834794

Valid from: Sep.01,2022

Valid until: Jan.06,2025

**NAME AND REGISTERED
ADDRESS OF THE APPLICANT**

MEAN WELL (Guangzhou) Electronics Co., Ltd.
No.11 Jingu South Road, Huadu District, Guangzhou, China

**NAME AND REGISTERED
ADDRESS OF THE
MANUFACTURER**

MEAN WELL Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

**NAME AND LOCATION
OF THE FACTORY**

MEAN WELL (Guangzhou) Electronics Co., Ltd.
No.11 Jingu South Road,Huadu District, Guangzhou, China

PRODUCT MODEL(S)

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Voltage/Constant Current Mode, SELV, ta:60°C, tc:85°C, Class I, IP67, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C)
See Appendix;100-240V ~ 50/60Hz.

**STANDARDS AND
TECHNICAL REQUIREMENTS**

GB 17625.1-2012;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Jan.11,2016

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





中国国家强制性产品认证证书

证书编号: 2016011002834794

第 1 页 共 1 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号: 3071776

序号	产品型号	参数	备注
1	ELG-75-12	输出: 12Vdc, 4A (恒压恒流), 配套光源: Max. 48W LED 模块	输入电压: 100-200Vac
		输出: 12Vdc, 5A (恒压恒流), 配套光源: Max. 60W LED 模块	输入电压: 200-240Vac
2	ELG-75-24	输出: 24Vdc, 2.5A (恒压恒流), 配套光源: Max. 60W LED 模块	输入电压: 100-200Vac
		输出: 24Vdc, 3.15A (恒压恒流), 配套光源: Max. 75.6W LED 模块	输入电压: 200-240Vac
3	ELG-75-36	输出: 36Vdc, 1.67A (恒压恒流), 配套光源: Max. 60W LED 模块	输入电压: 100-200Vac
		输出: 36Vdc, 2.1A (恒压恒流), 配套光源: Max. 75.6W LED 模块	输入电压: 200-240Vac
4	ELG-75-42	输出: 42Vdc, 1.43A (恒压恒流), 配套光源: Max. 60W LED 模块	输入电压: 100-200Vac
		输出: 42Vdc, 1.8A (恒压恒流), 配套光源: Max. 75.6W LED 模块	输入电压: 200-240Vac
5	ELG-75-48	输出: 48Vdc, 1.25A (恒压恒流), 配套光源: Max. 60W LED 模块	输入电压: 100-200Vac
		输出: 48Vdc, 1.6A (恒压恒流), 配套光源: Max. 76.8W LED 模块	输入电压: 200-240Vac

输入: 100-240V~, 50/60Hz, ta: 60℃, tc: 85℃, I 类, IP67, SELV, , , ,





中国质量认证中心





中国国家强制性产品认证证书

证书编号: 2016011002834770

发证日期: 2022年09月01日

有效期至: 2025年01月06日

**认证委托人名称
及注册地址** 明纬(广州)电子有限公司
广州市花都区金谷南路11号

**产品生产者名称
及注册地址** 明纬企业股份有限公司
新北市五股区五权三路28号

**生产企业名称
及生产地址** 明纬(广州)电子有限公司
广州市花都区金谷南路11号

**产品名称和系列、
规格、型号** LED模块用交流电子控制装置(LED控制装置,独立式,恒压/恒流模式,安全特低电压,ta:60°C,tc:85°C,
I类,IP65,适宜直接安装在普通可燃材料表面,定温热保护:110°C)
见附件.

**产品标准和
技术要求** GB 17625.1-2012;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

上述产品符合 CNCA-C10-01:2014 认证规则的要求,特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书,证书首次颁发日期:2016年01月11日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发:

谢肇煦



中国质量认证中心





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2016011002834770

Valid from: Sep.01,2022

Valid until: Jan.06,2025

NAME AND REGISTERED ADDRESS OF THE APPLICANT MEAN WELL (Guangzhou) Electronics Co., Ltd.
No.11 Jingu South Road, Huadu District, Guangzhou, China

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER MEAN WELL Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND LOCATION OF THE FACTORY MEAN WELL (Guangzhou) Electronics Co., Ltd.
No.11 Jingu South Road,Huadu District, Guangzhou, China

PRODUCT MODEL(S) A.C. Supplied Electronic Controlgear For LED Modules (Independent, constant voltage/Constant Current Mode,SELV ta:60°C, tc:85°C, Class I , IP65, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C)
See Appendix.

STANDARDS AND TECHNICAL REQUIREMENTS GB 17625.1-2012;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Jan.11,2016

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





中国国家强制性产品认证证书

证书编号: 2016011002834770

第 1 页 共 1 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号: 3071775

序号	产品型号	参数	备注
1	ELG-75-12A	输出: 12Vdc, 4A (恒压恒流), 配套光源: Max. 48W LED 模块	输入电压: 100-200Vac
		输出: 12Vdc, 5A (恒压恒流), 配套光源: Max. 60W LED 模块	输入电压: 200-240Vac
2	ELG-75-24A	输出: 24Vdc, 2.5A (恒压恒流), 配套光源: Max. 60W LED 模块	输入电压: 100-200Vac
		输出: 24Vdc, 3.15A (恒压恒流), 配套光源: Max. 75.6W LED 模块	输入电压: 200-240Vac
3	ELG-75-36A	输出: 36Vdc, 1.67A (恒压恒流), 配套光源: Max. 60W LED 模块	输入电压: 100-200Vac
		输出: 36Vdc, 2.1A (恒压恒流), 配套光源: Max. 75.6W LED 模块	输入电压: 200-240Vac
4	ELG-75-42A	输出: 42Vdc, 1.43A (恒压恒流), 配套光源: Max. 60W LED 模块	输入电压: 100-200Vac
		输出: 42Vdc, 1.8A (恒压恒流), 配套光源: Max. 75.6W LED 模块	输入电压: 200-240Vac
5	ELG-75-48A	输出: 48Vdc, 1.25A (恒压恒流), 配套光源: Max. 60W LED 模块	输入电压: 100-200Vac
		输出: 48Vdc, 1.6A (恒压恒流), 配套光源: Max. 76.8W LED 模块	输入电压: 200-240Vac
输入: 100-240V~, 50/60Hz, ta: 60℃, tc: 85℃, I 类, IP65, SELV,  ,  ,  , 			



中国质量认证中心





中国国家强制性产品认证证书

证书编号: 2015011002833501

发证日期: 2022年09月06日

有效期至: 2025年12月24日

认证委托人名称 明纬(广州)电子有限公司
及注册地址 广州市花都区金谷南路11号

产品生产者名称 明纬企业股份有限公司
及注册地址 新北市五股区五权三路28号

生产企业名称 明纬(广州)电子有限公司
及生产地址 广州市花都区金谷南路11号

产品名称和系列、规格、型号 LED模块用交流电子控制装置(LED控制装置,控制端口调光/非控制端口调光,独立式,恒流模式,安全特低电压,ta:60°C,tc:85°C,I类,IP65,适宜直接安装在普通可燃材料表面,定温热保护:110°C)见附件;100-240V~50/60Hz。

产品标准和技术要求 GB 17625.1-2012;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

上述产品符合 CNCA-C10-01:2014 认证规则的要求,特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书,证书首次颁发日期:2016年01月11日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发:

谢肇煦



中国质量认证中心





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2015011002833501

Valid from: Sep.06,2022

Valid until: Dec.24,2025

**NAME AND REGISTERED
ADDRESS OF THE APPLICANT**

MEAN WELL (Guangzhou) Electronics Co., Ltd.
No.11 Jingu South Road, Huadu District, Guangzhou, China

**NAME AND REGISTERED
ADDRESS OF THE
MANUFACTURER**

MEAN WELL Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

**NAME AND LOCATION
OF THE FACTORY**

MEAN WELL (Guangzhou) Electronics Co., Ltd.
No.11 Jingu South Road,Huadu District, Guangzhou, China

PRODUCT MODEL(S)

A.C. Supplied Electronic Controlgear For LED Modules (Controlled Port Dimming / Non-Controlled Port Dimming, Independent, Constant Current Mode,SELV ta:60°C, tc:85°C, Class I, IP65, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C) See Appendix;100-240V ~ 50/60Hz.

**STANDARDS AND
TECHNICAL REQUIREMENTS**

GB 17625.1-2012;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Jan.11,2016

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





中国国家强制性产品认证证书

附 录

证书编号：2015011002833501

第 1 页 共 2 页

纸 号：3077764

序号	产品型号	参数	备注
1	ELG-75-12AB	输出（当输入电压 100-200Vac 时）： Max. 12Vdc, 5A（恒流）， 配套光源：Max. 48W LED 模块	外接电阻调光
2	ELG-75-12AD2	输出（当输入电压 200-240Vac 时）： Max. 12Vdc, 5A（恒流）， 配套光源：Max. 60W LED 模块	D2 型调光方式
3	ELG-75-12ADA	输出（当输入电压 100-200Vac 时）： Max. 24Vdc, 3.15A（恒流）， 配套光源：Max. 60W LED 模块	DA 型调光方式
4	ELG-75-24AB	输出（当输入电压 200-240Vac 时）： Max. 24Vdc, 3.15A（恒流）， 配套光源：Max. 75.6W LED 模块	外接电阻调光
5	ELG-75-24AD2	输出（当输入电压 100-200Vac 时）： Max. 36Vdc, 2.1A（恒流）， 配套光源：Max. 60W LED 模块	D2 型调光方式
6	ELG-75-24ADA	输出（当输入电压 200-240Vac 时）： Max. 36Vdc, 2.1A（恒流）， 配套光源：Max. 75.6W LED 模块	DA 型调光方式
7	ELG-75-36AB	输出（当输入电压 100-200Vac 时）： Max. 42Vdc, 1.8A（恒流）， 配套光源：Max. 60W LED 模块	外接电阻调光
8	ELG-75-36AD2	输出（当输入电压 200-240Vac 时）： Max. 42Vdc, 1.8A（恒流）， 配套光源：Max. 75.6W LED 模块	D2 型调光方式
9	ELG-75-36ADA	输出（当输入电压 100-200Vac 时）： Max. 42Vdc, 1.8A（恒流）， 配套光源：Max. 75.6W LED 模块	DA 型调光方式
10	ELG-75-42AB	输出（当输入电压 100-200Vac 时）： Max. 42Vdc, 1.8A（恒流）， 配套光源：Max. 60W LED 模块	外接电阻调光
11	ELG-75-42AD2	输出（当输入电压 200-240Vac 时）： Max. 42Vdc, 1.8A（恒流）， 配套光源：Max. 75.6W LED 模块	D2 型调光方式
12	ELG-75-42ADA	输出（当输入电压 100-200Vac 时）： Max. 42Vdc, 1.8A（恒流）， 配套光源：Max. 75.6W LED 模块	DA 型调光方式

注：此附录与证书同时使用时有效。



中国质量认证中心





中国国家强制性产品认证证书

附 录

证书编号: 2015011002833501

第 2 页 共 2 页

纸 号: 3077764

		配套光源: Max. 75.6W LED 模块	
13	ELG-75-48AB	输出 (当输入电压 100-200Vac 时): Max. 48Vdc, 1.6A (恒流), 配套光源: Max. 60W LED 模块 输出 (当输入电压 200-240Vac 时): Max. 48Vdc, 1.6A (恒流), 配套光源: Max. 76.8W LED 模块	外接电阻调光
14	ELG-75-48AD2		D2 型调光方式
15	ELG-75-48ADA		DA 型调光方式
备注: 1. D2 型调光方式: 可编程定时调光, 使用者可根据需要, 通过编程线修改定时调光的时间长短和降载幅度; 2. DA 型调光方式: DALI 功能调光。			

输入: 100-240V~ 50/60Hz

注: 此附录与证书同时使用时有效。



中国质量认证中心

