

PROJECT NAME: _____ DATE: _____

JOB LOCATION: _____ SPECIFIER: _____

PLEASE USE ADOBE READER OR ADOBE ACROBAT TO FILL OUT AND SAVE FORM. USING OTHER PROGRAMS COULD RESULT IN UNSAVED DATA.

APPLICATIONS

Please select an option below to describe the end use for your glass. If selecting an F+S System application, please complete the corresponding System's Design Guide.

F+S SYSTEMS

- LEVELr Wall Panel & Column System
- LEVELe Wall Panel & Column System
- LEVELr Elevator Interiors
- LEVELe Elevator Interiors
- LEVELc-2000 Elevator Interiors

OTHER APPLICATIONS

- Loose Lite(s)
- Other: _____

NOTES _____

For all ViviTela Mesh glass projects, please make selections from each of the following categories:

GLASS CHARACTERISTICS

Please choose one option from each category.

CONFIGURATION

- Reflect
- View*

INTERLAYER PATTERN

- Framework**
- Overlay
- Oxford
- Pointed Twill
- Twill

INTERLAYER COLOR

- Stainless Steel
- Bronze
- Graphite
- Nickel Bronze
- Nickel Silver
- White Gold

FINISH

- Standard
- Pearlex+

*View configuration will be built one side selected finish / one side Standard finish (unless otherwise indicated in the project details).

**Framework pattern is only available in the Reflect configuration.

PROCESSING REQUIREMENTS

Please choose all options that apply and provide detail as needed. If selecting "Yes", please provide drawing details.

CUTS

- | | | | |
|------------------|------------------------------|-----------------------------|-------|
| Notches | <input type="checkbox"/> Yes | <input type="checkbox"/> No | _____ |
| Internal Cutouts | <input type="checkbox"/> Yes | <input type="checkbox"/> No | _____ |
| Pattern Cuts | <input type="checkbox"/> Yes | <input type="checkbox"/> No | _____ |
| Holes | <input type="checkbox"/> Yes | <input type="checkbox"/> No | _____ |

ANSI

- | | | | |
|---------------------|-----------------------------------|-----------------------------------|-------|
| ANSI logo on glass* | <input type="checkbox"/> Yes | <input type="checkbox"/> No | _____ |
| ANSI logo type | <input type="checkbox"/> American | <input type="checkbox"/> Canadian | _____ |
| ANSI logo placement | <input type="checkbox"/> Standard | <input type="checkbox"/> Custom** | _____ |

*ANSI logo is required for elevator interiors.

**If ANSI logo placement is custom, please provide details.

For ViviTela Mesh glass projects used in "Other Applications", please also supply the following information:

LITE DESCRIPTION		
DESCRIPTION (INCLUDE PART NUMBER, IF AVAILABLE)	QUANTITY	SIZE (W x H)
_____	_____	_____
_____	_____	_____
_____	_____	_____

NOTES _____

PROJECT DETAILS

Please choose one option from each category.

INSTALLATION TYPE	GLASS THICKNESS	ENVIRONMENT**	LIGHTING CONDITIONS
<input type="checkbox"/> Captured Top & Bottom Only	<input type="checkbox"/> 5/16" (7.7mm)	<input type="checkbox"/> Interior, Standard Humidity	<input type="checkbox"/> Natural
<input type="checkbox"/> Fully Framed	<input type="checkbox"/> 7/16" (11.1mm)	<input type="checkbox"/> Interior, High Humidity	<input type="checkbox"/> Backlit
<input type="checkbox"/> Mounted to a Solid Substrate	<input type="checkbox"/> 9/16" (13.7mm)	<input type="checkbox"/> Exterior, Exposed Setting	<input type="checkbox"/> Spotlight
<input type="checkbox"/> Curtain Wall/IGU		<input type="checkbox"/> Exterior, Covered Setting	<input type="checkbox"/> Other (provide details):
<input type="checkbox"/> Post Mounted with Holes			_____
<input type="checkbox"/> Water Feature			_____
<input type="checkbox"/> Curved Profile*			_____

*If project requires a curved profile, please provide a drawing.

**If environment includes varying floor elevations that will impact the pattern, please provide a drawing.

PROCESSING REQUIREMENTS

Please choose all options that apply and provide detail as needed.

EDGES

Seamed Edges	<input type="checkbox"/> All Edges	<input type="checkbox"/> Top	<input type="checkbox"/> Bottom	<input type="checkbox"/> Left Side	<input type="checkbox"/> Right Side
Flat Machine Polished Edges	<input type="checkbox"/> All Edges	<input type="checkbox"/> Top	<input type="checkbox"/> Bottom	<input type="checkbox"/> Left Side	<input type="checkbox"/> Right Side

GLASS SAFETY STANDARDS

Please choose one option.

SAFETY STANDARDS

- Annealed
- Tempered*
- Heat Strengthened**

*Tempering is required for load bearing holes and cutouts. Please note that 5/16" laminated glass can only be tempered to a max of 47" x 80".

**Heat strengthening is recommended for glass over 50 square feet.

Please send completed forms to sales@forms-surfaces.com or contact us at 800.451.0410 with any questions.