

**Linq Woven Metal** brings a distinctly F+S twist to woven metal. Shaped by innovative design and material capabilities exclusive to Forms+Surfaces, Linq unites modern aesthetics, exceptional durability, and full integration with our wall panel & column systems, elevator interiors and more.

## PRODUCT FEATURES

- Suitable for interior applications.
- Linq Woven Metal is available exclusively in F+S Systems.

## MATERIAL DESCRIPTION

Linq Woven Metal selections are defined by three basic parameters:


MATERIAL	PATTERN	PATINA
The metal wire used. All patterns are available in stainless steel.	The distinctive texture or design created by weaving the metal.	A contrast-enhancing surface treatment applied to the woven metal. Select patterns are available with a patina.

## APPLICATIONS & MAINTENANCE


F+S SYSTEMS	MAINTENANCE
<ul style="list-style-type: none"> <li>• LEVELe Wall Panel &amp; Column System</li> <li>• LEVELe Elevator Interiors</li> <li>• LEVELc-2000 Elevator Interiors</li> </ul>	For routine cleaning of Linq Woven Metal patterns in Stainless Steel, spray a commercial cleaner specifically formulated for stainless steel onto a clean microfiber cloth and wipe the surface. We recommend Weiman® Stainless Steel Spray or Magic Stainless Steel Cleaner. After cleaning, the surface should be rinsed with water to prevent streaking and dried with a clean microfiber towel. Additional details can be found in the Architectural Materials Care & Maintenance document on our website.

## STANDARD LINQ PATTERNS


Linq Woven Metal patterns consist of flat and/or round wires interwoven to create distinctive textures and designs.



ECHO




MERGE




RHYTHM



SLOPE



SUM



WAVE

## MATERIAL SPECIFICATIONS

The chart below shows thickness and sheet size dimensions for all Linq Woven Metal patterns. Patterns may be specified in any size up to the maximum indicated in the chart.

PATTERN	PATINA	THICKNESS	SHEET SIZE	WEIGHT (LBS/SQ FT)	% OPEN AREA
ECHO (H)	No	0.176" (4.5 mm)	48" x 120" (1219 mm x 3048 mm)	3.837	1%
ECHO (V)	No	0.176" (4.5 mm)	48" x 120" (1219 mm x 3048 mm)	3.837	1%
MERGE	Yes	0.189" (4.8 mm)	48" x 120" (1219 mm x 3048 mm)	3.080	2%
RHYTHM	No	0.103" (2.6 mm)	48" x 120" (1219 mm x 3048 mm)	2.499	8%
SLOPE	No	0.189" (4.8 mm)	48" x 120" (1219 mm x 3048 mm)	2.939	6%
SUM	Yes	0.133" (3.4 mm)	48" x 120" (1219 mm x 3048 mm)	3.738	5%
WAVE (H)	No	0.125" (3.2 mm)	60" x 120" (1524 mm x 3048 mm)	1.864	5%
WAVE (V)	No	0.125" (3.2 mm)	60" x 120" (1524 mm x 3048 mm)	1.864	5%

## ENVIRONMENTAL CONSIDERATIONS

Please refer to the Linq Woven Metal Product Environmental Data Sheet for detailed environmental impact information.

## HOW TO SPECIFY

Please contact us at 800.451.0410 or sales@forms-surface.com to order.