

A sleek interpretation of the classic park bench, **Camber's** smooth lines and broad stance make it a striking and remarkably durable addition to any landscape. Seat slats are available in extruded Aluminum or FSC® 100% Cumaru hardwood. With its robust cast aluminum frame, Camber is designed to weather the elements and provide many years of welcoming service in any public setting.

## MATERIAL & CONSTRUCTION DETAILS

FRAME	SLATS	ARMRESTS	INSTALLATION	MAINTENANCE
<ul style="list-style-type: none"> <li>Frame is made of solid cast aluminum with powdercoat finish.</li> <li>See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge.</li> <li>Due to the inherent nature of metal castings, gloss powdercoats are not offered for cast components.</li> </ul>	<ul style="list-style-type: none"> <li>Extruded aluminum slats are offered in standard finishes of Clear Anodized and Slate Texture powdercoat. See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge.</li> <li>FSC® 100% Cumaru hardwood offers superior resistance to moisture, insects, fire, vandalism, and decay. (FSC License Code: FSC-C004453).</li> <li>The hardwood has a natural oiled finish that enhances the wood's rich color.</li> </ul>	<ul style="list-style-type: none"> <li>All benches have two armrests that are integral parts of the frame end castings.</li> <li>Intermediate armrests are available for an upcharge at any location along the length of the bench and are powdercoated to match the frame.</li> </ul>	<ul style="list-style-type: none"> <li>Camber Benches can be freestanding or surface mounted.</li> <li>Stainless steel anchors and mounting bolts are sold separately.</li> </ul>	<ul style="list-style-type: none"> <li>Metal surfaces can be cleaned as needed using a soft cloth or brush with warm water and a mild detergent. Avoid abrasive cleaners.</li> <li>Cumaru hardwood slats can be maintained by re-oiling as needed with Penofin® hardwood finish or similar products.</li> </ul>

## INSTALLATION & MAINTENANCE

## NOMINAL DIMENSIONS



MODEL	OVERALL LENGTH	OVERALL DEPTH	OVERALL HEIGHT	SEAT HEIGHT	SEAT DEPTH	ARMREST HEIGHT	WEIGHT
SBCAM-72BA	77.3" (1963 mm)	27.2" (691 mm)	32.8" (833 mm)	17.3" (439 mm)	21" (691 mm)	22.8" (533 mm)	154.67 lbs (70 kg)
SBCAM-72BW	77.3" (1963 mm)	27.2" (691 mm)	32.8" (833 mm)	17.3" (439 mm)	21" (691 mm)	22.8" (533 mm)	155.46 lbs (71 kg)
SBCAM-96BA	101.3" (2574 mm)	27.2" (691 mm)	32.8" (833 mm)	17.3" (439 mm)	21" (691 mm)	22.8" (533 mm)	184.18 lbs (84 kg)

## ENVIRONMENTAL CONSIDERATIONS

- Please refer to the Camber Bench Environmental Data Sheet for detailed environmental impact information.
- Camber has up to 40% recycled content and is fully recyclable.
- All Camber wood is FSC® 100%.
- Standard powdercoat finishes are no-VOC; non-standard powdercoat finishes are no- or low-VOC, depending on color.
- Low maintenance.
- Easy to disassemble.

## MODEL NUMBERS AND DESCRIPTIONS

MODEL	DESCRIPTION
SBCAM-72BA	Camber Bench, 6 foot, extruded aluminum slats
SBCAM-72BW	Camber Bench, 6 foot, FSC® 100% Cumaru hardwood slats
SBCAM-96BA	Camber Bench, 8 foot, extruded aluminum slats

**PRODUCT OPTIONS**

The following options are available for an upcharge

Intermediate armrest(s)	Custom RAL powdercoat color
Stainless steel anchors and mounting bolts	

**LEAD TIME:** 6 to 8 weeks. Shorter lead times may be available upon request. Please contact us to discuss your specific timing requirements.

**PRICING:** Please contact us at **800.451.0410** or **sales@forms-surfaces.com**. At Forms+Surfaces, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Territory Managers are located worldwide to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

**TO ORDER SPECIFY:** Quantity, model, finish for frame castings, finish for aluminum slats, freestanding or surface mount, number and location of intermediate armrests. Design Guides are available on our website to lead you through the specification process in a simple checkbox format.