
# **HUNTER DOUGLAS**

Federal Tax Credit January 2025 Qualifying Product Document





#### How to use this document

All eligible Hunter Douglas Duette® and Applause® Honeycomb products with PowerView® Automation qualify for the Federal Tax Credit.

To determine if any non-motorized Hunter Douglas Honeycomb product qualifies for the Federal Tax Credit, please follow the steps below.


- 1) Refer to the Product Qualification Reference Chart, which can be found on Pages 3-6.
- 2) In the Product Qualification Reference Chart, if the fabric is listed as "All Qualify" then ALL operating systems and sizes within that product category qualify for the Federal Tax Credit. Available operating systems include PowerView, LiteRise®, UltraGlide® and EasyRise™ in Standard, Top-Down/Bottom-Up and Top-Down where applicable.

If the fabric you purchased is listed as "Some Non-Qualifying", please reference the Qualifying/Non-Qualifying Size Grids, for those applicable operating systems.


3) Within the Qualifying/Non-Qualifying Size Grids: find the specific fabric, operating system, and size of the product. If the size of the product falls within a dark green area, the specific product configuration DOES NOT qualify. If the size of the product falls within a light green area, that specific product configuration qualifies.

IMPORTANT: Any products purchased with the following systems and design options DO NOT QUALIFY.


- Duolite®
- Vertiglide™
- Skylift<sup>™</sup>
- Simplicity<sup>™</sup>
- TrackGlide<sup>™</sup> (Alustra Duette & Duette Only)
- LightLock® (Alustra Duette & Duette Only)
- EasyView® Arch (Alustra Duette & Duette Only)
- Two-on-One Headrail
- End Mount
- Outside Mount
- Specialty; including Sidelights, Shapes, Cut-outs, Magnetic Hold Down Brackets
- Fabrics not listed on pages 3-6.




			Alus	tra® Duet	te® Hone	ycomb Sh	nades				
Fabric	Pleat Size & Opacity	Fabric Code (All Colors)	Qualification	PowerView®	PowerView TD & TDBU	LiteRise <sup>®</sup>	EasyRise™	UltraGlide® TD & TDBU	LiteRise TDBU	EasyRise TDBU	UltraGlide
Architella Leela™	¾" Room Darkening	U25	ALL Qualify								
Architella Leela	1¼" Room Darkening	U45	ALL Qualify								
Architella Leela	¾" Light Filtering	U24	ALL Qualify								
Architella Leela	1¼" Light Filtering	U44	ALL Qualify								
Architella Macon™	¾" Room Darkening	U27	ALL Qualify								
Architella Macon	1¼" Room Darkening	U47	SOME Non-Qualifying*					*CHECK GRID PAGE 7			
Architella Macon	¾" Light Filtering	U26	ALL Qualify								
Architella Macon	1¼" Light Filtering	U46	SOME Non-Qualifying*					*CHECK GRID PAGE 7			
Architella Solasta™	¾" Room Darkening	U29	ALL Qualify								
Architella Solasta	1¼" Room Darkening	U49	SOME Non-Qualifying*					*CHECK GRID PAGE 7			



				Duette® I	Honeycon	nb Shade	S				
Fabric	Pleat Size & Opacity	Fabric Code (All Colors)	Qualification	PowerView®	PowerView TD & TDBU	LiteRise®	EasyRise™	UltraGlide® TD & TDBU	LiteRise TDBU	EasyRise TDBU	UltraGlide
Architella <sup>®</sup> Alexa <sup>™</sup>	¾" Room Darkening	C94	SOME Non-Qualifying*					*CHECK GRID PAGE 8			
Architella Alexa	1¼" Room Darkening	C89	SOME Non-Qualifying*					*CHECK GRID PAGE 8			
Architella Alexa	¾" Light Filtering	C93	SOME Non-Qualifying*					*CHECK GRID PAGE 8			
Architella Alexa	1¼" Light Filtering	C88	SOME Non-Qualifying*					*CHECK GRID PAGE 9			
Architella Batiste Bamboo	¾" Light Filtering	C95	SOME Non-Qualifying*					*CHECK GRID PAGE 9			
Architella Batiste Bamboo	¾" Room Darkening	C96	ALL Qualify								
Architella Batiste Bamboo	1¼" Light Filtering	C97	SOME Non-Qualifying*					*CHECK GRID PAGE 9			
Architella Batiste Bamboo	1¼" Room Darkening	C98	SOME Non-Qualifying*					*CHECK GRID PAGE 10			
Architella Classic™	¾" Room Darkening	C51	SOME Non-Qualifying*					*CHECK GRID PAGE 10	*CHECK GRID PAGE 11	*CHECK GRID PAGE 11	
Architella Classic	¾" Light Filtering	C50	SOME Non-Qualifying*					*CHECK GRID PAGE 11	*CHECK GRID PAGE 11	*CHECK GRID PAGE 12	*CHECK GRID PAGE 12
Classic	³/8" Room Darkening	H7	SOME Non-Qualifying*					*CHECK GRID PAGE 12			
Classic	¾" Room Darkening	D7	SOME Non-Qualifying*			*CHECK GRID PAGE 13		*CHECK GRID PAGE 13	*CHECK GRID PAGE 13	*CHECK GRID PAGE 14	*CHECK GRID PAGE 14
Commercial with MicroShield™	¾" Room Darkening	D23	SOME Non-Qualifying*					*CHECK GRID PAGE 15			
Commercial with MicroShield	¾" Light Filtering	D22	SOME Non-Qualifying*					*CHECK GRID PAGE 15			
Architella Elan® and Elan® Metallic	¾" Room Darkening	C23	SOME Non-Qualifying*					*CHECK GRID PAGE 16			
Architella Elan and Elan Metallic	1¼" Room Darkening	C43	SOME Non-Qualifying*					*CHECK GRID PAGE 16	*CHECK GRID PAGE 16	*CHECK GRID PAGE 17	
Architella Elan and Elan Metallic	¾" Light Filtering	C22	SOME Non-Qualifying*					*CHECK GRID PAGE 17			
Architella Elan and Elan Metallic	1¼" Light Filtering	C42	SOME Non-Qualifying*					*CHECK GRID PAGE 17	*CHECK GRID PAGE 18	*CHECK GRID PAGE 18	
Architella India Silk™	¾" Room Darkening	U23	ALL Qualify								
Architella India Silk	1¼" Room Darkening	U43	SOME Non-Qualifying*					*CHECK GRID PAGE 19			
Architella India Silk	¾" Light Filtering	U22	ALL Qualify								
Architella India Silk	1¼" Light Filtering	U42	SOME Non-Qualifying*					*CHECK GRID PAGE 19			



				Duette® H	Honeycon	nb Shade	S				
Fabric	Pleat Size & Opacity	Fabric Code (All Colors)	Qualification	PowerView®	PowerView TD & TDBU	LiteRise®	EasyRise™	UltraGlide® TD & TDBU	LiteRise TDBU	EasyRise TDBU	UltraGlide
Architella Reception	¾" Room Darkening	C57	SOME Non-Qualifying*					*CHECK GRID PAGE 20	*CHECK GRID PAGE 20	*CHECK GRID PAGE 20	
Architella Reception	¾" Light Filtering	C56	SOME Non-Qualifying*					*CHECK GRID PAGE 21	*CHECK GRID PAGE 21	*CHECK GRID PAGE 21	*CHECK GRID PAGE 22
Reception	¾" Room Darkening	D57	SOME Non-Qualifying*					*CHECK GRID PAGE 22	*CHECK GRID PAGE 22	*CHECK GRID PAGE 23	*CHECK GRID PAGE 23
Architella Thea™	¾" Room Darkening	C59	SOME Non-Qualifying*					*CHECK GRID PAGE 24			
Architella Thea	1¼" Room Darkening	C61	SOME Non-Qualifying*					*CHECK GRID PAGE 24			
Architella Thea	¾" Light Filtering	C58	SOME Non-Qualifying*					*CHECK GRID PAGE 25			
Architella Thea	1¼" Light Filtering	C60	SOME Non-Qualifying*					*CHECK GRID PAGE 25			



			Д	pplause®	Honeyco	mb Shad	es				
Fabric	Pleat Size & Opacity	Fabric Code (All Colors)	Qualification	PowerView®	PowerView TD & TDBU	LiteRise®	EasyRise™	UltraGlide® TD & TDBU	LiteRise TDBU	EasyRise TDBU	UltraGlide
HDOrigins® Esprit™	¾" Room Darkening	E37	SOME Non-Qualifying*					*CHECK GRID PAGE 26	*CHECK GRID PAGE 26	*CHECK GRID PAGE 26	
Amity™	¾" Room Darkening	E55	SOME Non-Qualifying*			*CHECK GRID PAGE 27		*CHECK GRID PAGE 27	*CHECK GRID PAGE 27	*CHECK GRID PAGE 28	*CHECK GRID PAGE 28
Kinship™	¾" Room Darkening	E27	SOME Non-Qualifying*					*CHECK GRID PAGE 29	*CHECK GRID PAGE 29	*CHECK GRID PAGE 29	*CHECK GRID PAGE 30
Legends™	<sup>3</sup> /8" Room Darkening	E4	SOME Non-Qualifying*					*CHECK GRID PAGE 30		*CHECK GRID PAGE 30	
Legends	¾" Room Darkening	E3	SOME Non-Qualifying*					*CHECK GRID PAGE 31	*CHECK GRID PAGE 31	*CHECK GRID PAGE 31	*CHECK GRID PAGE 32
Sunterra™	<sup>3</sup> /8" Room Darkening	E43	SOME Non-Qualifying*					*CHECK GRID PAGE 32			
Sunterra	¾" Room Darkening	E41	SOME Non-Qualifying*					*CHECK GRID PAGE 32	*CHECK GRID PAGE 33	*CHECK GRID PAGE 33	
Vintage™	¾" Room Darkening	E51	SOME Non-Qualifying*					*CHECK GRID PAGE 33	*CHECK GRID PAGE 34	*CHECK GRID PAGE 34	

#### Alustra® Duette® Honeycomb Shades

Qualifying
Non-Qualifying

		Macon kening (						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
неіснт то	84												
EIG	96												
_	108												
	120												
	132												
	144												

		Macon ring (U4						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
HEIGHT TO	84												
田田	96												
_	108												
	120												
	132												
	144												

		Solast kening		ı				U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
неіснт то	84												
EG	96												
_	108												
	120												
	132												
	144			·									

Qualifying
Non-Qualifying

		® Alexa¹ ring (C9						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
												144	
	36"												
	48												
2	60												
HEIGHT	72												
里	84												
	96												
	108												

		<sup>®</sup> Alexa <sup>™</sup> kening						Ul	traGlide®,	Top-Dov	vn & Top-	Down/Bo	ttom-Up	
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 144 36"													
	36"													
	48													
	60													
	72													
неіснт то	84													
HEIGH	96													
_	108													
	120													
	132													
	144													

		® Alexa <sup>™</sup> ring (C9						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
1 1	72												
неіснт то	84												
	96												
	108												
	120												

Qualifying
Non-Qualifying

		<sup>®</sup> Alexa™ ring (C8						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
) 	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

		Batistoring (C9	e Bamb 95)	000™ ¾'	ıı			U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 14													
	36"												
	48												
	60												
2	72												
неіснт то	84												
里	96												
	108												
120													
	131												

		Batistering (C9		00™ 1½	<b>4</b> "			U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
неіснт то	84												
	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

		Batiste kening (		00™ 1½	<b>4</b> "			U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
HEIGHT TO	84												
EG	96												
_	108												
	120												
	132												
	144												

		Architella® Classic™ ¾'' Room Darkening (C51)  UltraGlide®, Top-Down & Top-Down/Bottom-Up												
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 144													
	36"													
	48													
	60													
0	72													
) 	84													
неіснт то	96													
_	108													
	120													
	132													
	144													

_		Classikening					LiteR	ise®, Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108
	36"									
2	48									
неіснт то	60									
里	72									
	84									

Qualifying
Non-Qualifying

	Architella® Classic™ ¾"  Room Darkening (C51)  EasyRise®, Top-Down/Bottom-Up													ise®, Top-	Down/Bot	
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
1 TC	84															
неіснт то	96															
	108															
	120															
	132															
	144															

		Classic						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
неіснт то	84												
IEIGF	96												
_	108												
	120												
	132												
	144												

_		° Classi ring (C5	-				LiteR	ise®, Top-	·Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108
	36"									
2	48									
неіснт то	60									
里	72									
	84									

Qualifying
Non-Qualifying

		Classic											EasyR	ise®, Top-	Down/Bot	ttom-Up
V	VIDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
IT TC	84															
неіснт то	96															
	108															
	120															
	132															
	144															

		Classic ring (C50										Ult	raGlide®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
11	84												
HEIGHT TO	96												
	108												
	120												
	132												
	144												

	ssic™ 3 om Dar	⁄8" kening (	(H7)					U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
HEIGHT TO	84												
	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

	ssic™ ¾ om Dar	4" kening	(D7)							L	iteRise®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120
	36"										
2	48										
HEIGHT	60										
里	72										
	84										

	ssic™ ¾ m Darl	4" kening (I	07)					U	ltraGlide®	, Top-Dov	vn & Top-l	Down/Bott	tom-Up
W	DTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
неіснт то	84												
IEIGF	96												
Τ	108												
	120												
	132												
	144												

	ssic™ ¾ om Dar	4" kening	(D7)					LiteR	ise®, Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120
	36"										
2	48										
HEIGHT	60										
里	72										
	84										

Qualifying
Non-Qualifying

	ssic™ ¾ om Darl	4" kening	(D7)										EasyR	ise®, Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
) <u> </u>	84															
неіснт то	96															
_	108															
	120															
	132															
	144															

	ssic <sup>™</sup> ¾ m Dar	4" kening	(D7)									Ult	raGlide®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

	Commercial with MicroShield™ ¾"  Room Darkening (D23)  UltraGlide®, Top-Down & Top-Down/Bottom-Up													
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132													
	36"													
	48													
	60													
	72													
неіснт то	84													
EEG	96													
_	108													
	120													
	132													
	144													

	Commercial with MicroShield™ ¾" Light Filtering (D22)  UltraGlide®, Top-Down & Top-Down/Bottom-Up													
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	
	36"													
	48													
	60													
	72													
1	84													
неіснт то	96													
	108													
	120													
	132													
	144													

Qualifying
Non-Qualifying

	Architella® Elan® and Elan Metallic ¾"  Room Darkening (C23)  UltraGlide®, Top-Down & Top-Down/Bottom-Up														
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 144														
	36"														
	48														
	60														
2	72														
HEIGHT	84														
里	96														
	108														
	120														
	132														

	Architella® Elan® and Elan Metallic 11/4"  Room Darkening (C43)  UltraGlide®, Top-Down & Top-Down/Bottom-Up													
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 14													
	36"													
	48													
	60													
	72													
1T T(	84													
неіснт то	96													
_	108													
	120													
	132													
	144													

	Architella® Elan® and Elan Metallic 1¼" Room Darkening (C43)  LiteRise®, Top-Down/Bottom-Up													
W	WIDTH TO 24" 30 36 48 60 72 84 90													
	36"													
2	48													
неіснт то	60													
里	呈 72													
	84													

Qualifying
Non-Qualifying

	Architella® Elan® and Elan Metallic 1¼"  Room Darkening (C43)  EasyRise®, Top-Down/Bottom-Up															
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
1 H	84															
неіснт то	96															
_	108															
	120															
	132															
	144															

		Elan® a		n Meta	llic ¾"			U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
) 	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

		<sup>®</sup> Elan <sup>®</sup> a ring (C4	n Meta	llic 1¼'	ı	U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	ttom-Up
W	IDTH TO	108	120	132	144						
	36"										
	48										
	60										
	72										
HEIGHT TO	84										
古田	96										
_	108										
	120										
	132										
	144										

Qualifying
Non-Qualifying

_	Architella® Elan® and Elan Metallic 1¼" Light Filtering (C42)  LiteRise®, Top-Down/Bottom-Up													
W	IDTH TO	24"	30	36	48	60	72	84	90					
	36"													
2	48													
HEIGHT TO	60													
里	72													
	84													

		Elan® ring (C4		ın Meta	ıllic 1¼	II.							EasyR	ise®, Top-	Down/Bot	tom-Up
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 144 156 168 174															
	36"															
	48															
	60															
	72															
IT TC	84															
НЕІСНТ ТО	96															
_	108															
	120															
	132															
	144															

Qualifying
Non-Qualifying

		ndia S kening (		<b>/</b> 4"				U	IltraGlide®	, Top-Dov	vn & Top	Down-Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
드	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

		India S	Silk™ 11 12)	l/4"				U	lltraGlide®	, Top-Dov	vn & Top	Down-Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
1	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

		Recept		l				U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	tom-Up		
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 144														
	36"														
	48														
	60														
T0	72														
неіснт	84														
HEI	96														
	108														
	120														
	132														

		Recep kening	ı	LiteR	ise®, Top-	·Down/Bo	ttom-Up
W	IDTH TO	72	84	96			
	36"						
2	48						
неіснт то	60						
里	72						
	84						

		Recep	otion ¾' (C57)	1									EasyR	ise®, Top-	Down/Bo	ttom-Up
V	VIDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
2	72															
HEIGHT	84															
里	96															
	108															
	120															
	132															

Qualifying
Non-Qualifying

		Recept ring (C5		I				U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
TT TC	84												
неіснт то	96												
	108												
	120												
	132												
	144												

		Recep kening		I		LiteR	ise®, Top-	-Down/Bo	ttom-Up
W	/IDTH TO	24"	30	36	48	60	72	84	96
	36"								
2	48								
неіснт то	60								
里	72								
	84								

		Recepting (C5	otion ¾' 56)	ı									EasyR	ise®, Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
	84															
неіснт то	96															
_	108															
	120															
	132															
	144															

Qualifying
Non-Qualifying

	Architella® Reception ¾" Light Filtering (C56)												
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
1	84												
неіснт то	96												
	108												
	120												
	132												
	144												

	Reception ¾" Room Darkening (D57)  UltraGlide®, Top-Down & Top-Down/Bottom-Up												
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
2	72												
HEIGHT TO	84												
里	96												
	108												
	120												
	132												

	Reception ¾" Room Darkening (D57)  LiteRise®, Top-Down/Bottom-Up												
W	IDTH TO	24"	30	36	48	60	72	84	96	108			
	36"												
2	48												
неіснт то	60												
里	72												
	84												

Qualifying
Non-Qualifying

	Reception ¾"  Room Darkening (D57)  EasyRise®, Top-Down/Bottom-Up														
W	WIDTH TO         24"         30         36         48         60         72         84         96         108         120         132         144         156         168         174														
	36"														
	48														
	60														
	72														
H T	84														
неіснт то	96														
_	108														
	120														
	132														
	144														

Rec	Reception 3/4" Room Darkening (D57)  UltraGlide®												
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 14												144
	36"												
	48												
	60												
2	72												
неіснт то	84												
里	96												
	108												
	120												
	132												

Qualifying
Non-Qualifying

	Architella® Thea™ ¾'' Room Darkening (C59)  UltraGlide®, Top-Down & Top-Down/Bottom-Up												
WIDTH TO 24" 30 36 48 60 72 84 96 108 120										132	144		
	36"												
	48												
2	60												
HEIGHT	72												
里	84												
	96												
	108												

	Architella® Thea™ 1¼"  Room Darkening (C61)  UltraGlide®, Top-Down & Top-Down/Bottom-Up												
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
느	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

	Architella® Thea™ ¾" Light Filtering (C58)  UltraGlide®, Top-Down & Top-Down/Bottom-Up												
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
неіснт то	72												
臣	84												
_	96												
	108												
	125												

		<sup>®</sup> Thea <sup>™</sup> ring (C6						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up	
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	
	36"													
	48													
	60													
	72													
	84													
неіснт то	96													
_	108													
	120													
	132													
	144													

Qualifying
Non-Qualifying

		® Esprit <sup>™</sup> kening (						U	IltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
T T	84												
неіснт то	96												
	108												
	120												
	132												
	144												

		® Esprit kening						LiteR	ise®, Top-	·Down/Bo	ttom-Up		
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120		
	36"												
2	48												
HEIGHT	60												
里	72												
	84												

HD0 Roo	HDOrigins® Esprit™ ¾"  Room Darkening (E37)  EasyRise®, Top-Down/Bottom-Up															ttom-Up
W															174	
	36"															
	48															
	60															
	72															
	84															
неіснт то	96															
_	108															
	120															
	132															
	144															

Qualifying
Non-Qualifying

	ity™ ¾' om Darl	kening	(E55)							L	.iteRise®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120
	36"										
2	48										
HEIGHT TO	60										
里	72										
	84										

	ity™ ¾" om Dark		<b>=55</b> )					U	ItraGlide®	, Top-Dov	vn & Top-[	Down/Bott	om-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
неіснт то	84												
EIG	96												
_	108												
	120												
	132												
	144												

	ity™ ¾' om Darl	kening	(E55)					LiteR	ise®, Top-	·Down/Bo	ttom-Up			
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120													
	36"													
2	48													
HEIGHT	60													
里	72													
	84													

Qualifying
Non-Qualifying

		Amity <sup>™</sup> ¾"  Room Darkening (E55)  EasyRise®, Top-Down/Bottom-Up														
W															174	
	36"															
	48															
	60															
	72															
1 10	84															
неіснт то	96															
_	108															
	120															
	132															
	144															

Am Roc	ity™ ¾' om Dar	kening	(E55)									Ulti	raGlide®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
1	84												
HEIGHT TO	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

	ship™ 3 m Darl	%" kening	(E27)					U	IltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
H T	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

	ship™ 3 om Dar	%" kening	(E27)					LiteR	ise®, Top-	-Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120
	36"										
2	48										
HEIGHT	60										
里	72										
	84										

	ship™ ¾ om Darl	%" kening	(E27)										EasyR	ise®, Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
неіснт то	84															
	96															
_	108															
	120															
	132															
	144															

Qualifying
Non-Qualifying

	ship™ ¾ om Darl	4" kening (	E27)									Ult	raGlide®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
1 10	84												
неіснт то	96												
	108												
	120												
	132												
	144												

	ends™ m Dar	3%" kening	(E4)					U	ItraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
) 1 ∓	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

Leg	jends™ om Darl	3%" kening	(E4)										EasyR	ise®, Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
	84															
неіснт то	96															
_	108															
	120															
	132															
	144															

Qualifying
Non-Qualifying

	ends™ om Darl	¾" kening (	E3)					U	IltraGlide®	, Top-Dov	vn & Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
1 1	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

	ends™ om Dar	¾" kening	(E3)					LiteR	ise®, Top-	-Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120
	36"										
2	48										
HEIGHT	60										
里	72										
	84										

Leg	ends™ om Darl	¾" kening	(E3)										EasyR	ise®, Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
неіснт то	84															
	96															
_	108															
	120															
	132															
	144															

Qualifying
Non-Qualifying

Leg	Legends™ ¾"  Room Darkening (E3)  UltraGlide®														
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132														
	36"														
	48														
	60														
	72														
) 	84														
неіснт то	96														
_	108														
	120														
	132														
	144														

	Sunterra <sup>™</sup> 3%" Room Darkening (E43)  UltraGlide®, Top-Down & Top-Down/Bottom-Up													
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 144													
	36"													
	48													
	60													
неіснт то	72													
EG	84													
_	96													
	108													
	114													

	Sunterra <sup>™</sup> ¾"  Room Darkening (E41)  UltraGlide®, Top-Down & Top-Down/Bottom-Up													
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	
	36"													
	48													
	60													
	72													
) 	84													
неіснт то	96													
_	108													
	120													
	132													
	144													

Qualifying
Non-Qualifying

	Sunterra™ ¾" Room Darkening (E41)  LiteRise®, Top-Down/Bottom-Up													
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120													
	36"													
10	48													
невнт	60													
里	72													
	84													

	unterra <sup>™</sup> ¾" oom Darkening (E41)  EasyRise®, Top-Down/Bottom-Up														
W													174		
	36"														
	48														
	60														
	72														
неіснт то	84														
트란	96														
_	108														
	120														
	132														
	144														

	Vintage <sup>™</sup> ¾"  Room Darkening (E51)  UltraGlide®, Top-Down & Top-Down/Bottom-Up													
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	
	36"													
	48													
	60													
	72													
HEIGHT TO	84													
自己	96													
_	108													
	120													
	132													
	144													

Qualifying
Non-Qualifying

	Vintage™ ¾" Room Darkening (E51)  LiteRise®, Top-Down/Bottom-Up													
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120													
	36"													
10	48													
НЕІСНТ	60													
里	72													
	84													

Vint	Vintage <sup>™</sup> ¾"  Room Darkening (E51)  EasyRise®, Top-Down/Bottom-Up														
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 144 156 168 174												174		
	36"														
	48														
	60														
	72														
	84														
HEIGHT TO	96														
_	108														
	120														
	132														
	144														