
# **HUNTER DOUGLAS**

Federal Tax Credit January 2024 Qualifying Product Document





#### How to use this document

All eligible Hunter Douglas Duette® and Applause® Honeycomb products with PowerView® Automation qualify for the Federal Tax Credit.

To determine if any non-motorized Hunter Douglas Honeycomb product qualifies for the Federal Tax Credit, please follow the steps below.


- 1) Refer to the Product Qualification Reference Chart, which can be found on Pages 3-6.
- 2) In the Product Qualification Reference Chart, if the fabric is listed as "All Qualify" then ALL operating systems and sizes within that product category qualify for the Federal Tax Credit. Available operating systems include PowerView, LiteRise®, UltraGlide® and EasyRise™ in Standard, Top-Down/Bottom-Up and Top-Down where applicable.

If the fabric you purchased is listed as "Some Non-Qualifying", please reference the Qualifying/Non-Qualifying Size Grids, for those applicable operating systems.


3) Within the Qualifying/Non-Qualifying Size Grids: find the specific fabric, operating system, and size of the product. If the size of the product falls within a dark green area, the specific product configuration DOES NOT qualify. If the size of the product falls within a light green area, that specific product configuration qualifies.

IMPORTANT: Any products purchased with the following systems and design options DO NOT QUALIFY.


- Duolite®
- Vertiglide<sup>™</sup>
- Skylift<sup>™</sup>
- Simplicity<sup>™</sup>
- TrackGlide<sup>™</sup> (Alustra Duette & Duette Only)
- LightLock® (Alustra Duette & Duette Only)
- EasyView® Arch (Alustra Duette & Duette Only)
- Two-on-One Headrail
- End Mount
- Outside Mount
- Specialty; including Sidelights, Shapes, Cut-outs, Magnetic Hold Down Brackets
- Fabrics not listed on pages 3-6.




			Alus	tra® Duet	te® Hone	ycomb Sh	nades				
Fabric	Pleat Size & Opacity	Fabric Code (All Colors)	Qualification	PowerView®	PowerView TD & TDBU	LiteRise <sup>®</sup>	EasyRise™	UltraGlide® TD & TDBU	LiteRise TDBU	EasyRise TDBU	UltraGlide
Architella Leela™	¾" Room Darkening	U25	ALL Qualify								
Architella Leela	1¼" Room Darkening	U45	ALL Qualify								
Architella Leela	¾" Light Filtering	U24	ALL Qualify								
Architella Leela	1¼" Light Filtering	U44	ALL Qualify								
Architella Macon™	¾" Room Darkening	U27	ALL Qualify								
Architella Macon	1¼" Room Darkening	U47	ALL Qualify								
Architella Macon	¾" Light Filtering	U26	ALL Qualify								
Architella Macon	1¼" Light Filtering	U46	ALL Qualify								
Architella Solasta™	¾" Room Darkening	U29	ALL Qualify								
Architella Solasta	1¼" Room Darkening	U49	ALL Qualify								



				Duette® H	loneycon	nb Shade	S				
Fabric	Pleat Size & Opacity	Fabric Code (All Colors)	Qualification	PowerView®	PowerView TD & TDBU	LiteRise <sup>®</sup>	EasyRise™	UltraGlide® TD & TDBU	LiteRise TDBU	EasyRise TDBU	UltraGlide
Architella® Alexa™	¾" Room Darkening	C94	ALL Qualify								
Architella Alexa	1¼" Room Darkening	C89	SOME Non-Qualifying*					*CHECK GRID PAGE 8			
Architella Alexa	¾" Light Filtering	C93	SOME Non-Qualifying*					*CHECK GRID PAGE 7	*CHECK GRID PAGE 7	*CHECK GRID PAGE 7	
Architella Alexa	1¼" Light Filtering	C88	SOME Non-Qualifying*					*CHECK GRID PAGE 8	*CHECK GRID PAGE 8	*CHECK GRID PAGE 9	
Architella Batiste Bamboo	¾" Light Filtering	C95	ALL Qualify								
Architella Batiste Bamboo	¾" Room Darkening	C96	ALL Qualify								
Architella Batiste Bamboo	1¼" Light Filtering	C97	ALL Qualify								
Architella Batiste Bamboo	1¼" Room Darkening	C98	ALL Qualify								
Architella Classic™	¾" Room Darkening	C51	SOME Non-Qualifying*					*CHECK GRID PAGE 9	*CHECK GRID PAGE 10	*CHECK GRID PAGE 10	
Architella Classic	¾" Light Filtering	C50	SOME Non-Qualifying*					*CHECK GRID PAGE 9	*CHECK GRID PAGE 10	*CHECK GRID PAGE 11	*CHECK GRID PAGE 11
Classic	<sup>3</sup> /8" Room Darkening	H7	ALL Qualify								
Classic	¾" Room Darkening	D7	SOME Non-Qualifying*					*CHECK GRID PAGE 12	*CHECK GRID PAGE 12	*CHECK GRID PAGE 13	*CHECK GRID PAGE 13
Commercial with MicroShield™	¾" Room Darkening	D23	ALL Qualify								
Commercial with MicroShield	¾" Light Filtering	D22	ALL Qualify								
Architella Elan® and Elan® Metallic	¾" Room Darkening	C23	SOME Non-Qualifying*					*CHECK GRID PAGE 14			
Architella Elan and Elan Metallic	1¼" Room Darkening	C43	SOME Non-Qualifying*					*CHECK GRID PAGE 14	*CHECK GRID PAGE 16	*CHECK GRID PAGE 18	
Architella Elan and Elan Metallic	¾" Light Filtering	C22	SOME Non-Qualifying*					*CHECK GRID PAGE 15			
Architella Elan and Elan Metallic	1¼" Light Filtering	C42	SOME Non-Qualifying*					*CHECK GRID PAGE 15	*CHECK GRID PAGE 16	*CHECK GRID PAGE 18	*CHECK GRID PAGE 15
Architella India Silk™	¾" Room Darkening	U23	ALL Qualify								
Architella India Silk	1¼" Room Darkening	U43	SOME Non-Qualifying*					*CHECK GRID PAGE 17			
Architella India Silk	¾" Light Filtering	U22	ALL Qualify								
Architella India Silk	1¼" Light Filtering	U42	SOME Non-Qualifying*					*CHECK GRID PAGE 17			



	Duette® Honeycomb Shades													
Fabric	Pleat Size & Opacity	Fabric Code (All Colors)	Qualification	PowerView®	PowerView TD & TDBU	LiteRise®	EasyRise™	UltraGlide® TD & TDBU	LiteRise TDBU	EasyRise TDBU	UltraGlide			
Architella Reception	¾" Room Darkening	C57	SOME Non-Qualifying*					*CHECK GRID PAGE 19	*CHECK GRID PAGE 20	*CHECK GRID PAGE 21				
Architella Reception	¾" Light Filtering	C56	SOME Non-Qualifying*					*CHECK GRID PAGE 19	*CHECK GRID PAGE 20	*CHECK GRID PAGE 21	*CHECK GRID PAGE 20			
Reception	¾" Room Darkening	D57	SOME Non-Qualifying*					*CHECK GRID PAGE 22	*CHECK GRID PAGE 22	*CHECK GRID PAGE 22	*CHECK GRID PAGE 23			
Architella Thea™	¾" Room Darkening	C59	SOME Non-Qualifying*					*CHECK GRID PAGE 24						
Architella Thea	1¼" Room Darkening	C61	SOME Non-Qualifying*					*CHECK GRID PAGE 24						
Architella Thea	¾" Light Filtering	C58	SOME Non-Qualifying*					*CHECK GRID PAGE 25						
Architella Thea	1¼" Light Filtering	C60	SOME Non-Qualifying*					*CHECK GRID PAGE 25						



	Applause® Honeycomb Shades													
Fabric	Pleat Size & Opacity	Fabric Code (All Colors)	Qualification	PowerView®	PowerView TD & TDBU	LiteRise®	EasyRise™	UltraGlide® TD & TDBU	LiteRise TDBU	EasyRise TDBU	UltraGlide			
HDOrigins® Esprit™	¾" Room Darkening	E37	SOME Non-Qualifying*					*CHECK GRID PAGE 26	*CHECK GRID PAGE 26	*CHECK GRID PAGE 26				
Amity™	¾" Room Darkening	E55	SOME Non-Qualifying*					*CHECK GRID PAGE 27	*CHECK GRID PAGE 27	*CHECK GRID PAGE 28	*CHECK GRID PAGE 28			
Kinship™	¾" Room Darkening	E27	SOME Non-Qualifying*					*CHECK GRID PAGE 29	*CHECK GRID PAGE 29	*CHECK GRID PAGE 29				
Legends™	³/8" Room Darkening	E4	SOME Non-Qualifying*			N/A		*CHECK GRID PAGE 30	N/A	*CHECK GRID PAGE 30				
Legends	¾" Room Darkening	E3	SOME Non-Qualifying*					*CHECK GRID PAGE 30	*CHECK GRID PAGE 31	*CHECK GRID PAGE 31	*CHECK GRID PAGE 31			
Sunterra™	³/8" Room Darkening	E43	SOME Non-Qualifying*			N/A		*CHECK GRID PAGE 32	N/A					
Sunterra	¾" Room Darkening	E41	SOME Non-Qualifying*					*CHECK GRID PAGE 32	*CHECK GRID PAGE 33	*CHECK GRID PAGE 33				
Vintage™	¾" Room Darkening	E51	SOME Non-Qualifying*					*CHECK GRID PAGE 34	*CHECK GRID PAGE 34	*CHECK GRID PAGE 34				

Qualifying
Non-Qualifying

		® Alexa <sup>™</sup> ring (C9						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
H T0	72												
неіснт то	84												
_	96												
	108												
	128												

		<sup>®</sup> Alexa <sup>™</sup> ring (C9											EasyRi	se®, Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
TT 10	72															
HEIGHT	84															
_	96															
	108															
	128															

		<sup>®</sup> Alexa¹ ring (C9	•		LiteRi	se®, Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84
	36"							
2	48							
неіснт то	60							
里	72							
	84							

Qualifying
Non-Qualifying

		® Alexa™ kening						Ul	traGlide®,	Top-Dov	vn & Top-	Down/Bo	ttom-Up		
W	WIDTH TO         24"         30         36         48         60         72         84         96         108         120         132         144														
	36"														
	48														
	60														
	72														
1	84														
HEIGHT TO	96														
_	108														
	120														
	132														
	144														

		® Alexa™ ring (C8	-					U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	ttom-Up		
W	WIDTH TO         24"         30         36         48         60         72         84         96         108         120         132         144           36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"         36"														
	36"														
	48														
	60														
	72														
HEIGHT TO	84														
田岛	96														
_	108														
	120														
	132														
	144														

_		<sup>®</sup> Alexa <sup>™</sup> ring (C8	•		LiteRi	se®, Top-	Down/Bo	ttom-Up		
W	IDTH TO	24"	30	36	48	60	72	84		
	36"									
2	48									
неіснт то	60									
里	至 72									
	84									

Qualifying
Non-Qualifying

		<sup>®</sup> Alexa <sup>™</sup> ring (C8											EasyR	ise®, Top-	Down/Bot	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
1 10	84															
неіснт то	96															
T	108															
	120															
	132															
	144															

		° Classic kening (						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
1 1	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

		® Classi ring (Ct						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

Architella® Classic™ ¾"  Room Darkening (C51)  LiteRise®, Top-Down/Botto								ttom-Up		
W	IDTH TO	24"	30	36	48	60	72	84	96	102
	36"									
2	48									
HEIGHT	60									
里	72									
	84									

_		® Classi ring (Ct				LiteR	ise®, Top-	Down/Bo	ttom-Up	
W	IDTH TO	24"	30	36	48	60	72	84	96	108
	36"									
2	48									
HEIGHT	60									
里	72									
	84									

		Classikening											EasyR	ise®, Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
1 1	84															
HEIGHT TO	96															
_	108															
	120															
	132															
	144															

Qualifying
Non-Qualifying

		Classi											EasyR	ise®, Top-	Down/Bot	ttom-Up
V	VIDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
1 10	84															
неіснт то	96															
Ŧ	108															
	120															
	132															
	144															

		Classion Classion Classion										Ulti	raGlide®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
<u> </u>	84												
HEIGHT TO	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

	ssic™ 3 om Dar	¼" kening	(D7)					U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
HEIGHT TO	84												
臣己	96												
_	108												
	120												
	132												
	144												

	ssic <sup>™ 3</sup> om Dar	4" kening	(D7)					LiteR	ise®, Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120
	36"										
2	48										
HEIGHT	60										
里	72										
	84										

Qualifying
Non-Qualifying

	Classic <sup>™</sup> ¾"  Room Darkening (D7)  EasyRise®, Top-Down/Bottom-Up															
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
1 TC	84															
неіснт то	96															
	108															
	120															
	132															
	144															

	ssic™ ¾ om Dar	4" kening	(D7)									Ult	raGlide®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
HEIGHT TO	84												
EIG	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

		® Elan® kening		ın Meta	llic ¾"			U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 14												
	36"												
	48												
	60												
10	72												
HEIGHT	84												
里	96												
	108												
	120												
	132												

		® Elan® a		n Meta	llic 1¼'	ı		U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	ttom-Up
W	DTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
T T	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

		<sup>®</sup> Elan <sup>®</sup> a		n Meta	llic ¾"			U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
<b>⊢</b>	84												
HEIGHT TO	96												
_	108												
	120												
	132												
	144												

		<sup>®</sup> Elan <sup>®</sup> a		n Metal	llic 1¼"	ı		U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
12 1	84												
HEIGHT TO	96												
_	108												
	120												
	132												
	144												

		® Elan® a ring (C4	and Ela 12)	n Meta	llic 1¼'	ı						Ulti	raGlide®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
<del> </del>	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

_		® Elan® n Darke			llic	LiteRi	se®, Top-	Down/Bo	ttom-Up				
W	WIDTH TO 24" 30 36 48 60 72 84 90												
	36"												
2	48												
HEIGHT TO	60												
里	72												
	84												

				Architella® Elan® and Elan Metallic 1¼" Light Filtering (C42)  LiteRise®, Top-Down/Bottom-Up													
W	WIDTH TO 24" 30 36 48 60 72 84 90																
	36"																
10	48																
HEIGHT TO	60																
里	72																
	84																

Qualifying
Non-Qualifying

	Architella® India Silk™ 1¼"  Light Filtering (U42)  UltraGlide®, Top-Down & Top Down-Bottom-Up													
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	
	36"													
	48													
	60													
	72													
неіснт то	84													
EIG	96													
_	108													
	120													
	132													
	144													

	Architella® India Silk™ 1¼"  Room Darkening (U43)  UltraGlide®, Top-Down & Top Down-Bottom-Up												
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
TT 10	84												
HEIGHT	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

	Architella® Elan® and Elan Metallic 11/4"  Room Darkening (C43)  EasyRise®, Top-Down/Bottom-Up															
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 144 156 168													174		
	36"															
	48															
	60															
	72															
TT 10	84															
неіснт то	96															
	108															
	120															
	132															
	144															

		Elan® ring (C4		ın Meta	ıllic 1¼	II							EasyR	ise®, Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
неіснт то	84															
티민	96															
	108															
	120															
	132															
	144															

Qualifying
Non-Qualifying

	Architella® Reception ¾" Room Darkening (C57)  UltraGlide®, Top-Down & Top-Down/Bottom-Up													
W	WIDTH TO 24" 30 36 48 60 72 84 96 108 120 132 144													
	36"													
	48													
	60													
2	72													
HEIGHT	84													
田田	96													
	108													
	120													
	132													

	Architella® Reception ¾" Light Filtering (C56)  UltraGlide®, Top-Down & Top-Down/Bottom-Up													
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	
	36"													
	48													
	60													
	72													
HEIGHT TO	84													
EIG	96													
_	108													
	120													
	132													
	144													

Qualifying
Non-Qualifying

		Recep kening		1		LiteRi	se®, Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	78	84	96
	36"								
2	48								
HEIGHT TO	60								
里	72								
	84								

		® Recep ring (Ct		ı		LiteRi	ise®, Top-	Down/Bo	ttom-Up
W	/IDTH TO	24"	30	36	48	60	72	84	96
	36"								
2	48								
неіснт то	60								
里	72								
	84								

Arc Ligi	hitella® nt Filte	Recep	ntion ¾' 56)	ı								Ult	raGlide®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
1 1	84												
HEIGHT TO	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

		Recep		II									EasyR	ise®, Top-	Down/Bo	ttom-Up
١	WIDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
2	72															
HEIGHT	84															
里	96															
	108															
	120															
	132															

		Recepting (C5	ntion ¾' 56)	II									EasyR	ise®, Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
2	72															
HEIGHT	84															
里	96															
	108															
	120															
	132															

Qualifying
Non-Qualifying

	eption om Dar	34" kening	(D57)					U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
10	72												
HEIGHT	84												
里	96												
	108												
	120												
	132												

	ception om Dar	34" kening	(D57)				LiteRi	ise®, Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108
	36"									
2	48									
неіснт то	60									
里	72									
	84									

	eption m Dar	¾" kening	(D57)										EasyR	ise®, Top-	Down/Bot	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
2	72															
HEIGHT	84															
垩	96															
	108															
	120															
	132															

Qualifying
Non-Qualifying

	eption m Darl	¾" kening	(D57)									Ulti	raGlide®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
2	72												
HEIGHT	84												
里	96												
	108												
	120												
	132												

Qualifying
Non-Qualifying

		® Thea™ kening						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
2	60												
HEIGHT	72												
里	84												
	96												
	108												

		® Thea™ kening						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
неіснт то	84												
三百百百百百百百百百百百百百百百百百百百百百百	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

		o Thea™ ring (C						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
TT TC	72												
HEIGHT TO	84												
	96												
	108												
	128												

		® Thea™ ring (C6						U	ltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

		® Esprit kening					U	IltraGlide®	, Top-Dov	vn & Top-	Down/Bot	tom-Up
WIDTH TO 24" 30 36 48 60 72 84 96							108	120	132	144		
	36"											
	48											
	60											
	72											
<u> </u>	84											
неіснт то	96											
_	108											
	120											
	132											
	144											

	HDOrigins® Esprit™ ¾" Room Darkening (E37)  LiteRise®, Top-Down/Bottom-Up										
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120
	36"										
2	48										
EIGHT	60										
里	72										
	84										

HD0 Roo	Origins om Darl	Esprit kening	™ ¾" (E37)										EasyR	ise®, Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
HEIGHT TO	84															
自己	96															
_	108															
	120															
	132															
	144															

Qualifying
Non-Qualifying

	ity™ ¾ om Dar	kening	(E55)					U	IltraGlide®	, Top-Dov	vn & Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
HEIGHT TO	84												
	96												
_	108												
	120												
	132												
	144												

	ity™ ¾' om Dar	" kening	(E55)					LiteR	ise®, Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120
	36"										
2	48										
HEIGHT	60										
里	72										
	84										

Qualifying
Non-Qualifying

	ity™ ¾'' om Dark	kening	(E55)										EasyR	ise®, Top-l	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
IT T0	84															
неіснт то	96															
	108															
	120															
	132															
	144															

	ity™ ¾' om Dar	" kening	(E55)									Ult	raGlide®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
1 1	84												
HEIGHT TO	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

	ship™ ¾ om Dark	4" kening (l	E27)					U	ItraGlide®	, Top-Dov	vn & Top-	Down/Bot	tom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
T T	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

	ship™ 3 om Dar	%" kening	(E27)					LiteR	ise®, Top-	-Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120
	36"										
2	48										
HEIGHT	60										
里	72										
	84										

	ship™ ¾ om Darl	4" kening	(E27)										EasyR	ise®, Top-	Down/Bot	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
) 	84															
неіснт то	96															
_	108															
	120															
	132															
	144															

Qualifying
Non-Qualifying

	ends™ m Darl	3%" kening	(E4)					U	IltraGlide®	, Top-Dov	wn & Top-	-Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
1 T	84												
неіснт то	96												
_	108												
	120												
	132												
	144												

Leg	ends™ om Dark	3/8" Kening	(E4)										EasyR	ise®, Top-	Down/Bo	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
	84															
неіснт то	96															
_	108															
	120															
	132															
	144															

Leg	Legends <sup>™</sup> ¾"  Room Darkening (E3)  UltraGlide®, Top-Down & Top-Down/Bottom-Up												
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
HEIGHT TO	84												
自己	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

_	Legends <sup>™</sup> ¾"  Room Darkening (E3)  LiteRise®, Top-Down/Bottom-Up										
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120
	36"										
2	48										
HEIGHT	60										
里	72										
	84										

	ends™ om Darl	¾" kening	(E3)										EasyR	ise®, Top-	Down/Bot	ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
	84															
HEIGHT TO	96															
_	108															
	120															
	132															
	144															

Leg	ends™ om Darl	¾" kening (	(E3)									Ult	raGlide®
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
<del> </del>	84												
HEIGHT TO	96												
	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

	Sunterra™ 3%" Room Darkening (E43)  UltraGlide®, Top-Down & Top-Down/Bottom-Up												
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
неіснт то	72												
EIG	84												
_	96												
	108												
	114												

	Sunterra <sup>™</sup> ¾" Room Darkening (E41)  UltraGlide®, Top-Down & Top-Down/Bottom-Up												
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
1 1	84												
НЕІСНТ ТО	96												
_	108												
	120												
	132												
	144												

Qualifying
Non-Qualifying

	Sunterra <sup>™</sup> ¾" Room Darkening (E41)  LiteRise®, Top-Down/Bottom-Up										ttom-Up
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120
	36"										
2	48										
HEIGHT	60										
里	72										
	84										

	Sunterra <sup>™</sup> ¾"  Room Darkening (E41)  EasyRise®, Top-Down/Bottom-Up															
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144	156	168	174
	36"															
	48															
	60															
	72															
11	84															
неіснт то	96															
	108															
	120															
	132															
	144															

Qualifying
Non-Qualifying

Vintage™ ¾" Room Darkening (E51)  UltraGlide®, Top-Down & Top-Down/Bottom-Up													
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120	132	144
	36"												
	48												
	60												
	72												
1T T0	84												
HEIGHT	96												
_	108												
	120												
	132												
	144												

Vintage <sup>™</sup> ¾" Room Darkening (E51)  LiteRise®, Top-Down/Bottom-Up													
W	IDTH TO	24"	30	36	48	60	72	84	96	108	120		
	36"												
HEIGHT TO	48												
	60												
	72												
	84												

Vintage <sup>™</sup> ¾" Room Darkening (E51)  EasyRise®, Top-Down/Bottom-Up																
WIDTH TO 24" 30 36 48 60 72 84 96 108											120	132	144	156	168	174
HEIGHT TO	36"															
	48															
	60															
	72															
	84															
	96															
	108															
	120															
	132															
	144															